# AQUADLUNG

# Military & Professional



### MILITARY & PROFESSIONAL BUYER'S GUIDE

# **TABLE OF CONTENTS**



IN A JOB LIKE YOURS, YOU CAN'T AFFORD TO COMPROMISE. SO WHETHER YOU RELY ON YOUR GEAR TO PERFORM A LIFESAVING RESCUE, A MISSION FOR OUR COUNTRY OR A COMMERCIAL DIVING GIG-QUALITY, PERFORMANCE AND RELIABILITY MATTER. MILITARY AND PROFESSIONAL DIVERS WORLDWIDE CHOOSE AQUA LUNG. WE SUPPORT THAT CHOICE WITH UNPARALLELED DIVING AND RESCUE GEAR.

CONTACT	3
REGULATORS	4 - 17
CYLINDERS, VALVES & ACCESSORIES	18 - 21
BUMP HELMETS	22
BC'S & ACCESSORIES	23 - 46
DIVE COMPUTERS AND GAUGES	47 - 51
MASKS	52 - 60
SNORKELS	61
FINS	62 - 65
WETSUITS	66 - 73
HOODS	74
GLOVES	75 - 78
BOOTS	79 - 80
DRY SUITS	81 - 105
DRY SUIT OPTIONS	106 - 109
DRYWEAR BOOTS	110 - 111
DRYWEAR UNDERGARMENTS	112 - 116
DRYWEAR HOODS	117 - 118
DRYWEAR GLOVES	
DRYWEAR SOCKS	123
DRYWEAR ACCESSORIES	124 - 129
RASHGUARDS	130 - 133
BAGS	134 - 138
KNIVES	139 - 144
MISSION SPECIFIC DIVING EQUIPMENT	145 - 162
COMMERCIAL DIVING	163 - 173



# AQUA LUNG AMERICA: 760.597.5000/TOLL FREE: 800.775.3483

·	
Marty Bizal	Phone: 760.597.5083/Ext. 5083
MILPRO Inside Sales Coordinator	Email: mbizal@aqualung.com
For technical product information:	
Steve Reilly	Phone: 760.597.5048/Ext. 5048
MILPRO Product Manager	Email: sreilly@aqualung.com
Military diving inquiries:	
Glen Rubin	Phone: 850.625.4193
Military Diving Program Manager	Email: grubin@aqualung.com
Military drywear inquiries:	
Trevor Kirby	Phone: 250.652.5881/Ext. 240
Military/Government Sales Manager - Drywear	Email: tkirby@aqualung.com
Public Safety & Commercial diving inquiries:	
John Drewniak	Phone: 603.545.9388
Public Safety & Commercial Diving Program Manager	Email: jdrewniak@aqualung.com
Departmental inquiries (contracts, OEM, partnerships):	
Tanja Kropf	Phone: 760.597.5091/Ext. 5091
Military & Professional Division Manager	Email: tkropf@aqualung.com

### For customer service, warranties, returns:

877.253.DIVE (3483) or email milprosupport@aqualung.com

Include in subject line: Please contact

### Follow us on social media:

https://www.facebook.com/agualungmilitary/

https://www.instagram.com/aqualungmilitary/



# AQUA LUNG MTX REGULATORS

### MTX First Stage Regulator (DIN & Yoke Connection)

- Overbalanced for superior performance
- Compact, environmentally sealed diaphragm system
- Recommended for frequent use in cold or contaminated water
- Environmental over-molded endcap prevents ice buildup
- 5 x 3/8" UNF medium pressure ports
- 2 x 7/16" UNF high pressure ports
- Forged first stage body with heat exchanging ribs for maximum thermal performance and angled HP ports for optimal hose routing
- Forged rotating turret with medium pressure ports in a parallel direction for improved hose orientation
- EN250A to 196 feet (60 meters) cold water
- Nitrox/oxygen compatible

### **MTX Second Stage Demand Valve**

- MTX No diver controls, pre-settable cracking effort
- High performance, pneumatically balanced
- Chrome plated front cover with over-molded elastomer
- Large protective elastomer bumpers on side and top
- Reversible for either left or right hand gas supply
- Double swivel flexible hose for greater freedom of movement and comfort
- Molded parts are produced using an active protection additive that kills MRSA, protects against E-Coli, bacteria and fungi
- Large heat exchanger fitted at hose connection

### **Specifications**

### Weight:

DIN connection (total weight including hose: 2.63 lbs (1.193 kg)) Yoke connection (total weight including hose: 2.95 lbs (1.339 kg))

### Maximum working pressure:

First stage DIN: 4350 psi (300 bar)

Yoke clamp connection: 3365 psi (232 bar)

### Medium supply pressure:

130-145 psi (9-10 bar)

### **Temperature Range:**

Storage: -22°F to 158°F (-30°C to 70°C)

Working temperature: 32.9°F to 131°F (0.5°C to 55°C)

### Tested and manufactured in accordance with:

Certified by INPP

Personal Protective Equipment Directive 1989 (PPE) 89/686/EEC, Pressure Equipment Directive & European Environmental Directives, which include; - EN250A:2014 for Respiratory Equipment

- Open Circuit Self Contained Compressed Air Diving Apparatus including annex 'A' for auxiliary air supply (octopus)
- EN13949 respiratory equipment. Open-circuit self-contained diving apparatus for use with compressed nitrox and oxygen.
- EN12209 gas cylinders. Outlet connections for gas cylinder valves for compressed breathable gas.





PART #	DESCRIPTION
AP0286BCPAQ	MTX 1ST STAGE AND 2ND STAGE YOKE
AP0287BCPAQ	MTX 1ST STAGE AND 2ND STAGE DIN
AP0288BCPAQ	MTX 1ST STAGE YOKE
AP0289BCPAQ	MTX 1ST STAGE DIN
AP0290BCPAQ	MTX 2ND STAGE ONLY
AP0065BCPAQ	MTX OCTO WITH YELLOW HOSE
AP0298	1ST STAGE SERVICE KIT
AP0299	2ND STAGE SERVICE KIT





### MTX MILPRO REGULATORS

### **KEY FEATURES**

### MTX SECOND STAGE DEMAND VALVE

- MTX No diver controls, pre-settable cracking effort
- MTX-V Venturi diver controls, pre-settable cracking effort
- High performance pneumatically balanced
- Chrome and/or PVD brass plate front cover with over-moulded elastomer
- Large protective elastomer bumpers on the side and on the top
- Reversible for either a left or right hand gas supply
- Double swivel Flexi hose for greater freedom of movement and comfort
- Hard wearing, black PVD finish option available
- Moulded parts are produced using an active protection additive that kills MRSA,

protects against E-Coli, bacteria and fungi

- Large heat exchanger fitted at hose connection
- Integrated bungee necklace with lockout feature

### MTX FIRST STAGE REGULATOR (DIN AND YOKE CONNECTION)

- Overbalanced for superior performance
- Compact, environmentally sealed diaphragm system
- Recommended for frequent use in cold or contaminated water
- Environmental over-moulded endcap that prevents ice build-up
- 5 x 3/8" UNF medium pressure ports
- 2 x 7/16" UNF high pressure ports
- Forged first stage body with heat exchanging ribs for maximum thermal performance and

angled HP ports for optimal hose routing

• Forged rotating turret with medium pressure ports in a parallel direction for improved hose orientation

• EN250A to 60 meters cold water

• Nitrox/oxygen compatible





**SPECIFICATIONS** 

Weight:

DIN connection (Total weight including hose) – 1.193kg (2.63lbs) Yoke connection (Total weight including hose) - 1.339kg (2.95lbs)

### Maximum working pressure:

First stage DIN - 300bar (4350 psi)

Yoke clamp connection - 232bar (3365 psi)

### Medium supply pressure:

9-10 bar (131-145psi) **Temperature Range:** 

Storage -30°C to 70°C (-22°F to 158°F)

Working Temperature 0.5°C to 55°C (32.9°F to 131°F)

### **Maintenance Recommendations:**

To be serviced biannually by an authorized trained technician. (Please see service manual for further details)

### Tested and manufactured in accordance with:

Certified by INPP

Personal Protective Equipment Directive 1989 (PPE) 89/686/EEC. Pressure Equipment Directive and European Environmental

which include; - EN250A:2017 for Respiratory Equipment -Open Circuit Self Contained Compressed

Air Diving Apparatus including annex 'A' for auxiliary air supply

- EN13949 Respiratory equipment. Open-circuit self-contained diving apparatus for use with compressed nitrox and oxygen.
- EN12209 Gas cylinders. Outlet connections for gas cylinder valves for compressed breathable gas.



PART #	DESCRIPTION
AP0286, AP0286S	MTX FIRST STAGE AND SECOND STAGE WITH YOKE CONNECTION
AP0286V, AP0286VS	MTX-V FIRST STAGE AND SECOND STAGE VENTURI WITH YOKE CONNECTION
AP0287, AP0287S	MTX FIRST STAGE AND SECOND STAGE WITH DIN CONNECTION
AP0287V, AP0287VS	MTX-V FIRST STAGE AND SECOND STAGE VENTURI WITH DIN CONNECTION
AP0290, AP0290S	MTX SECOND STAGE
AP0290V, AP0290VS	MTX-V SECOND STAGE WITH VENTURI CONTROL
AP0288, AP0288S	MTX FIRST STAGE YOKE CONNECTION
AP0289, AP0289S	MTX FIRST STAGE DIN CONNECTION
AP0298	FIRST STAGE SERVICE KIT
AP0299	SECOND STAGE SERVICE KIT



# 🚺 арекх МТХ-R

The MTX-R is based on the MTX military regulator and is a super tough, rugged, high performance, go anywhere regulator. The MTX-R has excellent cold water performance and has a greatly reduced risk of free flow in extreme environments. This has been achieved by improving several areas, including our innovative endcap solution that solves a longchallenged reality for cold water divers of first stage freeze up. This regulator is designed to meet all aspects of the NEDU (Navy Experimental Dive Unit) military requirements for diving in extreme cold environments. The MTX-R is highly reliable and very easy to service.

### **FIRST STAGE**

- Break through, innovative over moulded first stage endcap & environmental diaphragm helps prevent ice build up that can cause first stage free flow in extreme circumstances. Also protects the first stage from impact damage
- Unique over balanced diaphragm design as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a faster rate than ambient. This results in superior performance at depth
- Compact environmentally dry sealed diaphragm system completely eliminating the maintenance issues associated with silicone, oil or grease filling
- Easy to grip DIN hand wheel or over-moulded yoke hand-wheel, only requires one hand to release
- Comes standard with 5 MP and 2 HP ports
- The 5th medium pressure port includes a protective bumper when not in use
- Forged first stage body with heat exchanging ribs for maximum thermal performance
- Angled HP ports for optimal hose routing and fitting of transmitters
- Forged rotating turret with medium pressure ports in a parallel direction for improved hose orientation
- Ribbed diaphragm clamp for improved heat exchange in cold water conditions





# **(1)** арекх

# MTX-R OCTOPUS

This octopus uses the same second stage as the MTX-R

- Includes left / right reversibility, coldwater capability and the performance you would expect from an Apeks pneumatically balanced valve
- The unit has a high visibility yellow front cover, yellow accent pieces and a 36" braided flex yellow hose
- · Comes standard with small exhaust tee

#### **SECOND STAGE**

- Simple to use with no diver adjustment controls and reduced chance of free flow occurrence, pre-settable cracking effort or venturi control by an Apeks approved qualified technician
- High performance pneumatically balanced lever operated poppet valve
- Large, diver friendly self flushing controllable purge button
- Front cover with over moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places
- Reversible second stage allows for left or right hand configuration
- A heat exchanger which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water
- Features an innovative Diver Changeable Exhaust system (DCE). The system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. The regulator is supplied with both sets of exhaust tees
- Comfo-bite mouthpiece
- Flexible nylon braided hose has better cold water performance than traditional rubber hose
- Double swivel hose for greater freedom of movement and comfort





PART#	DESCRIPTION
AP0060	MTX-R, YOKE
AP0061	MTX-R, DIN
AP0066	MTX-R OCTOPUS



# MTX FIRST STAGE EXPLODED VIEW



KFY#	PART #	DESCRIPTION

### KEY # PART # DESCRIPTION



# MTX SECOND STAGE EXPLODED VIEW



KEY # PART # DE	SCRIPTION	KEY # PART # D	ESCRIPTION
	Kit, Service, Second Stage MTX, Mil-Pro Reg, MTX Second Stage, Chrome Reg, Octo, MTX, Chrome / Yellow, w/ Hose Purge Button Assy, MTX Front Cover, MTX Diaphragm Cover Diaphragm Deflector Case, MTX,Black w/Decal Tie Wrap Mouthpiece, Comfo-Bite Heat Exchanger, Chrome O-ring (10 pk) Blanking Piece, Black Venturi Ring, Blank, Black enturi Body -ring (10 pk)	50AP2033/tube 51AP2005BCP 52AP6215 53AP2035 54AP1151 55AP2034 56AP2036 57AP2041P 58AP2021 59AP2038SQ 60AP2006 61AP6223 62AP6223/63AP1461 64AP0198DSWBCPUAP0199DSWUB 65AP3050BCP	Valve Seat Valve Spindle, Chrome Spindle Collar Lever Spring Pin MP Seat, Silicone Shuttle Valve O-ring (10 pk) Spring Counter-Balance Cylinder Adjusting Screw, Chrome Exhaust Valve, Silicone Large Exhaust Tee Set Hose Protector, Black J MP Hose, Dbl Swivel, Chrome, 3/8" X 30" MP Hose, Octo Dbl Swivel Flex, 3/8" x 39" Yel Adaptor, 3-8 UNF Hose, Chrome



# AQUA LUNG CONSHELF XIV / SUPREME


- World's most popular military and professional regulator
- Durable, time-proven design
- Chrome-plated, marine brass 1st and 2nd stage
- Available in cold water "Supreme" version
- 5 port first stage: 4MP & 1HP



		Michigan Print
PART #	DESCRIPTION	NSN
108100	CONSHELF XIV, YOKE	4220011053069
108115	CONSHELF XIV, DIN	
108800	CONSHELF XIV SUPREME, YOKE	4220013881030
108525	CONSHELF XIV OCTOPUS W/39" BLACK HOSE	
108520	CONSHELF XIV OCTOPUS W/39" YELLOW HOSE	4220012484175
107700	CONSHELF XIV FIRST STAGE ONLY, YOK	4220010412635
107701	CONSHELF XIV FIRST STAGE ONLY, DIN	
108810	CONSHELF XIV SUPREME FIRST STAGE ONLY, YOKE	4220012568725
108650	CONSHELF XIV SUPREME FIRST STAGE ONLY, DIN	
108530	CONSHELF XIV SECOND STAGE WITHOUT HOSE	4220012484174
108538	CONSHELF XIV SECOND STAGE SUPREME WITHOUT HOSE	
108195	CONSHELF XIV SERVICE KIT FIRST AND SECOND STAGE, AIR ONLY	4220013877972
105994	CONSHELF XIV SERVICE KIT FIRST STAGE YOKE/DIN, AIR ONLY	
108595	CONSHELF XIV SERVICE KIT FIRST STAGE YOKE/DIN, AIR/NITROX UPTO 40%	
108655	CONSHELF XIV SUPREME SERVICE KIT FIRST STAGE DIN, AIR ONLY	
108592	CONSHELF XIV SERVICE KIT SECOND STAGE, AIR ONLY	
108596	CONSHELF XIV SERVICE KIT SECOND STAGE YOKE/DIN, AIR/NITROX UPTO 40%	
108110	CONSHELF XIV TOOL KIT	
108105	CONSHELF XIV REGULATOR PRESS FIRST STAGE	
107455	CONSHELF XIV DIN ADAPTER KIT FIRST STAGE	
108181	CONSHELF XIV DIN CONVERSION KIT-NON-SUPREME TO SUPREME DIN	
108182	CONSHELF XIV DIN CONVERSION KIT-SUPREME TO SUPREME DIN	
108200	CONSHELF XIV CONVERSION KIT, SECOND STAGE TO OCTOPUS	
108535	CONSHELF XIV UPGRADE KIT, SECOND STAGE	
102880	HOSE ASSY, YELLOW 10 FOOT LP	
102893	HOSE ASSY, YELLOW 15 FOOT LP	



## **CONSHELF XIV & SUPREME FIRST STAGE EXPLODED VIEW**




Key # Part #	Description
	Military Service Kit (First & Second Stage, Air only) Military Service Kit (First Stage, Air only) Military Service Kit (First Stage, Nitrox up to 40%) Military Service Kit, Supreme DIN (First Stage, Air only) First Stage, Conshelf XIV (Yoke) First Stage, Conshelf XIV (DIN) First Stage, Conshelf XIV Supreme (Yoke)
1 108185 2 107506 3 101012 4 820120P 5 861068 6 700418 7 863051 8 845095 124628 9 105106 10 104613 11 105324 12 119129 828005 13 820080P	Decal Yoke Screw Dust Cap O-ring (10 pk) Retaining Ring Yoke Retaining Ring Washer, Nylon Washer, Stainless (Nitrox up to 40%) Filter Spring Spring Block Back-up Ring, Black, Non-Split (Nitrox up to 40%) Back-up Ring, White, Split, Military Only O-ring (25 pk)
14101504 15105940 N/SM105320 16105333 17105323 18101727 19820011P 20910912 N/S104304 21957004P 22101785	Spring HP Seat, Blue (Nitrox up to 40%) HP Seat, Black, Military Only Body, Conshelf XIV, 5-port Pin Pin Support O-ring (3/8" Port) (25 pk) Plug, MP Port, 3/8 inch (Con XIV, Post-1998) Plug, MP Port, 3/8 inch (Con XIV, Pre-1998) O-ring (7/16" HP Port) (25 pk) Adapter, HP, 7/16" Female to 3/8" Male

Key # Part #	Description
23103137	Plug, HP Port, 7/16 inch
24 103425	Diaphragm, Grey, w/Thrust Washer (Nitrox up to 40%)
24a103429	Diaphragm, Black, Military
24b821026	Thrust Washer, Military
25101728	Spring Pad
26105326	Spring Retainer
27105327	Spring
28845097	Washer, Main Spring (non-oil filled only)
29101549	Adjustment Screw
Supre	me Models (21% Air use only)
30105944	Spring (Supreme only)
31108851	Spring Retainer, Supreme
32108853	Secondary Diaphragm, Supreme
33108854	Diaphragm Retainer, Supreme
N/S108855	Silicone Fluid, 2 oz., Military Only
	5 Dry Environmental Kit (Nitrox up to 40%)
34124560	Spring Pad
35106317	Spring Retainer
36106356	Spring
37106026	Adjustment Screw
38106319	Piston
39106338	Decal
40106337	External Diaphragm (Not included in service kit)
41106318	Diaphragm Retainer
10745	5 DIN Adapter Kit
42124665	Protector Cap, DIN Connector
43820040	O-ring
44106056	Stem 300 Bar DIN Type, Conshelf
45820039P	O-ring (10 pk)
46108652	Handwheel, Conshelf, 300 BAR
47106057	DIN Adapter, Conshelf
48824407P	O-ring (20 pk)



### CONSHELF XIV SECOND STAGE EXPLODED VIEW



Key# Part#	Description
108195 108592 108596 108530	Military Service Kit (First & Second Stage, Air only) Military Service Kit (Second Stage, Air only) Military Service Kit (Second Stage, Nitrox up to 40%) Conshelf XIV Second Stage
108538	Conshelf XIV Supreme Second Stage
49108185 106188 50103706 51102708	Decal, Conshelf XIV Decal, Octo, Conshelf XIV Purge Button w/ Adjustment Screw Purge Spring
52107001 53390147	Box Top Box Top Clamp
54834023 55860037 56103732	Clamp Screw Retaining Ring Demand Diaphragm (U.S. Military Only)
57101919 58105139	Exhaust Tee Exhaust Valve
59820014P 60820014P	Inlet Fitting O-ring (25 pk) MP Seat, Black

Part numbers in BOLD ITALICS indicate standard overhaul replacemen
--

ey# Part#	Description
62104903	Poppet
63108504	Spring (Standard)
108514	Spring (Octopus, Blue)
64108122	Box Bottom
108535	Box Bottom Kit (includes 57, 64, 65 & 66)
65957025P	O-ring (10 pk)
66102004	Plug
67107607	Washer
68107605	Lever
69107606	Spacer
70102510	Locknut
71104940	Clamp, Clear
104913	Clamp, Black
72105884	Comfo Bite Mouthpiece, Clear
105885	Comfo Bite Mouthpiece, Black
105879	Standard Mouthpiece, Black
73820010P	O-ring (25 pk)
74090015	MP Hose, 3/8" x 30" Black
090039	MP Hose, 3/8" x 39" Yellow
090025	MP Hose, 3/8" x 39" Black



# **Марекх** XTX200

The XTX 200 is second only to the XTX Tungsten and quite rightly enjoys its position towards the top of the Apeks regulator range. The definitive blend of style and high performance, every detail on this product has been carefully designed to offer a regulator of the highest quality. Features a swivel hose for maximum comfort.

### **Features**

- Features an innovative Diver Changeable Exhaust system (DCE). This system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. The regulator is supplied with both sets of exhaust tees
- An optional 5th port is available which features the additional bonus of an integrated heat exchanger.
- The process of changing the regulator to a left-handed configuration is both quick and simple. However this procedure must ONLY be performed by an APEKS Authorized Service Technician
- Available in yoke or DIN configuration
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable
- Suitable for coldwater use (below 10°C / 50°F)
- Compatible with EAN40 out of the box.

### **First Stage**

- FSR style first stage
- Highly polished bright chrome plating
- Compact one piece body
- 4 angled medium pressure ports, 4 x 3/8" UNF
- 2 angled high pressure ports, 2 x 7/16" UNF
- Optional 5th port
- Removable ARCAP valve seat
- Unique over-balanced, diaphragm design—as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out

### **Second Stage**

- Pneumatically-balanced second stage results in smooth, easy breathing
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used—press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the center for the full effect of the purge, i.e. when regulator clearing etc
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation
- Easy-to-grip opening effort control knob keeps the diver in control
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae
- A silicone exhaust valve improves the breathing performance of the regulator
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue
- A heat exchanger (patented), which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.





PART #	DESCRIPTION
RG113121	XTX200 REGULATOR YOKE
RG113122	XTX200 REGULATOR DIN
AP0363F	FSR (XTX200) First Stage - Yoke
AP0363F1	FSR (XTX200) First Stage - DIN

# **REGULATORS**



# **Марекх** XTX50

The XTX50 is for the discerning diver who wants the benefits of a feature-rich regulator at a moderate price. This popular regulator has four medium-pressure ports all mounted on a rotating turret, resulting in optimal hose routing while eliminating sharp bends in the hose.

### **Features**

- Four medium-pressure ports all mounted on a rotating turret. This results in optimal hose routing while eliminating sharp bends in the hose
- Features an innovative Diver Changeable Exhaust system (DCE). This system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. The regulator is supplied with both sets of exhaust tees
- Optional 5th port is available for the DST model first stage only to optimize use for sidemount or twin cylinder setups
- Can be converted from a right-handed hose configuration to a left-handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However this procedure must ONLY be performed by an APEKS Authorised Service Technician
- Available in yoke or DIN configuration
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable
- Suitable for coldwater use (below 10°C / 50°F)
- Compatible with EAN40 out of the box

### **DST First Stage**

- Unique over-balanced, diaphragm design—as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth
- 2 HP ports and 4 MP ports on a rotating turret are angled for optimum hose routing
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out

### **Second Stage**

- Pneumatically-balanced second stage results in smooth, easy breathing
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation
- Easy-to-grip opening effort control knob keeps the diver in control
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae
- A silicone exhaust valve improves the breathing performance of the regulator
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water



PART #	DESCRIPTION
RG115127	XTX50 REGULATOR YOKE WITH DST
RG115128	XTX50 REGULATOR DIN WITH DST
AP0361F	FSR (XTX200) FIRST STAGE - YOKE
AP0361F1	FSR (XTX200) FIRST STAGE - DIN
AP0527	DS4 FIRST STAGE - YOKE
AP0528	DS4 FIRST STAGE - DIN



# **♠apekx** XTX50/DS4 DIN

This first stage goes to the extreme and never disappoints making it the regulator of choice for technical divers around the world.

#### **Features**

- This regulator is similar to the XTX50 mentioned previously less the rotating turret
- The compact first stage is ideally suited for twin manifolds or for use on a single valve
- The one high-pressure port and four low-pressure ports are positioned for most common technical diving rigs
- The over-balanced first stage provides superior performance at deeper depths
- The first stage is dry-sealed preventing the entry of contaminants as well as ice formation on the main spring
- The XTX50 second stage is pneumatically balanced for very easy breathing
- Due to its innovative Reversible Venturi System (RVS), the second stage can be configured into a right hand or left hand orientation
- Using the venturi control lever, the diver can prevent unwanted freeflow when the regulator is out of the mouth and achieve a venturi boost while diving
- Easy-to-grip opening effort control knob
- Suitable for coldwater use
- Compatible to EAN 40 new, out of the box
- First stage comes standard with a 300 Bar DIN connector



PART #	DESCRIPTION
RG115125	XTX50 REGULATOR DIN WITH DS4

# **A**apeks XTX40 OCTOPUS

The XTX40 Octopus provides the same features and performance as the XTX40 second stage and includes left / right hand reversibility. It comes with a high visibility yellow front cover and a 36" yellow hose. Suitable for cold water use (below  $10^{\circ}\text{C}$  /  $50^{\circ}\text{F}$ ).

### **Features**

Same as XTX50 without breathing effort control knob



PART #	DESCRIPTION
RS131115	XTX40 OCTOPUS



# **Aapeks** XTX50 OCTOPUS

The XTX50 Octopus is our top-of-the-line Octopus in terms of features and performance. It provides the same features and performance as the XTX50 second stage and includes left / right hand reversibility. It comes with a high visibility yellow front cover and a 36" yellow hose. Suitable for cold water use (below  $10^{\circ}\text{C}$  /  $50^{\circ}\text{F}$ ).

### **Features**

- The XTX50 Octopus has a breathing effort control knob. This allows the diver to desensitize the unit when it not being used
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the center for the full effect of the purge, i.e. when regulator clearing etc
- Can be converted from a right-handed hose configuration to a left handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However, this procedure must ONLY be performed by an APEKS Authorized Service Technician
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable
- Suitable for coldwater use
- Compatible with EAN 40 out of the box
- Pneumatically-balanced second stage results in smooth, easy breathing
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation
- Manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae
- A silicone exhaust valve improves the breathing performance of the regulator
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue

PART #	DESCRIPTION
RS132117	XTX50 OCTOPUS

# (A) apeks EGRESS OCTOPUS

Innovative, low profile design minimizes drag. The pneumatically balanced valve provides superior performance for an alternate air source, making it a perfect complement to the high performing Apeks regulators.

### **Features**

- Unique 12° angle between the mouthpiece and the hose, which is ideal for sharing air with your buddy
- Breathes smoothly when positioned right side up or upside down
- High visibility 36" yellow hose distinguishes your Egress hose from your primary hose and is easily spotted in the event of an out-of-air emergency
- Coldwater compatible



PART #	DESCRIPTION
RS113114	EGRESS OCTOPUS





# AQUA LUNG LEG3ND ELITE YOKE & DIN

The LEG3ND ELITE gives divers unprecedented capabilities by providing perfect precision and enhanced ergonomics at your fingertips. Advanced divers appreciate the independent micro adjustments to fine-tune their own individual breathing preferences

Inhalation adjustment knob: Allows the diver to precisely adjust the opening effort sensitivity.

- At "MIN" position the assistance of the valve is minimized, resulting in lower opening effort sensitivity.
- · At "MAX" position the assistance of the valve is maximized, resulting in higher opening effort sensitivity.

Overmolded with "soft touch" elastomer, the ergonomically designed lever perfectly controls the venturi effect, either allowing or containing a natural freeflow.



PART #	DESCRIPTION
RG148004	LEG3ND ELITE YOKE
RG148005	LEG3ND ELITE DIN

# AQUA LUNG LEG3ND MBS YOKE & DIN

The Master Breathing System is a new way to adjust the comfort on a second stage. The diver can perfectly master breathing comfort in one simple rotation. The MBS is a unique combined adjustment, it controls the inhalation effort and the venturi effect automatically.

With the MBS on minimum position (only one full rotation): The spring is fully compressed and the inhalation effort is about 1.2 In/H2O (3 mbar) higher. A free flow is contained when the venturi blade restricts the injection outlet.

With the MBS on maximum position: The injection of the airstream is unrestricted and the flow is maximized.



PART #	DESCRIPTION
RG148002	LEG3ND MBS YOKE
RG148003	LEG3ND MBS DIN



# AQUA LUNG LEG3ND YOKE & DIN

When performance is your highest priority, LEG3ND is the answer. The LEG3ND shares the same breathing characteristics with the LEG3ND ELITE and LEG3ND MBS. The familiar venturi switch now features an updated and ergonomic design. Because your sensations and emotions are amplified in the underwater world, you can focus on what matters: feeling free.

### **NEW in 2020**

Overmolded with "soft touch" elastomer, the ergonomically designed switch perfectly controls the venturi effect, either allowing or containing a natural freeflow



PART #	DESCRIPTION
RG148000	LEG3ND YOKE
RG148001	LEG3ND DIN

# AQUA LUNG AIRSOURCE

The Airsource combines a high-performance second stage with a power inflator. By eliminating the need for a traditional octopus, the diver can streamline their entire system. In addition, unlike a traditional octopus that can drag in the sand or damage coral, you'll take comfort knowing that the Airsource is right in front of you ready to deliver life saving air in a moment's notice.

### **Features**

- The second stage valve is pneumatically balanced resulting in unparalleled
- performance and consistent breathing from start of dive to end. Ideal for use with over-balanced first stages
- The "Trim Grip" in the middle of the corrugated hose allows diver to dump air from BC during ascent without removing the Airsource from the mouth
- Using a clever bayonet mount, the Airsource quickly and easily separates from the BC at the "Trim Grip". This allows the Airsource to

remain with the diver's complete regulator for packing and traveling

- Uses a sturdy, yet comfortable Comfo-Bite mouthpiece
- The braided inflator hose is lighter weight and more pliable
- Ergonomic design optimizes button placement for ease of use
- Soft-touch purge cover is located on the bottom so it won't be inadvertently activated in strong currents
- Low-profile rapid-exhaust valve is activated by pulling on the "Trim Grip" or the lower unit
- Corrugated hose has clips and recessed areas to accommodate the inflator hose

<ul> <li>The body is made from a new, more rugged material as compared to earlier versions</li> <li>The oral inflator button and seal have been redesigned for ease of use and a better seal</li> <li>Comes standard with an "Anchor Line" keeping the Air Source streamlined to the BCD</li> </ul>		
PART #	DESCRIPTION	
RG147111	AIRSOURCE - COMPLETE	
RG147112	AIRSOURCE - INSTALLED	
RA123000	AIRSOURCE CONVERSION KIT FCD TO QD	





# AQUA LUNG PVD DIN



PART #	DESCRIPTION
054600	4350 psi / 300 bar

# AQUA LUNG PVD PRO K



PART #	DESCRIPTION
054605	3300 psi / 227.5 bar

# AQUA LUNG PVD TWIN MANIFOLD



PART #	DESCRIPOTION
054615	3300 psi / 227.5 bar

# AQUA DLUNG PVD J




PART#	DESCRIPTION
054594	3300 psi / 227.5 bar

PART #	DESCRIPTION	NSN
109807	4350 DIN VALVE PVD, SERVICE KIT	
109806	3300 K PRO VALVE PVD, SERVICE KIT	
109804	3300 TWIN MANIFOLD J PVD, SERVICE KIT	
109805	3300 J VALVE PVD, SERVICE KIT	
109803	ACTIVATION PULL ROD FOR PVD VALVE	
074305	PULL ROD	
054595	J VALVE OVERHAUL KIT	
076016	80 CF ALUMINUM CYLINDER, BLACK, NO VALVE	
076075	100 CF ALUMINUM CYLINDER, BRUSH, NO VALVE	
5240-KIT	Z VALVE OVERHAUL KIT	
280095	TWIN MANIFOLD OVERHAUL KIT	4220013536565
054242	SAFETY PLUG KIT 3300 PSI UPGRADE	
280036	VALVE ADAPTER TOOL	



# (A) apeks ADJUSTABLE PRESSURE RELIEF VALVE (APRV)



- Recommended safety fitting for all diving operations Adjustable 175–245 psi (12–17 bar)
- Low profile prevents damage and snagging
   Factory preset to 217 psi (15 bar)

PART #	DESCRIPTION
AP0849K	ADJUSTABLE PRESSURE RELIEF VALVE
AP0251	SERVICE KIT (APRV)

# (A) apeks FREEFLOW CONTROL DEVICE

- Isolates freeflowing 2nd stages
- Guards against unexpected air loss
- Improves diver safety

- Gives total control of a frozen 2nd stage
- Fits any 2nd stage with standard hose fitting

0000	

PART #	DESCRIPTION
AP0233	APEKS FREEFLOW CONTROL DEVICE

# **(A) apeks** 5 PORT UPGRADE KITS





PART #	DECRIPTION
RA117113	5 PORT TURRENT UPGRADE KIT

# **(A) apeks** DIN TO YOKE CONVERTER

• Allows quick and easy conversion from DIN to yoke without tools



PART #	DESCRIPTION
AP0195	DIN TO YOKE CONVERTER

# (A) apeks DIN CONNECTORS, ACCESSORIES & SERVICE KITS

- Allows you to replace your existing yoke connector
- Available in co-molded, bright chrome or satin finish

PART #	DESCRIPTION
RA112118	APEKS DIN CONVERSION KIT - COMOLDED
RA112118	APEKS DIN ADAPTER-CHROME
AP0211/S	APEKS DIN ADAPTER-SATIN
AP0198	APEKS FLEXI HOSE
AP0199	APEKS FLEXI HOSE - OCTOPUS
AP02031TEK21	HOSE,REG,BLK RUBBER,DBL-SWIVL,3/8X83
RT141114	SERVICE KIT, APEKS DIAPHRAGM 1ST STAGES (EXCEPT FLIGHT)
RS135111	SERVICE KIT, APEKS 2ND STAGES (EXCEPT FLIGHT)
AP0198DSW	DOUBLE SWIVEL HOSE
RH113116	DOUBLE SWIVEL OCTO HOSE



RA112118



4P021



AP0211/S



# AQUA LUNG DIN TO YOKE CONVERTER



PART #	DESCRIPTION
RA119111	DIN TO YOKE CONVERTER

# AQUA LUNG REGULATOR SERVICE KITS

PART #	DESCRIPTION NSN	
AP0298	SERVICE KIT, MTX 1ST STAGE	
AP0299	SERVICE KIT, MTX 2ND STAGE	
108195	CONSHELF XIV SERVICE KIT FIRST AND SECOND STAGE, AIR ONLY	4220013877972
108655	SERVICE KIT, CONSHELF SUPREME, 300 BAR, 1ST STAGE	

# AQUA DLUNG AQUA LUNG LP HOSES

PART #	DESCRIPTION
RH119114	HOSE, MP, AQUAFLEX, 3/8" X 29"
RH119115	HOSE, MP, AQUAFLEX, YELLOW 3/8" X 39"







# **♠** apeks BAILOUT SWITCH BLOCK

The Bailout Switch Block allows the diver to switch from a primary gas supply to an alternate bailout gas supply (Emergency Gas Supply – EGS). The switch block is used with any diving helmet or full face mask with a medium or low pressure gas supply.

### **KEY FEATURES**

- Robust, durable and reliable
- User friendly configuration and operation
- All ports marked for easy identification
- Use with surface supply umbilical or scuba cylinder
- CE approved to standard EN15333-1:2008

#### **PORTS**

- 4 x standard 3/8 in MP outlet ports
- 1 x bailout inlet port with 3/8 in hose adapter (male)
- 1 x 1/2 in NPT dual use outlet/inlet port: see versions below

### MOUNTING ARRANGEMENT

- Universal mounting plate suitable for all diver harnesses
- Block retained in place by spring-loaded button catch
- Block easily removable from the harness mounting
- Mounting plate remains fixed to harness

### **SWITCH BLOCK VERSIONS**


AP0281/G For use with the Aqua Lung G3000SS diving helmet AP0281 For use with all other diving helmets; includes one way inlet valve and umbilical adapters

AP0281-PS Same as AP0281 but with single Scuba adapter, ideal for use with primary and secondary cylinder configuration (e.g. police public safety diving)

### **FLOW RESTRICTOR - AP0730**

 An optional flow restrictor is available for use with a suit inflator hose













EN1533-1:2008

AP0730

INDEPENDENTLY tested by DNVGL

PART #	DESCRIPTION
AP0281/G	SWITCH BLOCK G3000SS HELMET VERSION
AP0281-PS	SWITCH BLOCK W/NON RETURN AND SCUBA FITTING
AP0281	SWITCH BLOCK W/NON-RETURN AND 4 ADAPTERS
AP0283	SWITCH BLOCK, MOUNT



# AQUA LUNG BUMP HELMET HELMET FOR FULL FACE MASK DIVERS

The Aqua Lung Full Face Mask (FFM) Bump Helmet was designed for professional divers using a FFM in low visibility conditions or where overhead obstructions exist.

### **Key Features**

- Excellent head bump protection
- Fits over a Full Face Mask and hood
- Does not obstruct comms, rail system, or ambient breathing valve
- Easy single-hand release chin strap for emergency ditching
- Internal removable pads accommodate different size heads
- Adjustable ratcheting head harness
- Two light rails one each side
- Supplied with two rail adapters
- Front camera mount
- Hook and loop patches for dept logo on sides and rear
- Reflective patches on each side
- Available in all black or Hi-Viz







PART #	DESCRIPTION
769490	BUMP HELMET TACTICAL BLACK
769491	BUMP HELMET HI-VIZ YELLOW
490614	REFLECTIVE PATCH - BUMP HELMET



# AQUA LUNG RAPID DIVER PRO

### **Key Features**

- Includes Core Supreme DIN Environmentally sealed regulator
- Apeks 2- gauge pressure & depth console
- Dual bag construction
- Rapid front mount
- Easy DON & DOFF
- Self adjustable
- 2 tank configurations
- Horizontal front mount
- Vertical back mount
- 1 case Ready to dive
- Simple, quick, and convenient to use
- Soft carry case stores easily in police trunk or on fire apparatus
- 1050 D Ballistic Nylon Fabric
- MOLLE cross webbing
- Presewn badge attachment
- 3 rapid pull exhaust dumps
- Rugged LP inflator & hose
- 48 lbs of lift
- 27 CF steel primary tank
- 2640 PSI low pressure
- Pro valve rated to 3342 PSI
- Up to 120 CF back mount
- Comes with black Aqua Lung Micro mask and paramedic shears in nylon sheath



PART #	DESCRIPTION	
769410	BC, RAPID DIVER PRO	
129990	CORE SUPREME, DIN W/52" HOSE	
079170	CYLINDER, 27 CF, BLK STEEL (INCLUDES DIN VALVE)	
054235	240 BAR DIN VALVE	
769470	HARD CARRY CASE	

# **BC'S & ACCESSORIES**



# AQUA LUNG BC 1

The Aqua Lung BC1 is a rugged, weight-integrated, back inflation BC designed with the advanced military/public safety diver in mind. It crosses over nicely to many technical, recreational and specialty applications. Despite its heavy duty construction, it provides amazing comfort, fit and stability.

### **MODULAR HARNESS SYSTEM**

- Removable back pad
- Non-swivel shoulder buckles
- Changeable waist belt hook & loop or SureLock™

### GRIPLOCK™ TANK BAND AND BUCKLE

- Secure
- Easy to adjust using presets
- Macro and micro adjustments
- Finger saver safety feature
- Highly effective miniature traction pad

### **DURABLE 840 DENIER NYLON AIR CELL**

- Donut shape so air can migrate left to right
- Four dump valves
- Removable and replaceable
- Three overpressure relief valves
- Bladder retraction system
- Adjustable chest strap
- Left and right attachment points

### **TOTAL WEIGHT CAPACITY**

- All sizes are capable of holding:
  - 42 lbs of weight
  - 32 lbs ditchable
  - 10 lbs non-ditchable

### LIFT CAPACITIES

- All sizes have a lift capacity of 49 lbs
- Twin cylinder capability

PART #	DESCRIPTION	SIZE
304011	BC 1 W/SL 1, BLK	SM
304012	BC 1 W/SL 1, BLK	MD
304013	BC 1 W/SL 1, BLK	ML
304014	BC 1 W/SL 1, BLK	LG
304015	BC 1 W/SL 1, BLK	XL
360011	BC 1,HOOK & LOOP,BLK	SM
360012	BC 1,HOOK & LOOP,BLK	MD
360013	BC 1,HOOK & LOOP,BLK	ML
360014	BC 1,HOOK & LOOP,BLK	LG
360015	BC 1,HOOK & LOOP,BLK	XL
304281	BC 1 W/SL 1, HI-VIZ - YELLOW	SM
304282	BC 1 W/SL 1, HI-VIZ - YELLOW	MD
304283	BC 1 W/SL 1, HI-VIZ - YELLOW	ML
304284	BC 1 W/SL 1, HI-VIZ - YELLOW	LG
304285	BC 1 W/SL 1, HI-VIZ - YELLOW	XL







### **OPTIONAL ACCESSORIES**

PART #	DESCRIPTION
427029	ACCESSORY POCKET FOR BLK DIAMOND OR BC1
427038	OPTIONAL CROTCH STRAP KIT
BC1560101	REFLECTOR KIT
TH166002	RETRACTOR
427107	TWIN CYLINDER KIT, GRIP LOCK
427030	WAISTBAND EXPANDER,BD/BC1(2 REQ'D)
12148	CARABINER SHOULDER AND WAIST



# AQUA LUNG PRO QD-M

The Pro QD-M BC, designed for open circuit use, is time proven and used by military and professional divers of the world.

- Single bag construction, made of extra durable 1000 denier CORDURA®
- All black or Hi-Viz yellow
- Comes in 6 different sizes
- Buoyancy from 13 L (30 lbs) to 24 L (54 lbs)
- Six stainless steel 2" D-rings
- Two large zipper pockets with pull cord
- SureLock<sup>TM</sup>I mechanical weight release system (safe, dependable and reliable)
- Knife grommets and instrument retractor attachment point on left pocket
- Two overpressure relief/dump valves
- CE approved (EN1809)

PART #	DESCRIPTION	SIZE
394031	PRO QD-M, BLACK	S
394032	PRO QD-M, BLACK	MD
394033	PRO QD-M, BLACK	ML
394034	PRO QD-M, BLACK	L
394035	PRO QD-M, BLACK	XL
394036	PRO QD-M, BLACK	XXL
BC1330101	TWIN TANK KIT	



# AQUA LUNG PRO QD-M HI-VIZ

The Pro QD-M Hi-Viz BC has all the features of the standard Pro QD-M with the addition of Hi-Viz accents.

PART #	DESCRIPTION	SIZE
394381	PRO QD-M, HI-VIZ YELLOW	S
394382	PRO QD-M, HI-VIZ YELLOW	MD
394383	PRO QD-M, HI-VIZ YELLOW	ML
394384	PRO QD-M, HI-VIZ YELLOW	L
394385	PRO QD-M, HI-VIZ YELLOW	XL
394386	PRO QD-M, HI-VIZ YELLOW	XXL



BROTULA



# AQUA LUNG BROTULA PSD JACKET BC

- Single bag Armoguard material provides more abrasion protection than CORDURA®
- Fast drying
- Resists bacterial growth
- Swivel buckle shoulder straps for comfort
- Heavy duty breakaway carabiners
- Six bent steel D-rings
- Removable back pad
- Easy to clean
- WTX, K inflator, with pull dump
- Double pull zippered pockets on each side
- Optional removable SureLock™II weight system
- Two non-ditchable weight pockets located on tank band
- Three pull dumps, two front and one rear





Optional SureLock™|| weight pouch



PART #	DESCRIPTION
394192	BROTULA PSD, BLK, MD
394193	BROTULA PSD, BLK, ML
394194	BROTULA PSD, BLK, LG
394195	BROTULA PSD, BLK, XL
427103	WT SYSTEM COMPLETE, 2 EA 10LB



# **A**apeks BLACK ICE

The Apeks Black Ice is a rugged, weight-integrated, back inflation BCD designed with the advanced diver in mind. It crosses over nicely to many technical, military and public safety applications. Despite its heavy duty construction, it provides amazing comfort, fit and stability thanks to its Wrapture Harness System. Due to the modular nature of this BC, a custom fit can be achieved through any of the three sizes.

### **Features**

- Wrapture Harness System Using patented swivel shoulder buckles and a proprietary, ultra-thin back plate, the Wrapture provides unsurpassed comfort and stability. Wrapture prevents the BC from "riding-up" on the surface. Out of the water, the Wrapture keeps the cylinder close to your center of gravity and transfers the weight to your hips. The result is the ability to stand up straight with a cylinder that is perfectly vertical
- Because of the multiple size settings at the top of the shoulders, as well as either side of the waistband, a custom fit can be achieved through any one of 3 sizes
- SureLock II Mechanical Weight Release System provides a safe, single-pull release. Inserting weight is as simple as insert and "click". With SureLock, your weights are secure in the BC. Once engaged, the only way to release the weight is to pull on the handle
- Dual channel weight pockets in front along with non-ditchable weight pockets in back mean that all sizes can hold up to 42 lbs. (19kg)
- The Black Ice can be rigged for twin cylinders using the optional twin cylinder kit
- There are 4 dump valves in all, one in each corner. 3 are proprietary flat valves and are very streamlined and effective. The dump valve on the upper left is the rapid exhaust valve found at the top of the Powerline inflator
- The Powerline inflator assembly boasts one of the fastest inflation rates in the industry. This environmentally sealed unit has integrated clips to keep the LP inflator hose tucked in securely
- $\bullet$  The air cell has several pass-throughs that allow easy air transfer from left to right
- A dual bladder retraction system is used to pull in the sides of the bladder during deflation. This keeps unit streamlined and reduces drag
- The air cell is constructed of rugged 840 denier nylon
- The adjustable chest strap can be raised or lowered. This not only ensures a good fit but also keeps the strap from running across top of a dr ysuit valve
- The left pocket is a fold down design with deep capacity, perfect for an extra mask
- The right pocket is a large utility pocket secured with a robust zipper
- Knife attachment points are found on the left pocket flap which will accommodate many of the Aqua Lung Squeeze Lock knives. This location provides easy access to the knife
- Features five large, angled, stainless steel D-rings for all of your accessories
- Right shoulder pull dump provides an additional dumping option
- Rolled neck collar for comfort





PART #	DESCRIPTION
BC1330101M	BLACK ICE/MED
BC1330101L	BLACK ICE/LRG
BC1330101XXL	BLACK ICE/XXL
BC1330101	BLACK ICE TWIN CYLINDER KIT






AQUA LUNG CALYPSO MILITARY BC

- The Calypso Military BC is designed to meet the strenuous demands of military or professional divers
- The BC is donned over the head and held in place with adjustable straps
- Two 38 gram CO2 cartridges are provided for emergency inflation
- A mid-chest utility pocket is provided for small articles storage
- The automatic dump valve can be operated manually
- 48 lbs lift





KEY#	PART #	DESCRIPTION
1	13216	Cap Nut
2	15737	Gasket
3	13207	Actuator,CO2,3/8,840AMS W/2 GSKTS
4	15738	Gasket
5	13226	3/8 Gasket, CO2 Cartridge
6	13220	CO2 Cartridge, 38 gram
7	42754	Overpressure Relief Valve Assembly
8	4394051	Outer Bag
9	394052	Inner Bladder
10	769347	Powerline Airway Assy (after 8/2000)
11	12219	Whistle
12	13218	Green Lock Clip

Part numbers in BOLD ITALICS indicate standard overhaul replacement part.

PART #	DESCRIPTION	NSN
394050	CALYPSO MILITARY BUOYANCY COMPENSATOR	4220010050773
394049	CALYPSO MILITARY BUOYANCY (EXPORT)	
42708	KIT, MILITARY DUAL DETONATOR CO2, PACKAGED	



# AQUA LUNG SCOUT SWIMMERS VEST

- Designed for tactical surface swimming
- Oval neck opening for ease of use
- Military H harness straps with D-rings
- Two independent 38 gram CO2 inflators
- Oral inflation tube with locking ring
- Overpressure relief/dump valve
- Single heavy duty 1000 denier nylon bladder
- Large front pocket with hook and loop closure
- Attachment straps for emergency air
- Buoyancy 21 lbs (9 liters)
- Replacement CO2 cartridges available



PART #	DESCRIPTION	NSN
769031	SCOUT SWIMMERS VEST MOD 1	4220014827394

# AQUA LUNG RESCUE SWIMMERS VEST

- Designed for tactical surface swimming
- Oval neck opening for ease of use
- Quick disconnect buckle on waist strap for easy in-water removal
- Strobe attachment straps (strobe not included)
- Two independent 38 gram CO2 inflators with beaded handles
- High flow oral inflator for rapid inflation/deflation
- Singleheavyduty 1000 denier nylon bladder
- Large front pocket with radio and glow stick retainer straps
- Buoyancy 18 lbs (8 liters)
- Replacement CO2 cartridges available



PART #	DESCRIPTION
769045	SAR RESCUE SWIMMERS VEST

# AQUA LUNG PARA SWIMMERS VEST

- Designed for parachute or surface swimming operations
- Hook and loop straps wrap for compact for use with parachutes
- Military H harness straps with D-rings
- Two independent 38 gram CO2 inflators with beaded handles
- Overpressure relief/dump valve
- Single heavy duty 420 denier nylon bladder
- Large front pocket with Hook and loop closure
- Buoyancy 21 lbs (9 liters)
- Replacement CO2 cartridges available



PART #	DESCRIPTION	NSN
769041	PARA SWIMMERS VEST MOD 1	4220015151205
769042	MARITIME SWIMMERS VEST	



# AQUA LUNG BC WEIGHT POUCHES

# **WAISTBAND EXTENDER**

PART #	DESCRIPTION
BC127112	BAND EXTENDER W/POCKET 2.0"



# WT POUCH SURELOCK II 10LB

PART #	DESCRIPTION
BC911143	WT. POUCH - SURELOCK II 10LB. (2 BLOCKS)



### WT POUCH SURELOCK II 16LB

PART #	DESCRIPTION
BC911144	WT. POUCH - SURELOCK II 16LB. (4 BLOCKS)



# WT POUCH SURELOCK II 15LB

PART #	DESCRIPTION
BC911152	WT. POUCH - SURELOCK II 15LB. (3 BLOCKS)



# WT POUCH SURELOCK 10LB

PART #	DESCRIPTION
BC911149	WT. POUCH - SURELOCK 10LB.



# WT POUCH SURELOCK 16LB

PART #	DESCRIPTION
BC911151	WT. POUCH - SURELOCK 16LB.



# **UNIVERSAL WT POUCH 10LB**

PART #	DESCRIPTION
BC911147	WT. POUCH - UNIVERSAL 10 LBS.
427103	WT SYSTEM COMPLETE 2EA.10LB/4.5KG



# **UNIVERSAL WT POUCH 16LB**

PART #	DESCRIPTION
BC911148	WT. POUCH - UNIVERSAL 16 LBS.



# **REMOVEABLE TRIM POCKET 5LB**

PART #	DESCRIPTION
BC911153	REMOVABLE TRIM POCKET-5LB/2.2KG





# AQUA LUNG RETRACTOR KIT

- Self-cleaning mechanism
- 42" cord with high force spring & 12 oz. retraction force
- Attaches inside BC pocket, but cannot be clipped onto a BC
- Recommended for attachment of flashlights or cameras
- Steel key-ring or plastic J-clip may be attached to cord end



	PART #	DESCRIPTION
	TH166000	RETRACTOR KIT
,		

# AQUA LUNG RETRACTOR PLUS KIT

- Line Lock feature for securing heavy objects
- Self-cleaning mechanism
- 32" cord with high force spring
- Uses Q/C II connector system for easy connection of gear to retractor
- Multiple mounting options: Can be attached inside pocket or clipped onto BC



PART #	DESCRIPTION	
TH166001	RETRACTOR PLUS KIT	

# AQUA DLUNG COMPACT RETRACTOR KIT

- Removable J-clip attaches to console for attachment to exterior of BC
- Snap clip attaches to D-ring
- Console pack comes with additional threaded stud mount
- Connect to console with either a split ring or adjustable lanyard
- Designed to survive extended salt water and chlorine exposure
- Sand and debris are flushed from unit when operated in water
- 18.0" nylon coated stainless steel cord & 24 oz. retraction force
- Stainless steel spring and hardware
- 60 lbs. breaking strength

PART #	DESCRIPTION	
TH166002	COMPACT RETRACTOR KIT	

# AQUA LUNG BC ACCESSORIES

PART #	DESCRIPTION
BC911419	UNIVERSAL TANKBAND
BC911131	LOW PRESSURE HOSE, BRAIDED 22"
BC911132	LOW PRESSURE HOSE,BRAIDED 25"
BC911133	LOW PRESSURE HOSE, BRAIDED 27"
BC911134	LOW PRESSURE HOSE, BRAIDED 33"
BC911135	LOW PRESSURE HOSE, BRAIDED 36"
BC911136	LOW PRESSURE HOSE, BRAIDED 40"
BC911139	SERVICE KIT, POWERLINE AIRWAY





## **BC SIZE GUIDE & LIFT CAPACITY**

\* THE FIGURES IN THIS GUIDE ARE APPROXIMATE, NOT ABSOLUTE

MODEL	SIZE	HEIGHT	WEIGHT	WAIST RANGE	OVER THE SHOULDER	TOTAL WEIGHT	RELEASEABLE WEIGHT	LIFT IN POUNDS	LIFT IN NEWTONS
PRO QD M	XS	5-5'5	100-125	25-37	32-38	20/9	20/9	27	120
	S	5'2-5'7	120-155	27-42	34-40	28/13	20/9	30	130
	М	5'7-5'10	150-165	30-45	39-45	30/13.5	20/9	35	150
	ML	5'10-6'0	160-190	32-47	41-47	30/13.5	20/9	38	160
	L	6'0-6'2	180-210	35-50	43-49	42/19	32/14.5	47	200
	XL	6'2-6'5	195-240	37-52	45-51	42/19	32/14.5	61	270
	XXL	6'2-6'5	230-270	44-59	45-51	42/19	32/14.5	61	270
BC 1	S	5'4-5'8	145-195	32-45	38-42	42/19	32/14.5	50	220
	М	5'7-5'11	160-210	34-47	40-44	42/19	32/14.5	50	220
	ML	5'9-6'2	175-220	36-49	42-46	42/19	32/14.5	50	220
	L	5'10-6'3	190-235	38-51	44-48	42/19	32/14.5	50	220
	XL	6'0-6'5	195-245	40-53	46-50	42/19	32/14.5	50	220
BROTULA	М	5'7-5'10	150-165	30-45	39-45		*20/9	29	120
	ML	5'10-6'0	160-190	32-47	41-47		*20/9	33	140
	L	6'0-6'2	180-210	35-50	43-49		*20/9	44	190
	XL	6'2-6'5	200-250	37-60	45-51		*20/9	55	240

<sup>\*</sup> WITH OPTIONAL SURELOCKTMII WEIGHT SYSTEM INSTALLED

### **MEASUREMENT INSTRUCTIONS**

Waist size in men is normally measured by placing the measuring tape around the waist, cresting the pelvic bone. This measurement is not accurate for BC fitting. The waist size in men should be measured at the height of the belly button just above the pelvic bone (Figure 1). Women's waist size is always measured just above the pelvic bone (Figure 1). This same measurement applies for BC fitting.

Over The Shoulder (OTS) measurement is taken by placing the measuring tape across either the right or left shoulder and reading the distance between the top of the waist line on the back to the top of the waist line in the front (Figure 2). When fitting the customer in his/her respective waist size and OTS range, inquire what thickness of wetsuit the BC is most likely to be worn with. Calculate about a 2" allowance for waist measurements for thick, cold water suits.

FIGURE 1
Measuring points for waist size





FIGURE 2
Measuring points for OTS length







# **A**apeks WTX HARNESS

This is our most versatile harness. Solid construction coupled with durable materials make this harness a cornerstone for many applications.

- Can mount directly to a single cylinder using dual nylon cylinder bands or a single tank adaptor
- Can accept an Apeks back plate for heavy loads such as twin steel cylinders
- Multiple grommet settings on the waistband allow the attachment of the SureLock™ weight system
- Open shoulder design allows diver to add or remove hardware for total customization
- Made from rugged 1050D Ballistic Nylon
- Removable crotch strap made of 2" (5cm) soft webbing
- 6-two inch stainless steel D-rings (2, angled, on shoulders, 2 on the hips and 2 on the crotch strap)
- 6-one inch stainless steel D-rings along the sides accommodate light canisters, argon bottles or other accessories
- 2-one inch stainless steel D-rings along the lower back are for marker buoys, reels or other accessories
- Removable backpad
- Heavy-duty waist buckle made of stainless steel
- Stainless steel triloaders distribute the load between the back, waist and shoulders for a great fit
- SOLAS reflector airway hold-downs can be removed or repositioned
- Chest strap comes standard, includes 2ea. tank bands



PART #	DESCRIPTION			
BT1150101S	APEKS WTX HARNESS SMALL			
BT1150101M	APEKS WTX HARNESS MEDIUM			
BT1150101L	APEKS WTX HARNESS LARGE			
BT1150101XL	APEKS WTX HARNESS EXTRA LARGE			

# (A) apeks DELUXE WEBBED HARNESS

This simple, yet strong, harness can take the load of a fully rigged technical diver and can be easily customized with the hardware of your choice.

Please note that the back plate is not included and must be purchased separately. Your back plate options for this harness are the WTX Aluminium Back Plate, the WTX Stainless Steel Back Plate and the Ultralight Travel Plate. Tank bands are also not included.

- 12ft. of solid 2" (5cm) webbing with center grommet
- 2" (5cm) wide crotch strap
- 6 stainless 2" (5cm) D-rings
- Includes neoprene shoulder protectors
- 2 elastic retaining loops on shoulders and one on crotch strap
- Heavy duty stainless waist buckle
- 6 stainless steel serrated retainers



PART #	DESCRIPTION
BT115111	DELUXE WEBBED HARNESS



# **(1)** арекз

### WTX BUOYANCY CELLS WTX3/WTX4/WTX6

### **WTX & WTX-D SERIES**

The WTX and WTX-D Series is a selection of harnesses, buoyancy cells and accessories which offer unparalleled versatility due to the modular nature of the whole system. Each component can be configured into a highly technical rig for those trained to push the limits, or scaled down to make a travel friendly set up suitable for any diver.

Single cylinder wings, often referred to as donuts, are oval shaped air cells or bladders that are not permanently attached to a harness. While single cylinder wings have their origins in the realm of technical diving, they are becoming very popular in the recreational community. Not only are these single cylinder wings streamlined, but due to their shape being a continuous loop, they are very stable underwater. There is no dramatic shift of air from left to right.

Apeks single cylinder wings are a smart design that allows a cylinder to nest deep inside them. These wings mate up nicely to the rest of the Apeks WTX collection of high quality harnesses, plates and accessories. They can be configured in multiple ways to match the type of diving that you do. As with the rest of the WTX collection, these single cylinder wings are built from the finest quality materials. They are designed by Apeks and built in our own factory.

### **CONFIGURING YOUR KIT**

We know that each diver is different and that no two divers require exactly the same kit configuration. The WTX and WTX-D series allows you to put your equipment together your way, taking items from the range and mixing and matching them to create a rig that's all yours. Here are just some of the options:











SIZE	W	AIST RANGE	OVER THE SHOULDER RANGE		
	WTX HARNESS ONLY	WTX HARNESS W/ SURELOCK™ WT SYSTEM	MEASURED FROM CENTER OF THE WAISTBAND FRONT TO CENTER OF WAISTBAND BACK		
SM	29-60 IN / 74-152 CM	33-60 IN / 84-152 CM	34-43 IN / 86-109 CM		
MD	29-60 IN / 74-152 CM	33-60 IN / 84-152 CM	36-45 IN / 91-114 CM		
LG	32-60 IN / 81-152 CM	36-60 IN / 91-152 CM	40-49 IN / 102-125 CM		
XL	34-60 IN / 86-152 CM	38-60 IN / 97-152 CM	42-51 IN / 107-130 CM		





## WTX BUOYANCY CELLS WTX3/WTX4/WTX6

# WTX BOUYANCY CELLS ARE OFFERED IN THREE MODELS: WTX3, WTX4, WTX6

- WTX3 provides 34 lbs of lift, WTX4 provides 45 lbs, WTX6 60 lbs
- The WTX can mate directly to the WTX harness or the stainless steel back plate using twin tank bands or using center bolts
- Highly efficient drains allow water to empty quickly after a dive
- Outer bag constructed from 1000D Armorshield<sup>™</sup> CORDURA® ® to resist abraision and fading
- Inner bag constructed from MIL-SPEC welded fabric, the same fabric used in survival vests worn by US fighter pilots.
- The airway comes off of the back top center of the cell; a safety cable inside the elliptical hose prevents hyperextension of the corrugated hose
- Features the Apeks technical inflator with brass buttons
- Pull dump on inside lower left
- Optional pull dump may be added to the inside lower right
- Accepts WTX internal retractor kit part number: 388300
  - \* Available with extended length PSD airway



PART #	DESCRIPTION
388032	WTX3-BUOYANCY CELL
388345	WTX4,1 PULL DUMP/1 CAP, 27 IN L/P HOSE, K INFLATOR
388360	WTX6, 1 PULL DUMP/1 CAP, 27 IN L/P HOSE, K INFLATOR
388545	WTX4, 2 PULL DUMPS, 33 IN L/P HOSE, K INFLATOR

# **(1)** арекх

# WTX INTERNAL RETRACTOR KIT

- Can be installed on WTX-D30, WTX-D40, WTX-D30PSD, WTX-D40PSD, WTX6, WTX-D45, WTX-D60 and WTX-D60R.
- Comes with full instructions
- Consists of two retractor bands in a bag



PART #	DESCRIPTION
BT115131	WTX INTERNAL RETRACTOR KIT



# Парекз

# SINGLE DONUT WINGS

### **WTX-D18**

- 18 / 80 (lbs / N) lift
- Inflator K style with brass buttons
- Low profile oval-shaped hose
- Positioned off-center so as to not interfere with 1st stage
- Safety cable to prevent hyper-extension
- Low profile flat dump valve positioned in front, lower-left side
- Tank stabiliser bars

### **Drains:**

- 2 large drain grommets
- Center mesh drain panel



PART #	DESCRIPTION
BT115122	WTX-D18

### **WTX-D30**

- 32 / 142 (lbs / N) lift
- Inflator K style with brass buttons
- Low profile oval-shaped hose
- Safety cable to prevent hyper-extension
- Positioned off-center so as to not interfere with 1st stage
- Low profile flat dump valve positioned in front, lower-left side
- Tank stabiliser bars

### **Drains:**

- 2 large drain grommets
- Center mesh drain panel



PART #	DESCRIPTION
BT115123	WTX-D30

# **WTX-D40**

- 40 / 178 (lbs / N) lift
- Inflator K style with brass buttons
- Low profile oval-shaped hose
- Safety cable to prevent hyper-extension
- Positioned off-center so as to not interfere with 1st stage
- Low profile flat dump valve positioned in front, lower-left side
- Tank stabiliser bars

### **Drains:**

- 2 large drain grommets
- Center mesh drain panel



PART #	DESCRIPTION
BT115124	WTX-D30



# apeks

### **PSD SINGLE CYLINDER WINGS**

Designed for Public Safety divers (PSD) but a very practical and attractive option for all styles of diving, these 18, 30 and 40lb single cylinder wings boast all of the same features as the 18, 30 and 40lb single tank wings but are constructed from an Armoguard slick skin. This fast drying material is more abrasion resistant than traditional Cordura® and due to its slick nature it rinses easily and even if it is stored while damp it doesn't pick up bacterial growth or odours.

#### WTX-D18 PSD

- 18 / 80 (lbs / N) lift
- Inflator K style with brass buttons
- The airway uses an 18" round spiral hose with a rapid exhaust pull dump
- Positioned off-center so as to not interfere with 1st stage
- Low profile flat dump valve positioned in front, lower-left side
- Tank stabiliser bars
- Weight 1.9kg

#### **Drains:**

- 2 large drain grommets
- Center mesh drain panel







PART #	DESCRIPTION
BT1280101	WTX-D18 PSD

### WTX-D30 PSD

- 32 / 142 (lbs / N) lift
- Inflator K style with brass buttons
- The airway uses an 18" round spiral hose with a rapid exhaust pull dump
- Positioned off-center so as to not interfere with 1st stage
- Low profile flat dump valve positioned in front, lower-left side
- Tank stabiliser bars
- Weight 1.9kg

#### **Drains:**

- 2 large drain grommets
- Center mesh drain panel





PART #	DESCRIPTION
BT115125	WTX-D30 PSD

#### WTX-D40 PSD

- 40 / 178 (lbs / N) lift
- Inflator K style with brass buttons
- The airway uses an 18" round spiral hose with a rapid exhaust pull dump
- Positioned off-center so as to not interfere with 1st stage
- Low profile flat dump valve positioned in front. lower-left side
- Tank stabiliser bars
- Weight 1.9kg

#### **Drains:**

- 2 large drain grommets
- Center mesh drain panel







PART #	DESCRIPTION
BT115126	WTX-D40 PSD





# **A**apeks WTX-D40T

The Apeks WTX series features single and twin donut buoyancy cells, harnesses and accessories, all of which can be configured into a highly personalized buoyancy device. Whether you're looking for a sleek, lightweight travel set or you're a technical diver trained to push the limits, the WTX series has a solution for you.

Developed with and tested by renowned technical divers, all of the WTX donut wings offer perfect trim, regardless of your position in the water. That's because unlike traditional horseshoe wings or back inflation BCDs, air is free to travel around the buoyancy cell evenly. The continuous loop of air also makes the wings very stable and streamlined in the water.

Manufactured from the highest quality materials throughout, an external 1000D Armorshield Cordura shell covers the bladder to protect it from abrasions and cuts. Dumping air is guick and easy, without breaking trim, thanks to an optimally placed high-profile dump valve.

- 40lb doughnut shaped wing made from 1000D Armorshield Cordura.
- New oval shape wing design distributes the buoyancy more evenly around the profile of the wing.
- Curved sides prevent air migration ensuring maximum stability in the water.
- High profile dump valve placed in the optimum position allows air to be dumped quickly and easily without breaking trim.
- Foldable center section allows for easy packability for travelling.
- 2 large drain grommets and center position mesh drain panel.
- Embroidered branding.
- Inner air cell: 22mil (.022) thick black urethane
- Zipper: heavy duty YKK #10 plastic zip and slide



PART #	DESCRIPTION
BT1270101	WING,WTX-D40T,TWIN,APEKS


### **BC'S & ACCESSORIES**



# **A** apeks BACKPLATE

The backbone of any system - this cleverly designed back plate can be used with the Apeks Deluxe One-piece Webbed Harness, or inserted directly into the WTX Harness. It is available both in stainless steel and aluminium.

- Offered in either 304 stainless steel or 6061 anodized aluminum alloy
- The stainless steel weighs 4.7 lbs (2.15 kg)
- The aluminum weighs 1.7lbs (780g)
- 4 each upper and lower slots accommodate nylon cylinder bands so a single cylinder can be strapped directly to the plate. Having a series of 4 slots provides lateral stability of the cylinder that traditional 2 slot plates cannot
- 3 holes at the top of the plate offer a range of height adjustments for the buoyancy cells and the cylinders. In addition, a corresponding lower center slot allows for lower band bolts that are misaligned
- 2" wide crotch strap slot
- Upper and lower perimeter holes along either side and holes along the bottom allow for the mounting of accessories
- Both offer an electro-plate finish and a laser-etched Apeks logo to enhance the look of the plate



PART #	DESCRIPTION
BT115113	APEKS BACKPLATE, STAINLESS STEEL
BT115112	APEKS BACKPLATE, ALUMINIUM



**ULTRALIGHT TRAVEL PLATE** 

The Ultralight Travel Plate is for the diver who enjoys diving back plate and wings but doesn't want the weight that a traditional metal plate has. Paired with the WTX-D18 donut wing, it makes a very lightweight, streamlined kit and can accept the SureLock Weight System when used with the SureLock attachment plates.

Requires the Deluxe One-Piece Webbed Harness.

<ul><li>⊕</li><li>⊕</li><li>⊕</li><li>⊕</li></ul>	
	.// [1] \\


PART #	DESCRIPTION
BT115114	ULTRALIGHT TRAVEL PLATE

### (A) apeks

### **WTX SINGLE TANK ADAPTER (STA)**

The single tank adapter is a great way to quickly attach a single cylinder to a back plate or the WTX harness.

- Made of 316 stainless steel
- Weighs 1 lb. 1 oz. (490g) without hardware
- Comes with 2 sets of bolts and one pair of washers and wing nuts
- 1" bolts for directly mounting to back plate
- 1.5" bolts for mounting to back plate inside WTX harness
- Nylon tank bands are not included and may be purchased separately



STA Mounted on Cylinder	r
-------------------------	---

PART #	DESCRIPTION
BT115115	SINGLE TANK ADAPTER



# REMOVABLE TRIM WEIGHT POCKETS

These accessory pockets may be added to your rig to increase weight capacity or to trim your orientation in the water. The part number includes 2 pockets.

- Each pocket holds up to 5 lbs / 2.2 kg of lead weight
- Pockets easily slide onto the tank band. The loops are large enough to pass over most tank band buckles
- Corner grommets allow mounting to SureLock Attachment Plates (BT115117) using mounting screw kit (BC149111)
- Material: Double-sided Armoguard material
- Grommets: Nickel plated brass
- Buckles: ¾ in. Airlock buckles





PART #	DESCRIPTION
BT115121	REMOVABLE TRIM WEIGHT POCKETS

#### WTX TEK POCKETS $(oldsymbol{\Lambda})$ apeks

A full range of Tek pockets have been designed to complement the WTX range. They can be attached to your WTX system or any other BC/Wing and/or drysuit.

- The system is modular so you can attach one pocket to the other if space is at a premium. A separate stainless steel hardware kit is available for this.
- The large pockets are available in heavy duty hook and loop and zipper versions, allowing for easy open / close even when wearing thick gloves.
- The pockets contain internal bungee attachment points to clip your gear to.
- Models:

THIGH POCKET - with large volume capacity and extra security of leg band to carry reels, spools, torches or knives

LARGE CARGO POCKET - with Zip Closure and capability to fix directly to Waistband grommets, or straight over the side Lobe even after Diver is kitted up

**SMALL POCKET** - fits to the front of the Large Cargo if desired. For carrying, slate, floats, line markers or extra weights

MESH POCKET - For carrying SMBs, or a redundant mask









PART #	DESCRIPTION
BT115132	SMALL MESH POCKET
BT115133	SMALL CARGO POCKET
BT115134	LARGE CARGO POCKET
BT115135	LARGE THIGH POCKET
BC149111	NUT & BOLT KIT



# (A) apeks SURELOCK WEIGHT SYSTEM

This popular accessory is ideal when it becomes necessary to add additional weight to your rig.

- Bolts directly to the WTX Harness
- Able to mount to the back plate with use of SureLock attachments
- Includes necessary attachment hardware plus spare
- 2" stainless adjustable D-rings on the outside of each pocket
- Features the SureLock (patented) mechanical weight release buckles which prevent weights from releasing until you want them to
- Each pocket holds up to 10 lbs (4.5kg) of lead
- Includes attachment grommets to mount your choice of Aqua Lung knives





PART #	DESCRIPTION
BT115116	APEKS SURELOCK WEIGHT SYSTEM, 10LB



### **SURELOCKATTACHMENTS**

This unique accessory allows you to mount the SureLock Weight System (Patented) directly to the back plate.

- Includes necessary attachment hardware plus spares
- May be used without the SureLock Weight System to spread the weight of the cylinders over the hips
- $\bullet$  3 different grommet settings allow for proper positioning of the SureLock weight pockets





PART #	DESCRIPTION
BT115117	WTX SURELOCK WEIGHT SYSTEM ATTACHMENTS



#### **GRIPLOCK TANK BAND ASSEMBLY**

The GripLock tank band assembly is the easy and safe solution for securing a cylinder to a BC.

- $\bullet$  The innovative Finger-Saver feature makes the GripLock safe by eliminating painful, pinched fingers
- The macro-adjustment is set just once until you change to a cylinder with a different diameter. Three presets cover the various diameter cylinders in the field today
- The micro-adjustment can be used for fine tuning the fit after the band is on the cylinder. Hint: If you line up the inside edges of the hook n loop on the micro adjustment side of the tank band, it will be perfectly set for an Al80 cylinder
- Rubber traction pad on the backside of the GripLock provides added security



PART #	DESCRIPTION
428240	GRIPLOCK TANK BAND ASSY. FOR WRAPTURE SYSTEMS



# **(1)** арекх

### STAINLESS STEEL BOOK SCREWS

Book screws can be used to attach a wing to a back plate or to anchor an accessory to a back plate. Each kit comes with two complete sets of mating book screws with friction o-rings. Two different lengths are available, 3/8" or 3/4" depending upon your application.





PART #	DESCRIPTION
BT115118	BOOK SCREW KIT, 3/8, 2 PACK
BT115119	BOOK SCREW KIT, 3/4, 2 PACK



### **APEKS AIRWAYS COMPLETE**

# APEKS POWERLINE (AS FOUND ON BLACK ICE) – 18 INCH OVERALL LENGTH

- The inflator hose attaches to integrated hose clips
- Cable-activated rapid exhaust at the top, simply pull down on lower unit to dump air

# APEKS WTX AIRWAY COMPLETE - 21 INCH OVERALL LENGTH

- Rugged K inflator with solid brass buttons
- Elliptical hose for lower profile and less drag
- An internal safety cable prevents hose from being hyperextended
- Simple 90° elbow at the top

# APEKS WTX AIRWAY COMPLETE - 23 INCH OVERALL LENGTH

- Rugged K inflator with solid brass buttons
- Round corrugated hose
- Cable-activated rapid exhaust at the top, simply pull down on lower unit to dump air



PART #	DESCRIPTION
BC911115	APEKS POWERLINE INFLATOR
BC911117	APEKS WTX AIRWAY COMPLETE K, INFLATOR
BC911116	APEKS WTX AIRWAY COMPLETE K, INFLATOR, W/ PULL DUMP



# AQUA LUNG POWERLINE INFLATORS

- Increased fill rate; one of the highest air flows in the industry
- Environmentally sealed unit
- Dual valve for rapid exhaust and overpressure relief
- Integrated hose clips attach to the hose



Powerline	Inflator
Powerline	imilator

PART #	DESCRIPTION
42810	POWERLINE INFLATOR, NEW STYLE
769347	MILITARY POWERLINE

# AQUA LUNG LOW PRESSURE HOSES

PART #	DESCRIPTION
45822	LOW PRESSURE HOSE, BRAIDED 22"
45825	LOW PRESSURE HOSE, BRAIDED 25"
45827	LOW PRESSURE HOSE, BRAIDED 27"
45833	LOW PRESSURE HOSE, BRAIDED 33"
45836	LOW PRESSURE HOSE, BRAIDED 36"
45840	LOW PRESSURE HOSE, BRAIDED 40"

# AQUA LUNG SERVICE KITS

PART #	DESCRIPTION
BC911139	SERVICE KIT, POWERLINE AIRWAY

# AQUA LUNG REFLECTOR KIT

Increase your visibility day or night with Aqua Lung's innovative Reflector Kit


PART #	DESCRIPTION
BC1560101	REFLECTOR KIT





# Cap-off Kit • Universal Dump Valve Kit • CO2 Assembly Misc

**CAP-OFF KIT** 





	Key#	Part #Description	
Г	1	13211CO2 Cartridge, 16 gr	am (Snorkel Vest)
•	2	132263/8 Gasket	,
	3	13216Nut	
	4	15737Nut Gasket	
	5	13207Actuator	
	6	15738Base Gasket	
	7	12277Pull Knob	
	8	13218Green Clip	

#### **MISCELLANEOUS**

Part # D	escription
42611 B	C Puncture Repair Kit
42727 K	it, CO2 Actuator With Cord & Pull Knob
42708 K	it, Military Dual Actuator CO2 Packaged (Calypso)



AQUA LUNG TWIN TANK HARNESS SYSTEM PRO TWIN 80 / 100CF BLACK,PVD

The 80 and 100cf pro twin tank system is a ready to use twin tank and manifold setup for the military and commercial diver. Solid bands with a hardworking twin manifold will allow a diver ample working time below the surface.

#### **Features**

- PVD plated twin manifold w/ 600psi J reserve setting
  - manifold can accept Yoke or DIN regulators
  - manifold comes marked at 3300psi
  - maximum service pressure of manifold is 3442psi
- Stainless Steel 7.25" or 8.0" twin tank band kit
  - 304 S/S 18 gauge bands
  - Bands are 2.5" in height
  - Includes bolts, hex nuts, butterfly nuts & washers
- 2 AL 80 cubic foot cylinders, black
- Strap kit, 1" poly web harness





PART #	DESCRIPTION
129002	PRO TWIN 80CF, BLACK PVD
109800	KIT, TWIN TANK BANDS STAINLESS STEEL 7.25"
109801	KIT, TWIN TANK BANDS STAINLESS STEEL 8"

# AQUA LUNG GRIPLOCKTM TANK BAND ASSEMBLY

The GripLock<sup>TM</sup> tank band assembly is the easy and safe solution-for securing a cylinder to a BC.

- Modern design
- Easy to rig and adjust
- Durable metal buckle
- Innovative finger-saver feature eliminates pinched fingers
- Macro-adjustment is set just once for each cylinder diameter
- Three presets cover the various diameter cylinders in the field today
- Micro-adjustment for fine tuning the fit after the band is on the cylinder
- Rubber traction pad on the backside of the GripLock™ provides added security
- Bands may be retrofitted to all BCs
- 2 sizes available select according to cylinder and BC type

NOTE: Griplock tank bands are supplied packaged as single items



PART #	DESCRIPTION
BC911128	GRIPLOCK TANK BAND, LONG, NON-WRAPTURE™ HARNESS VERSION, FOR PRO QD-M, BC1, AND WTX HARNESS
BC911127	GRIPLOCK TANK BAND, STANDARD LENGTH, WRAPTURE™ HARNESS VERSION, FOR WTX BACK PLATE W/ DELUXE ONE-PIECE WEBBED HARNESS



# AQUA LUNG LOW AIR ALARM

Sometimes the work of professional divers requires such hyperfocus, a diver can forget to check tank pressure and end up in a dangerous situation. Low or no visibility water impedes a diver from being able to see their gauges. There is also the possibility of a freeflowing octo that drains a tank faster than expected. The Aqua Lung low air alarm is designed to alert a diver when tank pressure drops to 1000 psi. The alarm will audibly buzz and also emit bubbles, signaling the diver it is time to surface. This does not replace a pressure gauge, but adds an additional safety measure.

- Signals diver when air supply drops to 1000 psi
- Emits loud buzzing noise and air bubbles
- No electronics to flood or fail
- Uses second high pressure port on first stage
- Can be turned off underwater
- Will operate for approximately 7 hours after activation
- Attaches to the BCD inflator hose with included rubber strap



PART #	DESCRIPTION
108001	Low Air Alarm (1000 psi)

# (A) apeks HP TWIN ADAPTOR

The Apeks HP twin adaptor allows you to use both an SPG and a transmitter from a single high pressure port. This is especially useful for 1st stages that only have a single HP port.

The HP twin adaptor utilizes a standard 7/16" thread and is suitable for use on all manufacturer's 1st stages.

- 360 degree swivel allows the transmitter to move, reducing the chances of breakage and snagging
- Made from chrome plated marine brass
- Manufactured in the UK
- 4350 psi (300 bar)
- Oxygen compatible



PART #	DESCRIPTION
RA114113	HP TWIN ADAPTOR



# AQUA LUNG ANALOG GAUGES

The aqua lung depth gauge, with its specially designed depth scale and luminescent gauge face, allows for easier reading at a glance.


#### **Features**

- High fidelity depth scale provides easier reading at shallow depths
- On the wrist mount version the strap is designed to fit a variety of wrist sizes and wet/dry suit diameters
- Maximum depth indicator
- Luminescent gauge face for easy reading in low light
- 200 foot / 60 meter maximum depth
- Wrist mount boot allows for future upgrade to the i300C dive computer module

#### **Options**

• Available in imperial ormetric







COMBO 2/1 ELEMENTS ( PG 300b + DEPTH GAUGE + COMPASS )

The Aqua Lung Pressure Gauge delivers both remaining air pressure and temperature in one easy-to-read display.

#### **Features**

- Easy-to-read scale up to 5,000 PSI / 350 bar rated
- Luminescent gauge face for easy reading in low light
- Integrated temperature scale
- Nitrox compatible up to 50%
- Swiss made, shock resistant Bourdon tube
- One way safety valve
- Hose length is 36»/91.44cm

#### **Options**

• Available in imperial or metric





PART #	DESCRIPTION
NS114123	SINGLE PRESSURE GAUGE ASSY, PSI
NS114124	SINGLE PRESSURE GAUGE ASSY, BAR
NS114117	CONSOLE, 2 GAUGE, IMP
NS114118	CONSOLE, 2 GAUGE, MET
NS114115	COMPASS MODULE, NH
NS114136	DEPTH GAUGE WRIST, 200'
NS114137	DEPTH GAUGE WRIST, 60M



# AQUA LUNG COMPASSES & WRIST DEPTH GAUGES

Designed with readability in mind, Aqua Lung's compass is perfect for navigation under any conditions.

- Large, easy-to-read numbers
- Large side view window for easy and accurate navigation
- Strap is designed to fit a variety of wrist sizes and wet/drysuit diameters
- Large, secure 360° ratcheting bezel
- Luminescent gauge face for easy reading in lowlight
- Fluorescent markings at 10°, 20°, 30°, and 130° for navigation in lowlight environments
- Compass module fits other Agua Lung boots

#### **OPTIONS**

• Available in wrist mount or drop in for console







Compass, Bungee



Depth Gauge Wrist



Hose mount compass

PART #	DESCRIPTION
NS114128	COMPASS WRIST, NH
NS114141	COMPASS, HOSE MOUNT, NH
NS114143	COMPASS, BUNGEE MOUNT, NH
NS114136	DEPTH GAUGE WRIST, 200'
NS114137	DEPTH GAUGE WRIST, 60M
NS136111	RETRACTOR KIT, COMPASS

# (A) apeks TEK GAUGE + HOSE

The Apeks TEK gauge is a high quality chrome plated Submersible Pressure Gauge (SPG) with a black face to help reduce glare and to preserve night vision in low light environments. 23.5" (65cm) hose.

- High quality chrome plated SPG
- Black faced SPG with luminescent numbers and hand that glows in the dark when charged with a light
- The black face helps reduce glare and preserve night vision in low light environments i.e. inside a cave or wreck
- 5000 psi scale (360bar)
- Max working pressure 4350 psi (300bar)









### PRESSURE GAUGE

The Apeks submersible pressure gauge, with an internal Bourdon pressure measuring mechanism, gives you clear information on the gas contents of your cylinder. The gauge indicates the cylinder bottle pressure and the dial range is from zero to 5000 psi (a metric version is also available with a range up to 360 bar). The dial face is designed with clarity in mind by being uncluttered, with large black figures on a luminous background giving a long phosphorescent effect. This makes viewing as easy as possible, even in poor visibility conditions.

- The gauge case is made from nickel plated brass
- The dial window is made of highly shock resistant material (anti-splinter polycarbonate)
- A specially designed housing protects the gauge and HP hose fitting from accidental damage
- •A large loop area designed into the housing allows for easy attachment



PART #	DESCRIPTION
NS131131	PRESSURE GAUGE W/HOSE METRIC
NS131125	PRESSURE GAUGE W/ HOSE IMPERIAL

# (A) apeks O2 PRESSURE GAUGE

Because it is nearly impossible to properly O2 clean a submersible pressure gauge, Apeks offers a high quality O2 pressure gauge, made from O2 compatible materials, that has been properly O2 cleaned during the manufacturing process. Dive safely and dive with confidence with an Apeks O2 Pressure Gauge

- Designated as ready for O2 service by bright green boot
- Range is 0 5000 psi
- Luminous background provides a long phosphorescent effect
- Case is made from nickel plated brass
- Large loop area designed into the housing for ease of attachment



PART #	DESCRIPTION
NS131115	GAUGE SPG BRASS OXYGEN



# (A) apeks PRESSURE GAUGE + DEPTH GAUGE CONSOLE + COMPASS

All instruments give accurate, clear readings and are made from the best quality materials. As such they offer perfect functionality and excellent robustness. In essence, the 2+1 instrument combo is an Apeks 2-gauge console with our unique compass on the reverse. A compact system that we believe is the best combo set available anywhere in the world.

- The gauge case is made from nickel plated brass
- The dial window is made of highly shock resistant material (anti-splinter polycarbonate)
- A specially designed housing protects the gauge and HP hose fitting from accidental damage
- A large loop area designed into the housing allows for easy attachment
- Dials have a long phosphorescent effect for better reading in poor visibility conditions
- There are 2 attachment areas integrated into the design for position flexibility
- This may be a compact design but the displays are vivid and clear perfect for diving. For example, the depth gauge spreads the first half of the scale and in total shows a range down to 230ft (70m)
- •Depth gauge has resettable max depth indicator
- The compass ratchet bezel is robust and can be rotated with ease even with thick neoprene gloves
- The numbers and directions on the compass bezel are large and very easy to read
- The luminous compass dial with a vivid and clear display makes quick work of compass direction even in poor visibility



PART #	DESCRIPTION
NS135115	PRESSURE GAUGE + DEPTH GAUGE CONSOLE + COMPASS METRIC
NS135118	PRESSURE GAUGE + DEPTH GAUGE CONSOLE + COMPASS IMPERIAL

### (A) apeks PRESSURE GAUGE + DEPTH GAUGE CONSOLE

The 2-gauge console combines a submersible pressure (contents) gauge and a depth gauge housed in a specially designed case. The unit is completed with a high pressure hose. The console clearly displays your pressure and depth readings for easy viewing under water and the dials have a long phosphorescent effect for better reading in poor visibility conditions. The submersible pressure gauge provides accurate pressure readings with a of 5000 psi (metric available up to 360 bar). The depth gauge reads down to 230 ft (metric available down to 70m.

- The gauge case is made from nickel plated brass
- The dial window is made of highly shock resistant material (anti-splinter polycarbonate)
- A specially designed housing protects the gauge and HP hose fitting from accidental damage
- A large loop area designed into the housing allows for easy attachment.
- Dials have a long phosphorescent effect for better reading in poor visibility conditions
- There are 2 attachment areas integrated into the design for position flexibility
- This may be a compact design but the displays are vivid and clear perfect for diving. For example, the depth gauge spreads the first half of the scale and in total shows a range down to 230ft.

PART #	DESCRIPTION
NS133125	PRESSURE GAUGE + DEPTH GAUGE CONSOLE METRIC
NS133117	PRESSURE GAUGE + DEPTH GAUGE CONSOLE IMPERIAL





# (A) apeks PRESSURE GAUGE + COMPASS

Apeks' range of quality, accurate and stylish gauges and gauge consoles includes this compact and unique Pressure Gauge and Compass combination. The pressure (contents) gauge offers a range to 5000 psi (360 bar). The compass is designed for ease of reading and diver comfort. For example, there are two viewing windows so the unit can be set up for left or right handed use, at an angle which is set as the natural extension of the arm. This means that divers do not have to twist their wrist into an unnatural shape to view the compass.

- The gauge case is made from nickel plated brass
- The dial window is made of highly shock resistant material (anti-splinter polycarbonate)
- A specially designed housing protects the gauge and HP hose fitting from accidental damage
- A large loop area designed into the housing allows for easy attachment.
- The compass ratchet bezel is robust and can be rotated with ease even with thick neoprene gloves
- The numbers and directions on the compass bezel are large and very easy to read
- The luminous compass dial with a vivid and clear display makes quick work of compass direction even in poor visibilit



PART #	DESCRIPTION
NS132122	PRESSURE GAUGE + COMPASS W/BOOT & HOSE METRIC
NS135118	PRESSURE GAUGE + COMPASS W/BOOT & HOSE IMPERIAL

# **(A)** apeks PRESSURE GAUGE

The Apeks submersible pressure gauge, with an internal Bourdon pressure measuring mechanism, gives you clear information on the gas contents of your cylinder. The gauge indicates the cylinder bottle pressure and the dial range is from zero to 5000 psi (a metric version is also available with a range up to 360 bar). The dial face is designed with clarity in mind by being uncluttered, with large black figures on a luminous background giving a long phosphorescent effect. This makes viewing as easy as possible, even in poor visibility conditions.

- The gauge case is made from nickel plated brass
- The dial window is made of highly shock resistant material (anti-splinter polycarbonate)
- A specially designed housing protects the gauge and HP hose fitting from accidental damage
- A large loop area designed into the housing allows for easy attachment



PART #	DESCRIPTION
NS131131	PRESSURE GAUGE W/HOSE METRIC
NS131125	PRESSURE GAUGE W/ HOSE IMPERIAL





# (A) apeks VX1

The new VX1 is the ultimate in diving mask comfort Lightweight, frameless and with a Pure Clear lens for maximum optical clarity. The VX1 - Clearly Apeks

- Frameless construction provides low inner volume, exceptional comfort and lightweight
- Matt and gloss areas on the silicone skirt enhance sealing features and improve fit and comfort
- Pure View Lens provides maximum optical clarity with no distortion
- Quick Release Buckles incorporating a stainless-steel roller allow for easy adjustment for the best fit, even while wearing dry gloves
- Supplied with additional comfortable neoprint mask strap for a secure fit
- Premium zipped EVA reusable protective case
- Single use plastic free packaging



VX1 BLACK
Black silicone & Pure clear lens



VX1 GREY
Grey silicone & Pure clear lens

PART #	DESCRIPTION
MS394111	MASK,VX1,BLACK/BLACK,PURE CLEAR LENS
MS3941201LR	MASK,VX1,GREY,PURE CLEAR LENS



# AQUA LUNG SPHERA X

The New SPHERA X is the next generation SPHERA, the number one Freediving mask by Aqua Lung. The unique distortion-free lens technology provides a 180 degree wide-angle field of vision and let the user experience a panoramic vision that's pure freedom for the eyes. Over many years of legacy for the SPHERA, Aqua Lung's design team carefully studied the specifics of freediving equipment and researched the optimization for this low-volume mask. With the input of professional free divers, successful technologies used in other Aqua Lung masks have been used and combined with the most suitable skirt shapes and frame characteristics.

- 180° distortion-free panoramic vision thanks to the exclusive Curved Lens Technology
- Plexisol® lenses with special anti-fog and anti-scratch benefits
- UVA/UVB protection
- Advanced Fit Technology (AFT) enhancing the sealing features of the silicone skirt, improving fit, comfort and feel
- Easy adjustable buckle system
- An innovatively shaped strap better forms to the diver's head, increasing comfort and provides a more secure fit
- Attractive heavy-duty EVA box with corrosion free zipper.



PART #	DESCRIPTION
MS4700101	MASK,SPHERA X,CLEAR SIL/GLACIER

# AQUA LUNG PLAZMA

For new and experienced divers, the Plazma is the only frameless panoramic diving mask that delivers a perfect fit with excellent comfort from surgical grade premium silicone and enhanced stability zones. The Plazma mask delivers a lightweight and compact, low-profile design in fresh, exciting color combinations and is available with Clear and Amber lens options.

- Frameless constructions utilizing Aqua Lung proprietary Micromask Technolog
- Pressure reduction zones are incorporated into the silicone skirt at strategic points to help relieve the pressure of the mask on long dives. This engineered design utilizes these reinforced zones to improve also skirt stability at traditional weak points
- Two lens options: Clear and Amber, that reduces glares in shallow water and enhances red colors in deep water
- Quick Fit Buckles. The one-touch button release allows for easy adjustment for the best fit, even while wearing thick gloves
- Advanced Fit Technology (AFT) enhances the sealing features of the silicone skirt, improving fit, comfort and feel
- Preformed mask strap better forms to the diver's head, increasing comfort and provides a more secure fit
- Reusable protective case



PART #	DESCRIPTION
MS393116	MASK, PLAZMA, BLACK SIL/BLACK, AMBER LENS



### The Aqua Lung DS Masks

#### Did you know?

The human eye sees the opposing "complementary" color of whatever color is absorbed by an object which is why things appears yellow when blue light is blocked. This explains why most lenses designed to block HEV light have a yellowish tint. Aqua Lung included two lens options for their new masks: The "Plus" and "Blue" HD Mirror lenses. Both technologies block our harmful HEV light that could damage your eyes' retina.

- The "Plus" HD lens allows a moderate level of light into the eye and provides some glare protection while enhancing warm colors underwater. It's a practical lens technology for changing conditions.
- The "Blue" HD Mirrored lens provides excellent vision in both high and low light environments. In low level light this lens technology offers a clearer vision, amplifies the light and provides higher contrast. In high light levels it also reduces glare

# AQUA LUNG PROFILE DS

The Aqua Lung Profile is a super comfortable frameless mask. It has superior vision due to the design of the lens in both vertical and horizontal angles. Fitted with our easy to use flexible joints buckles and silicone 3D strap and all packaged in a luxury zippered Aqua Lung branded EVA case. The Profile is available in two lens options: the "Plus" and the "Blue" HD Mirror lens

- Soft Frameless design.
- Low Profile makes it easy to clear.
- Choice of Plus or Blue mirrored HD lenses that block HEV light.
- · Anti-fog coating to aid for crystal clear viewing.
- Buckle to skirt so you can fold the mask flat for storage in BCD or suit pocket.
- Counter-post push button activation make strap adjustment easy when using wearing gloves.
- 3D mask strap to perfectly and comfortably fit the diver's head and keep the strap securely in place.
- Comes in an zippered EVA case for keeping it secure
- and in great condition post dive or during storage.





PART #	DESCRIPTION
MS4720101LB	PROFILE DS BK/BK LENS BLUE MIRROR
MS4720101LV	PROFILE DS BK/BK PLUS LENS



# AQUA LUNG MISTIQUE DS

The Aqua Lung Mistique is hard frame single lens mask that offers an uninterrupted field of vision. Its low volume and has a stylish dragonfly shape. It comes with easy to operate flexible joints buckles and complimented by the 3D strap. All packaged in a luxury zippered Aqua Lung branded EVA case The Mistique is available in two lens options: the "Plus" and the "Blue" HD Mirror lens.

- Single lens mask with exceptional field of vision.
- Low Profile makes it easy to clear.
- Choice of Plus or Blue mirrored HD lenses that block HEV light.
- Anti-fog coating to aid for crystal clear viewing.
- Buckle to skirt so you can fold the mask flat for storage in BCD or suit pocket.
- Counter-post push button activation make strap adjustment easy when using wearing gloves.
- 3D mask strap to perfectly and comfortably fit the diver's head and keep the strap securely in place.
- Comes in an zippered EVA case for keeping it secure and in great condition post dive or during storage.









PART #	DESCRIPTION
MS4570101LB	MISTIQUE DS BK/BK LENS BLUE MIRROR
MS4570101LV	MISTIQUE DS BK/BK PLUS LENS



# AQUA LUNG REVEAL X1

The Reveal's innovative features make this dive mask our most comfortable and best fitting mask. Created after years of research and testing, the Reveal is a premium diving mask that delivers ultra-comfort and a perfect fit thanks to both a super soft, top quality silicone skirt with an ergonomic profile. The new buckles, attached directly to the silicone skirt, feature a single quick-button release system and the mask is equipped with an innovative spherical silicone head band strap—all to help the diver create the perfect leak-free fit. The large operating button is easily activated, even with thick gloves. The Reveal is available in single lens (Reveal X1)

- Universal Advanced Silicone Skirt (UASS). After years of research and testing, an innovative wrap-around geometry has been designed for an excellent fit for a wide range of face shapes. A new grade of silicone is used to create a super soft and comfortable fit
- Advanced Fit Technology (AFT) enhances the sealing features of the silicone skirt, improving fit, comfort and feel
- The Spherical Silicone Head Band Strap is an inovative design for the silicone strap, in the shape of a sphere to perfectly and comfortably fit the diver's head and keep the strap securely and comfortably in place
- Quick Fit Buckles. The one-touch button release allows for easy adjustment for the best fit, even while wearing thick gloves. The buckles are attached directly to the silicone skirt in order to provide stability on the face
- HI-VIS technology molds the frame of the Reveal from two bright yellow and orange materials for increased visibility under water
- The single-lens of the Reveal features an innovative construction system that makes it the lightest single lens mask (non-frameless) on the market



PART #	DESCRIPTION
MS192115	REVEAL X1 BLACK W/BLACK SKIRT

# AQUA LUNG FAVOLA

Guarantees an incredible field of vision, the Favola is unique and revolutionary.

- The patented "double joint" buckles (cardanic joint buckles) rotate both up-and-down and in-and-out. They provide maximum adaptability and comfort to any head shape.
- The lenses are at an incline providing a wide angle of view upwards and downwards.



PART #	DESCRIPTION
MS137116	CLEAR SILICONE BLACK/BLUE/SILVER
MS137112	BLACK SILICONE/BLACK



# AQUA LUNG MICROMASK

The smallest and the lightest diving mask. Less than 91 cm3 and less than 15 g. The Micromask is perfect for apnea and spear fishing. Thanks to its small size, it can be used as a back up mask. It will be able to be placed in a BC pocket.

- 2 lens mask: an extremely low volume and a low profile resulting in excellent horizontal and vertical angle of view.
- Hypoallergenic silicone skirt fits with double seals ensuring a perfect seal.
- Cardanic joint buckles: the patented "double joint" buckles rotate both up-and-down and in-and-out. They provide maximum adaptability and comfort to any head shape.
- New push buttons buckles system: to reduce the length: pull on the strap. To release the strap: push on the 2 buttons.
- Large head strap : greater stability. Perfect fit and great comfort of wearing.



PART #	DESCRIPTION
MS151111	MICROMASK BLACK/BLACK SILICONE

# AQUA LUNG TEKNIKA

Built to withstand the rigors of technical diving, the Teknika's two-piece shock resistant frame is assembled with AISI 304 stainless steel bolts and screws for superior strength. The twinlens design provides an excellent field of view and the dark skirt eliminates distracting side-light, a feature many technical divers appreciate when spending long hours in the water.

- Shock-absorbing techno-polymer frame stands up to abuse on the dive deck and in the water.
- Stainless steel AISI 304 bolts and screws deliver incredible strength and resist corrosion from saltwater exposure.
- Mask skirt and buckles fold flat, making the Teknika easy to carry as a back-up mask in a BC pocket.
- Cardanic Joint Buckles rotate both up-and-down and inand-out for a customized and pinch-free fit.
- Counterposed push button activation makes strap adjusments fast and holds the strap securely in place once set. The system is also easy to use when wearing gloves.
- Wide headpiece on silicone strap conforms to the user's head to ensure a comfortable, secure fit.
- High-grade silicone material allows the facial skirt to flex and naturally mold around facial contours for a leak-free seal.
- Shatterproof, tempered glass lenses suitable for diving and snorkeling meet ANSI standards.



PART #	DESCRIPTION
MS167111	TEKNIKA BLACK/BLACK SILICONE



# AQUA LUNG VENTURA +

Great designs stand the test of time, and the Ventura continues the tradition of a mask long used by divers around the globe. This updated version is available in new colors and adds the comfort and performance of Cardanic Joint Buckles to a classic, rugged frame.

- Proven single-lens frame delivers a wide field-ofview and a nearly universal fit.
- Cardanic Joint Buckles rotate both up-and-down and in-and-out for a customized and pinch-free fit.

Counterposed push button activation makes strap

adjustments fast and holds the strap securely in place once set. The system

is also easy to use when wearing gloves.

• High-grade silicone material allows the facial skirt to flex and naturally mold around facial contours for a leak-free seal.



PART #	DESCRIPTION
MS169112	VENTURA+ BLACK BLK

### SDEEP SEE OMNI

- High quality liquid injection silicone
- Unique frameless design provides very low volume and excellent field of vision
- Two lens designs now available in standard and midi sizing
- Great backup mask
- Easily fits in BCD pocket
- Standard skirt measures 12.2 cm W x 10.3 cm H (4.8" x 4.1")
- Midi skirt measures 11.6 cm W x 10.1 cm H (4.6" x 3.9")



PART #	DESCRIPTION
MS4580101	OMNI 2 LENS BLACK
MS4680101	OMNI 2 LENS BLACK MIDI



# AQUA LUNG LOOK 2

Look 2 is a two-lens mask, complete with patented Cardanic Joint Buckles. It features a silicone strap with a wide headpiece. The close-to-the-cheekbones frame design guarantees an excellent view in all directions. The Look 2 boasts a low inner volume for easy clearing. The Look 2 supports a wide assortment of negative and positive dioptre corrective lenses. A clever lens replacement system allows for rapid and easy substitution of the lenses (patent pending).

- Double lens, 3 mm tempered glass
- New twin button release system makes glass locking ring removal quick, safe and easy
- $\bullet$  Pure silicone mask skirt with the same skirt shape and dimensions of the LOOK mask
- Cardanic joint buckles (double joint buckles) rotate both up-and-down and in-and out
- Quick counterposed push button activation is easy to use even when wearing gloves
- Wide headpiece on silicone strap provides stability and comfort.
- Weight: 185 gr

PART #	DESCRIPTION
MS146116	LOOK 2 CLEAR SILICONE BLACK/BLUE
MS146113	LOOK 2 BLACK SILICONE BLACK/BLUE

### **OPTICAL LENS FOR LOOK 2**

<ul> <li>Sold as sing</li> </ul>	le lenses
PART #	DESCRIPTION
MS143115	-1.0 DIOPTER
MS143116	-1.5 DIOPTER
MS143118	-2.0 DIOPTER
MS143119	-2.5 DIOPTER
MS143121	-3.0 DIOPTER
MS143122	-3.5 DIOPTER
MS143123	-4.0 DIOPTER
MS143124	-4.5 DIOPTER
MS143125	-5.0 DIOPTER
MS143126	-5.5 DIOPTER
MS143127	-6.0 DIOPTER
MS143128	-6.5 DIOPTER
MS143129	-7.0 DIOPTER
MS143131	-7.5 DIOPTER
MS143132	-8.0 DIOPTER
MS143133	-8.5 DIOPTER
MS143134	-9.0 DIOPTER
MS143135	-9.5 DIOPTER
MS143117	-10.0 DIOPTER
MS143136	+1.5 RIGHT DIOPTER
MS143137	+2.0 RIGHT DIOPTER
MS143138	+2.5 RIGHT DIOPTER
MS143139	+3.0 RIGHT DIOPTER
MS143111	+1.5 LEFT DIOPTER
MS143112	+2.0 LEFT DIOPTER
MS143113	+2.5 LEFT DIOPTER
MS143114	+3.0 LEFT DIOPTER



# AQUA DLUNG ATLANTIS II

- Classic, large volume, oval styling
- Popular with photographers
- Excellent field of vision
- Available in black silicone



PART #	DESCRIPTION	NSN
507710	ATLANTIS II, BLACK/BLACK	4220010771603

# AQUA LUNG PACIFICA

- Equipped with popular purge valve
- Available in black silicone
- Classic single window styling



PART #	DESCRIPTION	NSN
507810	PACIFICA, BLACK/BLACK	4220004651582

# AQUA LUNG MAUI

- Low volume, single window design
- Black silicone skirt
- Popular with military and professional divers



PART #	DESCRIPTION	NSN
503350	MAUI, BLACK/BLACK	4220013272120

# AQUA LUNG WRAPAROUND

- Classic three window design
- Available in black silicone



PART #	DESCRIPTION	NSN
502620	WRAPAROUND, BLACK/BLACK	4220012251611



# AQUA LUNG IMPULSE 3

Since its introduction in 1989, the Impulse has been the best selling snorkel in the world. Today, after continued refinement and evolution, the Impulse 3 is more streamlined and higher performing than its predecessors, the Impulse and Impulse 2.

- The Impulse 3 uses a two-valve system. If a wave breaks over the snorkel, the patented upper annular valve directs most of the water out before reaching the mouthpiece any water that does get past drains out the lower valve
- The reservoir located below the mouthpiece keeps the breathing path clear of excess water; in the rare event you'll need to clear the snorkel, all it takes is an easy puff
- tod comfobite mouthninges, which aliminate jaw fatigue, are replace

able and an opt	tional, smaller size is available in a non-flex, version
PART #	DESCRIPTION
SN1940101U	IMPULSE 3 FLEX BLACK/BLACK
SN1940108U	IMPULSE 3 FLEX BLACK/ORANGE
SN1950101U	IMPULSE 3 NON-FLEX BLACK/BLACK

# AQUA LUNG ZEPHYR

The Zephyr was designed and manufactured in the Aqua Lung facilities in Genoa in Italy. The purge eliminates water infiltration and provides easy release by an integrated ripple area making it unique and elegant snorkel.

- Splash guard with purge channel
- Easy and guick fix clip
- Flexible and corrugate tube zone
- Hose joint rotation dry system
- Elliptical purge valve
- Anatomic silicone mouthpiece



PART #	DESCRIPTION
SN125112	ZEPHYR BLACK

### AQUA LUNG MILITARY

- Simple neoprene rubber design
- J tube or flex tube
- Secure keeper for mask strap



Part #	Description	NSN
736920	MILITARY SNORKEL, BLACK NEOPRENE	4220009556535
736930	MILITARY SNORKEL, FLEX, BLACK NEOPRENE	4220012277503



# AQUA LUNG ROCKET II FINS

- Greatly improved design
- Flexible material construction for long distance swimming
- Neutrally buoyant
- Large foot pocket
- Grommet holes for hooking up fins
- Extremely popular with military and professional divers



PART #	DESCRIPTION	SIZE	NSN
621130	ROCKET FIN II, LARGE	9-11	4220015473051
621135	ROCKET FIN II, SUPER	12+	4220015473054
621132	ROCKET II RUBBER STRAP		
769460	SPRING STRAP KIT, WEB, MD, 2 EACH PER PACKAGE		
769061	SPRING STRAP KIT, WEB, LG, 2 EACH PER PACKAGE		
769062	SPRING STRAP KIT, WEB, XL, 2 EACH PER PACKAGE		

# AQUA LUNG ROCKET FINS

- Traditional rubber fin with proven design
- By combining features such as special blade curvature, varying degree of flexibility and structural ribs, the product is positive forward thrust with spring-like effect.
- The open vents efficiently channels the water flow to give added energy saving effect stainless steel spring fin strap compatible
- Popular with military and professional divers.
- Stainless steel buckle



PART #	DESCRIPTION	SIZE	NSN
621110	ROCKET-QUICK RELEASE	LARGE	4220010156762
621610	SUPER ROCKET-QUICK RELEASE	SUPER	4220010156762
621100	ROCKET, ORIGINAL, METAL BUCKLES		4220012205816



# **(A)** apeks RK3 HD FINS

The RK3 HD fin is the latest in the RK3 offering. Made from a higher density material than the standard RK3, the RK3 HD fin is stiffer and heavier, making them the ideal fin for drysuit diving. The new, heavier compound makes them negatively buoyant and produces a stiffer blade, providing additional power in heavy currents or surf.

- Based on one of the first vented rubber fins sold in North America and popular among military and professional divers
- Compact, and ultra rugged for use in harsh environments
- Improved foot pocket with spring straps for ease of use with cold hands or thick gloves
- The design has been the standard gear issue fin for military, special ops, coast guard and public safety divers for decades
- Short, wide blade provides maximum forward thrust while maintaining great maneuverability
- Vented blade design reduces resistance on the upstroke and enhances thrust on the downstroke
- The vents also eliminate vortexes that can occur along the back of the blade much in the same way split fins eliminate the vortex
- The blade material is designed to hold up in the toughest environments, temperatures and abuse
- Two large grommet holes designed to fit most carabineers for easy storage of the fins
- Custom designed buckle holds spring straps in optimum position
- 3 sizes available: Medium (7-9), Large (9-11) and Super (12+)

Fin Material	Thermoplastic Rubber
Dimensions	Medium - 19.15 in L x 9 in W
	Large - 21.5 in L x 9.5 in W
	Super - 22.5 in L x 9.5 in W
Weight (pair)	Medium w/ Spring Straps - 5.25 lbs
	Large w/ Spring Straps – 6.25 lbs
	Super w/ Spring Straps - 6.75 lbs
Buoyancy	All Sizes with Spring Strap - Slightly Negative
Buckle	316 stainless steel nut and bolt
Foot pocket	Open heel design
Spring straps	Yes
Vents	Yes
Colors Black, Orange & Hi-Viz Yellow	



PART #	DESCRIPTION	SIZE
FA2487171M	RK3-HD HI-VIZ YELLOW, MD	7-9
FA2487171L	RK3-HD HI-VIZ YELLOW, LG	9-11
FA2487171XL	RK3-HD HI-VIZ YELLOW, XL	12+
FA2470808M	RK3-HD ORANGE, MD	7-9
FA2470808L	RK3-HD ORANGE, LG	9-11
FA2470808XL	RK3-HD ORANGE, XL	12+
FA2470101M	RK3-HD BLACK, MD	7-9
FA2470101L	RK3-HD BLACK, LG	9-11
FA2470101XL	RK3-HD BLACK, XL	12+



# **A**apeks RK3 FINS

The traditional all rubber design of the RK3 has been the choice of military, special operations, Coast Guard and public safety divers for decades. The RK3 blade material is formulated to hold up in the toughest environments, temperatures and abuse. The short, wide blade provides maximum forward thrust while maintaining great maneuverability. The vented blade design reduces resistance on the upstroke and enhances thrust on the downstroke.

- Custom designed buckle holds spring straps in optimum position
- Two large grommet holes on either end are designed to fit most carabineers

Fin Material	Thermoplastic Rubber
Dimensions	Medium - 19.15 in L x 9 in W (Size 7-9)
	Large - 21.5 in L x 9.5 in W (Size 9-11)
	Super - 22.5 in L x 9.5 in W (Size 12+)
Weight (pair)	Medium w/ Spring Straps - 2.25 lbs
	Large w/ Spring Straps - 2.75 lbs
	Super w/ Spring Straps - 2.75 lbs
Buoyancy	All Sizes with Spring Strap - Slightly Positive
Buckle	316 stainless steel nut and bolt
Foot pocket	Open heel design
Spring straps	Yes
Vents	Yes
Colors	Black, Orange and Hi-Viz Yellow





PART #	DESCRIPTION	SIZE
FA248121M	RK3 FIN DARK GREY MD	7-9
FA248121L	RK3 FIN DARK GREY LG	9-11
FA248121XL	RK3 FIN DARK GREY XL	12+
FA2480101M	RK3 FIN BLACK MD	7-9
FA2480101L	RK3 FIN BLACK LG	9-11
FA2480101XL	RK3 FIN BLACK XL	12+

# **⚠apeks** RK3 HD & RK3 FIN STRAPS



PART #	DESCRIPTION	SIZE
FA911222	SPRING STRAP W/ HEEL PAD, 2EA MEDIUM	7-9
FA911223	SPRING STRAP W/ HEEL PAD, 2EA LARGE	9-11
FA911224	SPRING STRAP W/ HEEL PAD, 2EA SUPER	12+




# AQUA LUNG SHREDDER SAR

- Special fin for water rescue, SAR swimming, and helo ops
- Heavy duty adjustable buckle with padded heel and leash
- Large foot pocket receives large wetsuit boots and EVO4 boots




PART #	DESCRIPTION	SIZE
621155	SHREDDER SAR, BLACK, LARGE	10 - 13
621156	SHREDDER SAR,HI-VIZ YELLOW, LARGE	10 - 13
621150	SHREDDER SAR, YELLOW, LARGE	10 - 13

# AQUA LUNG REPLACEMENT PARTS



#621120 Buckle Kit / Metal (Zeech Frame & Post ) And MIDCC



#621131 Metal Buckle Kit for Rocket II

PART #	DESCRIPTION	NSN
622680	STRAP/BUCKLE ASSY, QUICK RELEASE (1 EACH OF STRAP AND BUCKLE)	4220014853999
621131	METAL BUCKLE KIT FOR ROCKET II (PAIR OF 2 FOR 1 FIN)	
621132	FIN STRAP, ROCKET II	
621151	SHREDDER SAR STRAP AND BUCKLE ASSY(PAIR)	
621120	BUCKLE KIT / METAL ( ZEECH FRAME & POST ) AND MIDCC	



## AQUA LUNG SOLAFX 8/7MM

The SolAfx is Aqua Lung's advanced wetsuit, with unique features like an integrated hood and internal arm and leg cuffs. The redesigned SolAfx suit includes Aqua Lung's X-Tend cuffs, providing a finished look with maximum stretch. Unique design specially tailored for men and women. The suit provides maximum warmth, thanks to its 8 mm torso and 7 mm arms and legs.

- Environmentally friendly features:
  - Non PAH (polycyclic aromatic hydrocarbons) neoprene
  - Non-petroleum based material
  - REACH (European Union standards) approved thread
- Liquid FUSION Seam Technology with reinforcing patches on the inside at seam junctions enhances the durability and integrity of the seams
- The suit has an across-the-chest Plasmaloc zipper with tighter tolerances and a unique integrated tooth design to make it more water resistant than most other brands; this minimizes water exchange and allows you to remain warm throughout your dive
- Silicone no slip shoulder feature provides added protection and helps keep BC shoulder straps in place
- A water dam covers the neck and shoulders, providing an additional layer of thermal protection against any water entering through the zipper
- Skin-in gasket seals in the forearm and calves minimize water entry through the sleeves and legs
- Lower back pad helps keep water out
- The outer nylon material is resistant to abrasions and hook and loop snags due to the tighter weave to keep your suit looking good
- The inner material is ultra soft and provides exceptional comfort and makes these suits easy to don and doff
- Powertex kneepad offers increased flexibility and excellent abrasion resistance
- Pre-bent anatomic legs and arms provide a more comfortable fit and reduce bunching of material at the joints
- G2 vent technology in attached hood allows trapped regulator exhaust bubbles to exit while keeping cold water out



PART #	DESCRIPTION	SIZE
SU428111	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK XS	XS
SU428112	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK SM	SM
SU428113	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK MD	MD
SU428114	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK ML	ML
SU428115	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK MLL	MLL
SU428116	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK LG	LG
SU428117	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK LL	LL
SU428118	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK LS	LS
SU428119	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK XL	XL
SU428121	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK XLL	XLL
SU428122	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK XLS	XLS
SU428123	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK 2XL	XXL
SU428124	SOLA FX FRONT ZIP SEMI-DRY MAN BLACK 3XL	3XL



# AQUA LUNG PUBLIC SAFETY WET SUIT

- 5/3mm Red with Black Trim.
- Skin-in Neck seal provides comfortable stretch and seals out water. Closes with hook n loop.
- Heavy duty non-corrosive metal zipper for durability .
- Glued and blindstitched seams.
- Three way zipper seal minimizes water entry.
- Spine pad is integrated as part of three way zipper seal.
- Kidney pad for additional insulation in this high heat loss area.
- Pre-bent anatomic legs and arms.
- The knee pads are durable and stretchy for comfort.
- Ultra stretch wrist and ankles.





PART #	DESCRIPTION	COLOR	SIZE
4040872	AQUAFLEX JUMP 5/3MM	RED/BLACK	MD
4040873	AQUAFLEX JUMP 5/3MM	RED/BLACK	ML
4040874	AQUAFLEX JUMP 5/3MM	RED/BLACK	LG
4040875	AQUAFLEX JUMP 5/3MM	RED/BLACK	XL
4040876	AQUAFLEX JUMP 5/3MM	RED/BLACK	2XL



# AQUA LUNG 5/3 & 7/5MM MILITARY JUMPSUIT

- All black with black logo graphics
- Skin-in neck seal
- Pre-bent anatomic legs and arms
- Liquid rubber seams prevent water transfer and unraveling
- Three-way zipper seal minimizes water entry to maintain warmth
- Kidney pad for additional insulation in this high heat loss area
- Arm and leg cuffs are all fused with the X-Tend technology to minimize fraying and maximize stretch
- Trade complian



PART #	DESCRIPTION	SIZE
409312	5/3 MM JUMPSUIT, BLK	MD
409313	5/3 MM JUMPSUIT, BLK	ML
409314	5/3 MM JUMPSUIT, BLK	LG
409315	5/3 MM JUMPSUIT, BLK	XL
409316	5/3 MM JUMPSUIT, BLK	XXL
409302	7/5 MM JUMPSUIT, BLK	MD
409303	7/5 MM JUMPSUIT, BLK	ML
409304	7/5 MM JUMPSUIT, BLK	LG
409305	7/5 MM JUMPSUIT, BLK	XL
409306	7/5 MM JUMPSUIT, BLK	XXL

# AQUA LUNG 3MM MILITARY SHORTY & JUMPSUIT

- All black with black logo graphics
- 3 mm neoprene used throughout
- Trade compliant
- Hook and loop adjustable neck
- Flat lock stitch avoids chafing
- Heavy duty #10 zipper
- Black zipper water shield



PART #	DESCRIPTION	SIZE
409332	3 MM SHORTY, BLK	MD
409333	3 MM SHORTY, BLK	ML
409334	3 MM SHORTY, BLK	LG
409335	3 MM SHORTY, BLK	XL
409336	3 MM SHORTY, BLK	XXL
409322	3 MM JUMPSUIT, BLK	MD
409323	3 MM JUMPSUIT, BLK	ML
409324	3 MM JUMPSUIT, BLK	LG
409325	3 MM JUMPSUIT, BLK	XL
409326	3 MM JUMPSUIT, BLK	XXL



# OMER HOLOSTONE

The Holostone suit is proving to be one of our most popular camo patterns ever. The combination of in focus and out of focus patterns along with the various shades of brown fading to almost white make the pattern work in various environments. The lighter colors reflect the ambient colors making the Holostone pattern highly adaptable to its environment. The Holostone also uses a new high stretch neoprene and fabric making it the stretchiest suit in our lineup. The high degree of stretch not only improves a diver's comfort but also allows the Holostone to fit a wide range of body types.

- Brown & white camo pattern
- Ultra Stretch neoprene and fabric
- Open cell interior
- Reinforced loading pad
- Abrasion resistant knees
- Wrist, ankle, and face seals (on 5mm & 7mm, the 3mm has high stretch fused cuffs)
- Available in 3mm, 5mm, and 7mm thicknesses.
- Sizes S/2 XXXL/7
- Trade Compliant



PART #	DESCRIPTION	SIZE
SU277111	HOLOSTONE JACKET 3MM	S/2
SU277112	HOLOSTONE JACKET 3MM	M/3
SU277113	HOLOSTONE JACKET 3MM	L/4
SU277114	HOLOSTONE JACKET 3MM	XL/5
SU277115	HOLOSTONE JACKET 3MM	XXL/6
SU277116	HOLOSTONE JACKET 3MM	3XL/7
SU284111	HOLOSTONE PANTS 3MM	S/2
SU284112	HOLOSTONE PANTS 3MM	M/3
SU284113	HOLOSTONE PANTS 3MM	L/4
SU284114	HOLOSTONE PANTS 3MM	XL/5
SU284115	HOLOSTONE PANTS 3MM	XXL/6
SU284116	HOLOSTONE PANTS 3MM	3XL/7
SU278111	HOLOSTONE JACKET 5MM	S/2
SU278112	HOLOSTONE JACKET 5MM	M/3
SU278113	HOLOSTONE JACKET 5MM	L/4
SU278114	HOLOSTONE JACKET 5MM	XL/5
SU278115	HOLOSTONE JACKET 5MM	XXL/6
SU278116	HOLOSTONE JACKET 5MM	3XL/7

PART #	DESCRIPTION	SIZE
SU285111	HOLOSTONE PANTS 5MM	S/2
SU285112	HOLOSTONE PANTS 5MM	M/3
SU285113	HOLOSTONE PANTS 5MM	L/4
SU285114	HOLOSTONE PANTS 5MM	XL/5
SU285115	HOLOSTONE PANTS 5MM	XXL/6
SU285116	HOLOSTONE PANTS 5MM	3XL/7
SU279111	HOLOSTONE JACKET 7MM	S/2
SU279112	HOLOSTONE JACKET 7MM	M/3
SU279113	HOLOSTONE JACKET 7MM	L/4
SU279114	HOLOSTONE JACKET 7MM	XL/5
SU279115	HOLOSTONE JACKET 7MM	XXL/6
SU279116	HOLOSTONE JACKET 7MM	3XL/7
SU286111	HOLOSTONE PANTS 7MM	S/2
SU286112	HOLOSTONE PANTS 7MM	M/3
SU286113	HOLOSTONE PANTS 7MM	L/4
SU286114	HOLOSTONE PANTS 7MM	XL/5
SU286115	HOLOSTONE PANTS 7MM	XXL/6
SU286116	HOLOSTONE PANTS 7MM	3XL/7



# OMER BLACKSTONE

The Blackstone is a combination of in focus and out of focus patterns along with the various shades of black and gray fading to almost white make the pattern work in various environments. The lighter colors reflect the ambient colors making the Blackstone pattern highly adaptable to its environment. The Blackstone also uses a new high stretch neoprene and fabric making it the stretchiest suit in our lineup. The high degree of stretch not only improves a diver's comfort but also allows the Blackstone to fit a wide range of body types.

- Black & gray camo pattern
- Ultra Stretch neoprene and fabric
- Open cell interior
- Reinforced loading pad
- Abrasion resistant knees
- Wrist, ankle, and face seals (on 5mm & 7mm, the 3mm has high stretch fused cuffs)
- Available in 3mm, 5mm, and 7mm thicknesses.
- Sizes S/2 XXXL/7
- Trade Compliant



PART #	DESCRIPTION	SIZE
SU296111	BLACKSTONE JACKET 3MM	S/2
SU296112	BLACKSTONE JACKET 3MM	M/3
SU296113	BLACKSTONE JACKET 3MM	L/4
SU296114	BLACKSTONE JACKET 3MM	XL/5
SU296115	BLACKSTONE JACKET 3MM	XXL/6
SU296116	BLACKSTONE JACKET 3MM	3XL/7
SU298111	BLACKSTONE PANTS 3MM	S/2
SU298112	BLACKSTONE PANTS 3MM	M/3
SU298113	BLACKSTONE PANTS 3MM	L/4
SU298114	BLACKSTONE PANTS 3MM	XL/5
SU298115	BLACKSTONE PANTS 3MM	XXL/6
SU298116	BLACKSTONE PANTS 3MM	3XL/7
SU271111	BLACKSTONE JACKET 5MM	S/2
SU271112	BLACKSTONE JACKET 5MM	M/3
SU271113	BLACKSTONE JACKET 5MM	L/4
SU271114	BLACKSTONE JACKET 5MM	XL/5
SU271115	BLACKSTONE JACKET 5MM	XXL/6
SU271116	BLACKSTONE JACKET 5MM	3XL/7
SU275111	BLACKSTONE PANTS 5MM	S/2
SU275112	BLACKSTONE PANTS 5MM	M/3
SU275113	BLACKSTONE PANTS 5MM	L/4

PART #	DESCRIPTION	SIZE
SU275114	BLACKSTONE PANTS 5MM	XL/5
SU275115	BLACKSTONE PANTS 5MM	XXL/6
SU275116	BLACKSTONE PANTS 5MM	3XL/7
SU272111	BLACKSTONE JACKET 7MM	S/2
SU272112	BLACKSTONE JACKET 7MM	M/3
SU272113	BLACKSTONE JACKET 7MM	L/4
SU272114	BLACKSTONE JACKET 7MM	XL/5
SU272115	BLACKSTONE JACKET 7MM	XXL/6
SU272116	BLACKSTONE PANTS 7MM	3XL/7
SU276111	BLACKSTONE PANTS 7MM	S/2
SU276112	BLACKSTONE PANTS 7MM	M/3
SU276113	BLACKSTONE PANTS 7MM	L/4
SU276114	BLACKSTONE PANTS 7MM	XL/5
SU276115	BLACKSTONE PANTS 7MM	XXL/6
SU276116	BLACKSTONE PANTS 7MM	3XL/7
SU4170101S2	BLACKSTONE JACKET & PANTS 1.7MM	S/2
SU4170101S3	BLACKSTONE JACKET & PANTS 1.7MM	M/3
SU4170101S4	BLACKSTONE JACKET & PANTS 1.7MM	L/4
SU4170101S5	BLACKSTONE JACKET & PANTS 1.7MM	XL/5
SU4170101S6	BLACKSTONE JACKET & PANTS 1.7MM	XXL/6
SU4170101S7	BLACKSTONE JACKET & PANTS 1.7MM	3XL/7



# OMER MIX 3D BIFO / MIX 3D SHORTY

This camo patterned wetsuit features the Mix3D pattern and also includes a lined interior. It has a new reinforced chest pad to make loading even long spearguns comfortable. This suit can be worn without lubricant. Shorty comes in 2mm only.

- 3mm & 5mm thickness
- Lined interior
- Knee protection
- Chest loading pad
- Sizes S/2 XXL/6
- 2mm Shorty w/ zipper comes in sizes S/2 XL/5
- Trade Compliant







PART #	DESCRIPTION	SIZE
SU314113	MIX3D BIFO SHORTY 2MM	S
SU314112	MIX3D BIFO SHORTY 2MM	М
SU314111	MIX3D BIFO SHORTY 2MM	L
SU314114	MIX3D BIFO SHORTY 2MM	XL
SU299111	MIX3D BIFO JACKET 3MM	S/2
SU299112	MIX3D BIFO JACKET 3MM	M/3
SU299113	MIX3D BIFO JACKET 3MM	L/4
SU299114	MIX3D BIFO JACKET 3MM	L/5
SU299115	MIX3D BIFO JACKET 3MM	XXL/6
SU312111	MIX3D BIFO PANTS 3MM	S/2
SU312112	MIX3D BIFO PANTS 3MM	M/3
SU312113	MIX3D BIFO PANTS 3MM	L/4
SU312114	MIX3D BIFO PANTS 3MM	L/5
SU312115	MIX3D BIFO PANTS 3MM	XXL/6

PART #	DESCRIPTION	SIZE
SU311111	MIX3D BIFO JACKET 5MM	S/2
SU311112	MIX3D BIFO JACKET 5MM	M/3
SU311113	MIX3D BIFO JACKET 5MM	L/4
SU311115	MIX3D BIFO JACKET 5MM	L/5
SU311114	MIX3D BIFO JACKET 5MM	XXL/6
SU313111	MIX3D BIFO PANTS 5MM	S/2
SU313112	MIX3D BIFO PANTS 5MM	M/3
SU313113	MIX3D BIFO PANTS 5MM	L/4
SU313114	MIX3D BIFO PANTS 5MM	L/5
SU313115	MIX3D BIFO PANTS 5MM	XXL/6



# AQUA LUNG AQUAFLEX 6/5/3MM HOODED VEST

The 6/5/3mm hooded vest is a popular accessory to provide additional warmth to any of our jumpsuits. The different thicknesses of high end super stretch material has been strategically placed for easy donning and doffing as well as properly insulating high heat-loss areas.

- The hood is 6mm thick with a 4mm skin-in face seal which can be easily trimmed
- The vest has 5mm front and back panels with 3mm sides for ease of donning and doffing
- A bubble vent built into the hood allows trapped exhaust bubbles from the regulator to escape Seams are glued and blindstitched



PART #	DESCRIPTION	SIZE
SU7830109S	6/5/3MM, MEN'S	SM
SU7830109M	6/5/3MM, MEN'S	MD
SU7830109ML	6/5/3MM, MEN'S	LG
SU7830109L	6/5/3MM, MEN'S	XL
SU7830109XL	6/5/3MM, MEN'S	XXL
SU78301092XL	6/5/3MM, MEN'S	3XL
SU78301094	6/5/3MM, WOMEN'S	4
SU78301096	6/5/3MM, WOMEN'S	6
SU78301098	6/5/3MM, WOMEN'S	8
SU783010910	6/5/3MM, WOMEN'S	10
SU783010912	6/5/3MM, WOMEN'S	12
SU783010914	6/5/3MM, WOMEN'S	14





sc	DLAFX & 3MM MILITARY WETSUIT UNISEX SIZE CHA	RT
SIZE	WEIGHT	HEIGHT
SM	140 - 155 lbs.	5'6" - 5'8"
MD	150 - 165 lbs.	5'8" - 5'10"
ML	160 - 180 lbs.	5'9" - 6'0"
LG	175 - 195 lbs.	5'11" - 6'1"
XL	190 - 220 lbs.	6'0" - 6'3"
2XL	210 - 230 lbs.	6'1" - 6'4"
3XL	220 - 240 lbs.	6'2" - 6'5"
4XL	230 - 250 lbs.	6'2" - 6'5"

	5/3 & 7/5MM MILITARY JUMPSUIT UNISEX SIZE CHART				
SIZE	WEIGHT (lbs.)	WEIGHT (kg)	HEIGHT (in)	HEIGHT (cm)	
М	150-170 lbs.	68-77 kg	5'8-5'11	173-180 cm	
ML	165-185 lbs.	75-84 kg	5'9-6'	175-189 cm	
L	180-200 lbs.	82-91 kg	5'10-6'1	178-185 cm	
XL	195-220 lbs.	89-100 kg	5'11-6'2	180-188 cm	
XXL	210-235 lbs.	95-107 kg	6'-6'3	189-191 cm	



OMERSUB: MEN'S WETSUIT SIZE CHART							
SIZES/MEAS	UREMENTS	S/2	M/3	L/4	XL/5	XXL/6	XXXL/7
(A) CHEST	Inch	36-38"	37-40"	39-41"	40.5-43"	42.5-45"	44-48"
(A) OFFEST	CM	91-97	95-101	99-105	103-110	108-115	113-122
(B) WAIST	Inch	28-31.5"	30-33"	32-35"	33.5-36.5"	35-38.5"	37-41"
(b) WAIST	CM	72-80	77-84	81-88	85-93	90-98	95-105
(C) HIPS	Inch	32-35"	34-36"	35-38"	37-40"	39-42.5"	41-45"
(0)1111-3	CM	81-88	86-92	90-97	95-102	99-108	105-115
(D) SLEEVE	Inch	20-21.5"	21-22.5"	21.5-23"	22-24"	23-25"	23.5-25"
(D) SELEVE	CM	51-55	53-57	55-59	57-61	59-63	60-64
(E) INSEAM	Inch	25-27.5"	26-28"	27-29"	28-30"	29-31"	29.5-31.5"
(E) INSEAW	CM	65-70	67-72	68-74	71-76	73-78	75-80
(F) HEIGHT	Inch	65-68"	67-70"	69-72"	71-74"	73-75.5"	75-77.5"
(I) I IEIGHI	СМ	167-172	171-177	176-182	181-187	186-192	191-197
WEIGHT	Lbs	140-154	150-167	163-185	180-202	198-220	215-250
VVLIGHT	Kg	63-70	68-76	74-84	82-92	90-100	98-114



		OMERSUB: W	OMEN'S WETSUI	T SIZE CHART		
SIZES/MEASUREN	MENTS	xs	s	M	L	XL
(A) CHEST/BUST	СМ	77 - 85	81 - 89	85 - 94	90 - 99	93 - 103
(B) WAIST	СМ	61 - 67	65 - 71	69 - 75	73 - 80	77 - 84
(C) HIGH HIPS	СМ	78 - 85	83 - 91	87 - 95	91 - 100	95 - 104
(D) LOW HIPS	CM	84 - 91	88 - 95	92 - 100	96 - 104	100 - 108
(E) THIGH	CM	48 - 53	50 - 55	53 - 58	57 - 63	62 - 67
(F) ARM	СМ	48 - 53	49 - 54	50 - 55	51 - 56	52 - 57
(G) INSEAM	СМ	63 - 69	65 - 72	67 - 74	69 - 76	71 - 78
(H) HEIGHT	СМ	149 - 158	154 - 164	158 - 168	163 - 173	168 - 178



## AQUA LUNG SEAWAVE HOODS

As Aqua Lung's premium wetsuit hood, the 7/5 SeaWave+ exceeds expectations. You will find exceptional comfort originating from our selection of quality materials and use of perfected fit patterns.

- Bibbed design tucks in under wetsuit collar for reduced water transfer
- $\bullet$  Lined with Glideskin and Heater Core Fleece  $^{\!\scriptscriptstyle{\mathrm{M}}}$  for ultimate comfort, wet or dry
- Combination of 7mm & 5mm neoprene provides superior insulation
- Face panel left unbound for custom trimming
- $\bullet$  Air Release System  $^{\scriptscriptstyle{\text{\tiny M}}}$  vents trapped air at the top of the head
- Triple glued & blind stitched construction keeps water from penetrating seams
- Hanging loop located at top for easy drying



PART #	DESCRIPTION	SIZE
NE1350101XS	7/5 SEAWAVE+	XS
NE1350101S	7/5 SEAWAVE+	S
NE1350101M	7/5 SEAWAVE+	М
NE1350101L	7/5 SEAWAVE+	L
NE1350101XL	7/5 SEAWAVE+	XL
NE13501012XL	7/5 SEAWAVE+	2XL
NE1430140XS	HOOD,SEAWAVE CAP,3MM,XS	XS
NE1430140S	HOOD,SEAWAVE CAP,3MM,S	S
NE1430140M	HOOD,SEAWAVE CAP,3MM,M	М
NE1430140L	HOOD,SEAWAVE CAP,3MM,L	L
NE1430140XL	HOOD,SEAWAVE CAP,3MM,XL	XL
NE14301402XL	HOOD,SEAWAVE CAP,3MM,XXL	XXL
NE1440140XS	HOOD,SEAWAVE,3/1MM,XS	XS
NE1440140S	HOOD,SEAWAVE,3/1MM,S	S
NE1440140M	HOOD,SEAWAVE,3/1MM,M	М
NE1440140L	HOOD,SEAWAVE,3/1MM,L	L
NE1440140XL	HOOD,SEAWAVE,3/1MM,XL	XL
NE14401402XL	HOOD,SEAWAVE,3/1MM,XXL	XXL
NE1450140XS	HOOD,SEAWAVE,5/3MMXS	XS
NE1450140S	HOOD,SEAWAVE,5/3MM,S	S
NE1450140M	HOOD,SEAWAVE,5/3MM,M	М
NE1450140L	HOOD,SEAWAVE,5/3MM,L	L
NE1450140XL	HOOD,SEAWAVE,5/3MM,XL	XL
NE14501402XL	HOOD,SEAWAVE,5/3MM,XXL	XXL
NE1460140XS	HOOD,SEAWAVE FLEX,7/4MM,XS	XS
NE1460140S	HOOD,SEAWAVE FLEX,7/4MM,S	S
NE1460140M	HOOD,SEAWAVE FLEX,7/4MM,M	М
NE1460140L	HOOD,SEAWAVE FLEX,7/4MM,L	L
NE1460140XL	HOOD,SEAWAVE FLEX,7/4MM,XL	XL
NE14601402XL	HOOD,SEAWAVE FLEX,7/4MM,XXL	XXL



AQUA LUNG 5 FINGER HEAT NEOPRENE GLOVES (OPTIMAL FOR USE WITH DRYSUIT)

- 3 mm or 5 mm neoprene all around for warmth
- Closed-cell neoprene featuring gas filled micro bubbles for maximum warmth and dexterity
- Inner palm and fingers are lined with a Titanium Slick Skin (TSS)
- Pre-curved palm minimizes hand fatigue
- Dry Seam Construction (DSC) seams, glued and blindstitched with external seam seal to limit water flow





PART #	DESCRIPTION	SIZE
611890	5 FINGER HEAT GLOVE 3MM	XS
611888	5 FINGER HEAT GLOVE 3MM	S
611887	5 FINGER HEAT GLOVE 3MM	М
611886	5 FINGER HEAT GLOVE 3MM	L
611889	5 FINGER HEAT GLOVE 3MM	XL
611885	5 FINGER HEAT GLOVE 3MM	2XL
611896	5 FINGER HEAT GLOVE 5MM	XS
611894	5 FINGER HEAT GLOVE 5MM	S
611893	5 FINGER HEAT GLOVE 5MM	М
611892	5 FINGER HEAT GLOVE 5MM	L
611895	5 FINGER HEAT GLOVE 5MM	XL
611891	5 FINGER HEAT GLOVE 5MM	2XL

AQUA LUNG 3 FINGER HEAT NEOPRENE GLOVES (OPTIMAL FOR USE WITH DRYSUIT)

- 6 mm neoprene all around for warmth
- Closed-cell neoprene featuring gas filled micro bubbles for maximum warmth and dexterity
- Inner palm and fingers are lined with a Titanium Slick Skin (TSS)
- Pre-curved palm minimizes hand fatigue
- Dry Seam Construction (DSC) seams glued and blind-stitched, with external seam seal to limit water flow
- Environmentally friendly packaging





PART #	DESCRIPTION	SIZE
611900	3 FINGER HEAT GLOVE 6MM	S
611899	3 FINGER HEAT GLOVE 6MM	М
611898	3 FINGER HEAT GLOVE 6MM	L
611901	3 FINGER HEAT GLOVE 6MM	XL
611897	3 FINGER HEAT GLOVE 6MM	2XL



## AQUA LUNG ALEUTIAN K-GLOVE

- Durable allistic Strength Synthetic on palms, fingers and back of fingertips for superior abrasion resistance
- Thermal flex 4-way stretch neoprene panels provide exceptional comfort and warmth
- Pre-curved fingers and ribbed glove-back work together to eliminate hand fatigue
- Bell cut wrist opening allows for trouble-free entry and accommodates wetsuit cuffs comfortably
- Elastic closure minimizes water exchange
- Available in 3 mm and 5 mm
- Packaged in reusable mesh bag with hang tag





PART #	DESCRIPTION	SIZE
GL1690110XS	MEN'S 3 MM ALEUTIAN K-GLOVE	XS
GL1690110S	MEN'S 3 MM ALEUTIAN K-GLOVE	SM
GL1690110M	MEN'S 3 MM ALEUTIAN K-GLOVE	MD
GL1690110L	MEN'S 3 MM ALEUTIAN K-GLOVE	LG
GL1690110XL	MEN'S 3 MM ALEUTIAN K-GLOVE	XL
GL1501010XS	MEN'S 5 MM ALEUTIAN K-GLOVE	XS
GL1501010S	MEN'S 5 MM ALEUTIAN K-GLOVE	SM
GL1501010M	MEN'S 5 MM ALEUTIAN K-GLOVE	MD
GL1501010L	MEN'S 5 MM ALEUTIAN K-GLOVE	LG
GL1501010XL	MEN'S 5 MM ALEUTIAN K-GLOVE	XL
GL15010102XL	MEN'S 5 MM ALEUTIAN K-GLOVE	XXL

## AQUA LUNG ALEUTIAN GLOVE

- Thermal flex 4-way stretch neoprene panels provide exceptional comfort and warmth
- Pre-curved fingers and ribbed glove-back work together to eliminate hand fatigue
- Bell cut wrist opening allows for trouble-free entry and accommodates wetsuit cuffs comfortably
- Silicone tactiles on the palm provide excellent grip when wet
- Elastic closure minimizes water exchange
- Available in 3 mm and 5 mm
- Packaged in reusable mesh bag with hang tag





PART #	DESCRIPTION	SIZE
GL1680110XS	MEN'S 3 MM ALEUTIAN	XS
GL1680110S	MEN'S 3 MM ALEUTIAN	SM
GL1680110M	MEN'S 3 MM ALEUTIAN	MD
GL1680110L	MEN'S 3 MM ALEUTIAN	LG
GL1680110XL	MEN'S 3 MM ALEUTIAN	XL
GL1740110XS	MEN'S 5 MM ALEUTIAN	XS
GL1740110S	MEN'S 5 MM ALEUTIAN	SM
GL1740110M	MEN'S 5 MM ALEUTIAN	MD
GL1740110L	MEN'S 5 MM ALEUTIAN	LG
GL1740110XL	MEN'S 5 MM ALEUTIAN	XL



## AQUA LUNG THERMOCLINE K-GLOVE

- Durable ballistic strength synthetic polymer on palms, fingers & back of fingertips for superior abrasion resistance
- Standard neoprene with glued and blind-stitched seams
- Ergonomically designed pre-curved fingers helps minimize hand fatigue
- Adjustable cinch closure at wrist
- Available in 3 mm and 5 mm
- Packaged in a reusable mesh bag with hang tag





PART #	DESCRIPTION	SIZE
GL1650106XS	MEN'S 3 MM K-GLOVE	XS
GL1650106S	MEN'S 3 MM K-GLOVE	SM
GL1650106M	MEN'S 3 MM K-GLOVE	MD
GL1650106L	MEN'S 3 MM K-GLOVE	LG
GL1650106XL	MEN'S 3 MM K-GLOVE	XL
GL16501062XL	MEN'S 3 MM K-GLOVE	XXL
PART #	DESCRIPTION	SIZE
GL1720106S	MEN'S 5 MM K-GLOVE	SM
GL1720106M	MEN'S 5 MM K-GLOVE	MD
GL1720106L	MEN'S 5 MM K-GLOVE	LG
GL1720106XL	MEN'S 5 MM K-GLOVE	XL
GL17201062XL	MEN'S 5 MM K-GLOVE	XXL

## AQUA LUNG THERMOCLINE FLEX GLOVE

- Made entirely of HS200 high stretch neoprene that stretches more than 200% of it's original size for exceptional comfort, fit and dexterity
- Ergonomically designed pre-curved fingers help minimize hand fatigue
- Rubberized coating on palm for protection and added grip
- Available in 3 mm and 5 mm
- Packaged in reusable mesh bag with hang tag





PART #	DESCRIPTION	SIZE
GL1640106XS	MEN'S 3 MM FLEX GLOVE	XS
GL1640106 S	MEN'S 3 MM FLEX GLOVE	SM
GL1640106M	MEN'S 3 MM FLEX GLOVE	MD
GL1640106 L	MEN'S 3 MM FLEX GLOVE	LG
GL1640106XL	MEN'S 3 MM FLEX GLOVE	XL
PART #	DESCRIPTION	SIZE
<b>PART #</b> GL1710106XS	MEN'S 5 MM FLEX GLOVE	<b>SIZE</b> XS
GL1710106XS	MEN'S 5 MM FLEX GLOVE	XS
GL1710106XS GL1710106S	MEN'S 5 MM FLEX GLOVE  MEN'S 5 MM FLEX GLOVE	XS SM



## AQUA LUNG THERMOCLINE GLOVE

- Standard neoprene with glued and blind-stitched seams
- Ergonomically designed pre-curved fingers help minimize hand fatigue
- Rubberized coating on palm for protection and added grip
- Adjustable cinch closure at wrist
- Available in 3 mm & 5 mm
- Packaged on hanging header card



PART #	DESCRIPTION	SIZE
GL1320101XS	MEN'S 3 MM THERMOCLINE	XS
GL1320101S	MEN'S 3 MM THERMOCLINE	SM
GL1320101M	MEN'S 3 MM THERMOCLINE	MD
GL1320101L	MEN'S 3 MM THERMOCLINE	LG
GL1320101XL	MEN'S 3 MM THERMOCLINE	XL
GL13201012XL	MEN'S 3 MM THERMOCLINE	XXL
PART #	DESCRIPTION	SIZE
GL1330101XS	MEN'S 5 MM THERMOCLINE	xs
<b>GL1330101XS</b> GL1330101S	MEN'S 5 MM THERMOCLINE MEN'S 5 MM THERMOCLINE	XS SM
		-
GL1330101S	MEN'S 5 MM THERMOCLINE	SM
GL1330101S GL1330101M	MEN'S 5 MM THERMOCLINE  MEN'S 5 MM THERMOCLINE	SM MD

## SPEEP SEE BARNACLE GLOVE

- 2 mm perforated neoprene with spandex 4-way stretch fabric
- Synthetic suede palm is reinforced in high wear areas
- Barnacle pads at palm and finger tops for added durability and protection
- Silicone tactiles on fingertips and palm provide excellent grip
- Adjustable hook and loop wrist closure
- Packaged on hanging header card



PART #	DESCRIPTION	COLOR	SIZE
D324011	MEN'S BARNACLE	BLACK / BLACK	XS
D324012	MEN'S BARNACLE	BLACK / BLACK	SM
D324013	MEN'S BARNACLE	BLACK / BLACK	MD
D324015	MEN'S BARNACLE	BLACK / BLACK	LG
D324016	MEN'S BARNACLE	BLACK / BLACK	XL
D324017	MEN'S BARNACLE	BLACK / BLACK	XXL
PART #	DESCRIPTION	COLOR	SIZE
D324001	MEN'S BARNACLE	BLACK / BLUE	XS
D324002	MEN'S BARNACLE	BLACK / BLUE	SM
D324003	MEN'S BARNACLE	BLACK / BLUE	MD
D324005	MEN'S BARNACLE	BLACK / BLUE	LG
D324006	MEN'S BARNACLE	BLACK / BLUE	XL
D324007	MEN'S BARNACLE	BLACK / BLUE	XXL



## AQUA LUNG EVO4 BOOTS

#### **Key Features**

- Vibram® MEGAGRIP Sole™ for world class traction
- Flexible ankle support
- Low profile design for more fin choices
- Thumb loop donning aid
- Fin keeper
- Quick and easy lace-up system
- Lace storage pocket





PART #	DESCRIPTION	SIZE
BS138111	EVO4 BOOTS	5 - 6
BS138112	EVO4 BOOTS	7
BS138113	EVO4 BOOTS	8
BS138114	EVO4 BOOTS	9
BS138115	EVO4 BOOTS	10
BS138116	EVO4 BOOTS	11
BS138117	EVO4 BOOTS	12
BS138118	EVO4 BOOTS	13
BS138119	EVO4 BOOTS	14 - 15
PART #	DESCRIPTION	SIZE
611614	QUICK DRAW LACE FEATURE	UNIVERSAL

## AQUA LUNG ULTRAZIP

- Vulcanized rubber sole with puncture resistant felt layer and low profile grip pads
- Increased height keeps diver warmer, reducing water exchange
- Extra thick innersole provides added comfort and warmth
- HS200 high stretch neoprene provides better fit and greater warmth
- Non-corrosive #10 heavy duty zipper
- Entry grip; rubber toe & heel cap; zipper lock; fin strap stop
- Packaged in reusable mesh bag with hang tag



PART #	DESCRIPTION	SIZE
BS185014035	BOOT,ULTRAZIP,5MM	3
BS185014036	BOOT,ULTRAZIP,5MM	4
BS185014037	BOOT,ULTRAZIP,5MM	5
BS185014038	BOOT,ULTRAZIP,5MM	6
BS185014039	BOOT,ULTRAZIP,5MM	7
BS185014041	BOOT,ULTRAZIP,5MM	8
BS185014042	BOOT,ULTRAZIP,5MM	9
BS185014043	BOOT,ULTRAZIP,5MM	10
BS185014045	BOOT,ULTRAZIP,5MM	11
BS185014046	BOOT,ULTRAZIP,5MM	12
BS185014047	BOOT,ULTRAZIP,5MM	13
BS185014048	BOOT,ULTRAZIP,5MM	14



## AQUA LUNG MANTA BOOT

- Two color compression molded sole, built in arch support & raised heel for comfort
  Neoprene innersole is 2 mm thicker than upper for added comfort and warmth
- Non-corrosive Delrin #10 heavy-duty zipper with zipper lock



PART #	DESCRIPTION	SIZE
BS17001094	BOOT,5MM MANTA,4	4
BS167010137	MANTA BOOT, 5 MM	5
BS16701013839	MANTA BOOT, 5 MM	6
BS167010140	MANTA BOOT, 5 MM	7
BS167010141	MANTA BOOT, 5 MM	8
BS16701014243	MANTA BOOT, 5 MM	9
BS167010144	MANTA BOOT, 5 MM	10
BS167010145	MANTA BOOT, 5 MM	11
BS16701014647	MANTA BOOT, 5 MM	12
BS170010913	BOOT,5MM MANTA,13	13
BS17101095	BOOT,6.5MM MANTA,5	5
BS17101096	BOOT,6.5MM MANTA,6	6
BS17101097	BOOT,6.5MM MANTA,7	7
BS17101098	BOOT,6.5MM MANTA,8	8
BS17101099	BOOT,6.5MM MANTA,9	9
BS171010910	BOOT,6.5MM MANTA,10	10
BS171010911	BOOT,6.5MM MANTA,11	11
BS171010912	BOOT,6.5MM MANTA,12	12
BS171010913	BOOT,6.5MM MANTA,13	13



# **DRYWEAR**





## AQUA LUNG HAZMAT PUBLIC SAFETY PREMIER DRYSUIT FOR CONTAMINATED WATER DIVING

The HAZMAT Public Safety (PS) Drysuit is designed with the professional diver in mind. Numerous police and fire departments have been using the HAZMAT PS Drysuit for over fifteen years. The HAZMAT PS incorporates many standard features that meet the professional diver's key requirements for durability and protection especially during Contaminated Water Diving (CWD) tasks.

Using high-performance chemical and abrasion resistant materials, as well as advanced construction techniques, the HAZMAT PS Drysuit provides two layers of water and chemical protection. All seams are reinforced, stitched, then heat sealed at over 600°C inside and out, producing an extremely durable drysuit. This construction results in a smooth interior and exterior surface which enables easy decontamination.

#### **Key Features**

- Chemical resistant polyurethane multi-laminate inside and out
- Interior and exterior tape welded seams
- Tear and puncture resistant nylon core
- Highest available abrasion resistance
- Attached 7mm neoprene comfort boots
- Seal Lock Technology (SLT) system fitted as standard:
- Permanently attached round SLT wrist rings with replaceable Polytex Pro wrist seals
- Permanently attached SLT neck ring with Polytex hood/neck seal combo
- Apeks contaminated water dual exhaust valve
- Apeks standard inflation valve
- Available in red/black or all black
- Optional convenience zipper
- Easy to clean and decontaminate inside and out
- Includes hood liner, internal suspenders, inflator hose, HAZMAT patch kit and a drysuit bag

#### **Sizes**

XS, S, SK, M, MT, MK, L, LT, LK, XL, XLK, 2XL, 3XL, 4XL



Inner: fully sealed washable, chemicalresistant polyurethane

Interior and exterior tape welded seams

Tear and puncture resistant nylon core-

Outer: fully sealed washable, chemicall resistant plyurethane



EN14225-2:2005

PART #	DESCRIPTION	SIZE	COLOR
611983	HAZMAT PS DRYSUIT	MTO (MADE TO ORDER)	RED / BLACK
611984	HAZMAT PS DRYSUIT	MTM (MADE TO MEASURE)	RED / BLACK
611985	HAZMAT PS DRYSUIT	MTO (MADE TO ORDER)	BLACK
611986	HAZMAT PS DRYSUIT	MTM (MADE TO MEASURE)	BLACK



## AQUA LUNG HAZMAT COMMERCIAL PREMIER DRYSUIT FOR CONTAMINATED WATER DIVING

The HAZMAT Commercial (COM) Drysuit is designed with the professional commercial diver in mind. The HAZMAT COM is equipped with a yoke for use with a diving helmet and provides durability and protection especially during Contaminated Water Diving (CWD) tasks.

Using high-performance chemical and abrasion resistant materials, as well as advanced construction techniques, the HAZMAT COM Drysuit provides two layers of water and chemical protection. All seams are reinforced, stitched, then heat sealed at over 600°C inside and out, producing an extremely durable drysuit. This construction results in a smooth interior and exterior surface which enables easy decontamination of most chemicals.

#### **Key Features**

- Chemical-resistant polyurethane layer inside and out
- Interior and exterior tape welded seams
- Tear and puncture resistant nylon core
- Highest available abrasion resistance
- Attached heavy-duty poly boots
- Permanently attached round wrist rings with replaceable Polytex Pro wrist seals
- Apeks contaminated water (CW) dual exhaust valve
- Apeks standard inflation valve (CW version available)
- Suit is supplied with choice of attached helmet yoke to fit:
- Kirby Morgan all models
- Aqua Lung/Gorski G3000SS
- Miller, Desco Air hat
- Standard neck seal inside yoke
- Optional convenience zipper
- Optional heavy-duty steel toe and shank boots
- Available in red/black or all black
- Easy to clean and decontaminate inside and out
- Includes hood liner, internal suspenders, inflator hose, HAZMAT patch kit and a drysuit bag

#### **Sizes**

XS, S, SK, M, MT, MK, L, LT, LK, XL, XLK, 2XL, 3XL, 4XL

HAZMAT MULTI-LAMINATE MATERIAL

Inner: fully sealed washable, chemicalresistant polyurethane

Interior and exterior tape welded seams

Tear and puncture resistant nylon core

Outer: fully sealed washable, chemicall resistant plyurethane





HAZMAT COM shown with fitted helmet neck ring (not included)

USN ANU APPROVED



PART #	DESCRIPTION	SIZE	COLOR
611987	HAZMAT COM DRYSUIT	MTO (MADE TO ORDER)	RED / BLACK
611988	HAZMAT COM DRYSUIT	MTM (MADE TO MEASURE)	RED / BLACK
611989	HAZMAT COM DRYSUIT	MTO (MADE TO ORDER)	BLACK
611990	HAZMAT COM DRYSUIT	MTM (MADE TO MEASURE)	BLACK



# AQUA LUNG PRO COM DRYSUIT FOR THE PROFESSIONAL WORKING DIVER

The PRO-COM (Professional - Commercial) drysuit is a general purpose drysuit for everyday use. Developed from the premier Aqua Lung HAZMAT drysuit the PRO-COM provides exceptional durability in the harshest working conditions.

#### **Key Features**

- Exceptionally durable drysuit for everyday general purpose use
- Lightweight compared to other commercial diving suits
- Multi-laminate polyurethane material provides double water barrier
- Interior and exterior tape welded seams
- Tear and puncture resistant nylon core
- Highest available abrasion resistance
- Fitted Polytex neck and wrist seals
- Attached heavy-duty poly boots
- Apeks standard exhaust valve and standard inflation valve
- No yoke, hood, dry glove rings
- Optional convenience zipper
- Optional heavy-duty steel toe and shank boots
- Available in all black only
- Easy to clean inside and out
- Includes internal suspenders, inflator hose, patch kit and
- drysuit bag

#### **Sizes**

XS, S, SK, M, MT, MK, L, LT, LK, XL, XLK, 2XL, 3XL, 4XL



### PRO COM MULTILAMINATE

Inner: fully sealed washable, chemicalresistant polyurethane

Interior and exterior tape welded seams

Tear and puncture resistant nylon core

Outer fully sealed washable, chemicall resistant plyurethane





PART #	DESCRIPTION	SIZE	COLOR
611218	Pro Com Drysuit	MTO (MADE TO ORDER)	BLACK
611217	Pro Com Drysuit	MTM (MADE TO MEASURE)	BLACK



# AQUA LUNG AQ-COM1 NEOPRENE DRYSUIT FOR THE PROFESSIONAL WORKING DIVER

The AQ-COM1 drysuit is designed for the professional working diver. The AQ-COM1 uses 7mm neoprene for durability and warmth together with high strength para-aramid panels in key wear areas. An ideal suit for cold water and cold weather diving tasks.

### **Key Features**

- Heavy duty 7mm neoprene
- Suit accommodates heavy duty undergarments
- Reinforced para-aramid neoprene:
  - Elbow/forearms
  - Shoulders
  - Buttocks
  - Legs (inner & outer)
- Neoprene skin-out (i.e. tuck style) neck and wrist seals
- Attached vulcanized rubber boots
- Apeks exhaust and inflate valves
- Inflation hose included
- Easy to repair
- Black/dark gray only



Attached vulcanized rubber boots



EN14225-2:2005

PART #	DESCRIPTION	SIZE	COLOR
404110OS	COM1/AQ DRYSUIT	SM	BLACK
4041110S	COM1/AQ DRYSUIT	MD	BLACK
404112OS	COM1/AQ DRYSUIT	LG	BLACK
404113OS	COM1/AQ DRYSUIT	XL	BLACK
404114OS	COM1/AQ DRYSUIT	2XL	BLACK



# AQUA LUNG ENVIRO DRYSUIT FOR MODERATELY CONTAMINATED WATER DIVING

The ENVIRO Drysuit is used by divers working in Moderately Contaminated Water (MCW) scenarios including biologically contaminated water and vehicle recoveries. The ENVIRO provides mobility and flexibility. It is designed for the professional diver who needs a drysuit that can be thoroughly cleaned but is available at an economical price.

#### **Key Features**

Chemical resistant polyurethane outer surface

- Sewn and exterior tape welded seams
- Tear and puncture resistant nylon inner surface
- High level of abrasion resistance
- Easy to clean and decontaminate
- Attached 7mm neoprene comfort boots
- Seal Lock Technology (SLT) system fitted as standard:
  - Permanently attached round SLT wrist rings with replaceable Polytex Pro wrist seals
  - Permanently attached SLT neck ring with Polytex hood/ Neck seal combo
- Apeks standard exhaust valve and standard inflation valve
- Available in red/black or all black
- Optional convenience zipper
- Includes hood liner, internal suspenders, inflator hose, HAZMAT patch kit and a drysuit bag

#### **Sizes**


• XS, S, SK, M, MT, MK, L, LT, LK, XL, XLK, 2XL, 3XL, 4XL





Outer: fully sealed washable, chemicalresistant polyurethane

Smooth exterior seams





PART #	DESCRIPTION	SIZE	COLOR
611216	ENVIRO DRYSUIT	MTO (MADE TO ORDER)	RED
611215	ENVIRO DRYSUIT	MTM (MADE TO MEASURE)	RED
611355	ENVIRO DRYSUIT	MTO (MADE TO ORDER)	BLACK
611354	ENVIRO DRYSUIT	MTM (MADE TO MEASURE)	BLACK



## AQUA LUNG ENVIRO HYBRID

### DRYSUIT FOR MODERATELY CONTAMINATED WATER DIVING

The ENVIRO HYBRID Drysuit combines the technologies of the HAZMAT and the ENVIRO into one suit. The HAZMAT's outstanding durability covers the complete bottom of the suit from the waist seam down and the lightweight mobility of the ENVIRO material completes the top of the suit. This combination allows for great upper body movement for swimming while giving superior protection in lower extremities where the suit takes most abuse.

#### **Key Features**

- HAZMAT multi-laminate bottom for superior abrasion resistance
- ENVIRO bi-laminate top for superior mobility and flexibility
- Chemical resistant polyurethane outer surface
- Exterior tape welded seams
- Tear and puncture resistant nylon inner surface
- Easy to clean and decontaminate
- Attached 7mm neoprene comfort boots
- Seal Lock Technology (SLT) system fitted as standard:
  - Permanently attached round SLT wrist rings with replaceable Polytex Pro wrist seals
  - Permanently attached SLT neck ring with Polytex hood/ Neck seal combo
- Apeks standard exhaust valve and standard inflation valve
- Available in red/black or all black
- Optional convenience zipper
- Includes hood liner, internal suspenders, inflator hose, HAZMAT patch kit and a drysuit bag

#### **Sizes**

• XS, S, SK, M, MT, MK, L, LT, LK, XL, XLK, 2XL, 3XL, 4XL

#### **ENVIRO BI-LAMINATE TOP HALF**

Tear and puncture resistant nylon interior

Outer: fully sealed washable, chemicalresistant polyurethane

Smooth exterior seams

#### HAZMAT MULTILAMINATE BOTTOM HALF

Inner: fully sealed washable, chemicalresistant polyurethane

Interior and exterior tape welded seams

Tear and puncture resistant nylon core

Outer: fully sealed washable, chemicalresistant polyurethane



PART #	DESCRIPTION	SIZE	COLOR
612214	ENVIRO HYBRID DRYSUIT	MTO (MADE TO ORDER)	RED
612216	ENVIRO HYBRID DRYSUIT	MTM (MADE TO MEASURE)	RED
612215	ENVIRO HYBRID DRYSUIT	MTO (MADE TO ORDER)	BLACK
612217	ENVIRO HYBRID DRYSUIT	MTM (MADE TO MEASURE)	BLACK



### **FUSION AIRCORE** BREATHABLE CORE FOR ALL FUSION DRYSUITS

The FUSION AirCore layer adds a new dimension to the unmatched flexibility and outstanding performance of all FUSION TACTICAL and SAR drysuits. Designed to replace the standard (DryCore) inner layer in the patented FUSION design the AirCore provides superior comfort by significantly reducing pre/post dive surface overheating. The AirCore is also easier to don and doff and is designed to outlast and outperform other breathable drysuits. The innovative Rapid Zip System (RZ) allows fast drying and easy outer skin changes to match diving requirements. For tactical users the FUSION AirCore layer is quieter than the standard, non-breathable, (DryCore) version.





#### **Key Features**

AirCore layer is black.

- Oversized cut reduces seam/material stress and enhances durability
- AirCore has 25-50% fewer seams to reduce potential for leaks
- RZ System for fast drying and rapid outer skin changes
- Automatically adapts for varied thicknesses of undergarments
- Adapts to individual body shape providing customized fit with Also available in Swimmer (no-valve) versions outstanding mobility and superior comfort
- AirCore VTec breathable fabric for dryness, warmth, and comfort Supplied with Seal Lock Technology (SLT) as standard for quick and easy in-field seal repairs
  - Smooth inner surface allows easier donning and doffing
  - Quieter for tactical operations compared to non-breathable DryCore
  - Used with independent outer skins on all current Fusion drysuits

EN14225-2:2005



# AQUA LUNG FUSION TACTICAL DRYSUIT FOR TACTICAL AND DIVER USE

The FUSION TACTICAL drysuit uses patented Fusion technology to offer the ultimate in mobility, warmth, and streamlining. There is no comparable drysuit that can match the performance of this revolutionary design.

#### **How It Works**

Inner layer (standard DryCore or breathable AirCore) is a loose fit shell drysuit incorporating seals, dry zipper, air inflation and exhaust valves to create the waterproof barrier.

Outer layer (exterior skin) made with durable stretch fabrics is attached to the inner layer at the wrists, ankles and dry zipper. This compression layer creates the streamlined fit of the Fusion with unmatched flexibility.

#### **Key Features**

- Unmatched flexibility and streamlined design
- Exterior 1mm super stretch neoprene skin, reinforced for high wear
- Removable 2mm neoprene inserts for the elbows and knees
- Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- Apeks exhaust and inflate valves
- Twin zip pockets are standard
- Convenience zipper is standard
- Includes internal suspenders, inflator hose, and drysuit bag
- Available in standard DryCore or breathable AirCore versions
- Non-Magnetic version available for MCM and EOD use

#### Sizes

• 2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+ (see online size chart)

#### Optional SLT System (specify separately)

- Part no. 62461, SLT system w/silicone neck and round wrist rings
- Part no. 62949, SLT system w/Polytex neck and round wrist rings
- Part no. 62950, SLT system w/silicone neck and oval wrist rings
- Part no. 62951, SLT system w/Polytex neck and oval wrist rings



FUSION TACTICAL drysuit shown with EVO4 boots (not included)

PART #	DESCRIPTION	SIZE	COLOR
611529	FUSION TACTICAL DIVE , DRYCORE	2XS/XS	BLACK
611028	FUSION TACTICAL DIVE , DRYCORE	S/M	BLACK
611027	FUSION TACTICAL DIVE , DRYCORE	L/XL	BLACK
611528	FUSION TACTICAL DIVE , DRYCORE	2XL/3XL	BLACK
611530	FUSION TACTICAL DIVE , DRYCORE	4/XL+	BLACK
612524	FUSION TACTICAL DIVE, AIRCORE	2XS/XS	BLACK
612525	FUSION TACTICAL DIVE, AIRCORE	S/M	BLACK
612526	FUSION TACTICAL DIVE, AIRCORE	L/XL	BLACK
612527	FUSION TACTICAL DIVE, AIRCORE	2XL/3XL	BLACK
612528	FUSION TACTICAL DIVE, AIRCORE	4XL+	BLACK

EN14225-2:2005



## AQUA LUNG FUSION TACTICAL MCM NON-MAGNETIC DRYSUIT FOR MCM & EOD

The FUSION TACTICAL MCM drysuit uses patented FUSION technology to offer the ultimate in mobility, warmth, and streamlining. There is no comparable drysuit that can match the performance of this revolutionary design.

#### **How It Works:**

Inner layer (standard DryCore or breathable AirCore) is a loose fit shell drysuit incorporating seals, dry zipper, air inflation and exhaust valves to create the waterproof barrier. Outer layer (exterior skin) made with durable stretch fabrics is attached to the inner layer at the wrists, ankles and dry zipper. This compression layer creates the streamlined fit of the FUSION with unmatched flexibility.

#### **Key Features**

- Unmatched flexibility and streamlined design
- Exterior skin 1 mm super stretch neoprene, reinforced for high wear
- Removable 2 mm neoprene inserts for elbows and knees
- Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- Twin zip pockets are standard
- Convenience zipper is standard
- Includes internal suspenders, inflator hose, and drysuit bag
- Available in standard DryCore or breathable AirCore versions

#### Non-Magnetic (NM or MCM) Specification

- All materials and components designed to meet requirements of: NATO STANAG 2897 and USN standard MIL-DTL-19595
- Fitted with Apeks NM suit valves and hose
- NM Suit Inflation Systems (SIS) available

#### **Sizes**

2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+

#### **Optional SLT System (specify separately)**

- Part no. 62461, SLT system w/silicone neck and round wrist rings
- Part no. 62949, SLT system w/Polytex neck and round wrist rings
- Part no. 62950, SLT system w/silicone neck and oval wrist rings
- Part no. 62951, SLT system w/Polytex neck and oval wrist rings



FUSION TACTICAL MCM shown with optional SLT neck ring system, wrist rings and EVO4 boots

PART # **DESCRIPTION** SIZE COLOR 611965 FUSION TACTICAL MCM DIVE DRYSUIT 2XS/XS **BLACK** FUSION TACTICAL MCM DIVE DRYSUIT **BLACK** 611966 S/M 611535 FUSION TACTICAL MCM DIVE DRYSUIT L/XL BLACK 611967 FUSION TACTICAL MCM DIVE DRYSUIT 2XL/3XL BLACK 611968 FUSION TACTICAL MCM DIVE DRYSUIT 4/XL+ **BLACK** 612534 FUSION TACTICAL MCM DIVE, AIRCORE, DRYSUIT 2XS/XS **BLACK** 612535 FUSION TACTICAL MCM DIVE, AIRCORE, DRYSUIT S/M BLACK 612536 FUSION TACTICAL MCM DIVE, AIRCORE, DRYSUIT L/XL **BLACK** 612537 FUSION TACTICAL MCM DIVE. AIRCORE. DRYSUIT 2XL/3XL BLACK 612538 FUSION TACTICAL MCM DIVE, AIRCORE, DRYSUIT 4/XL+ BLACK



# AQUA LUNG FUSION TACTICAL DRYSUIT FOR SURFACE & SWIMMER USE

The FUSION TACTICAL drysuit uses patented Fusion technology to offer the ultimate in mobility, warmth, and streamlining. There is no comparable drysuit that can match the performance of this revolutionary design.

#### **How It Works**

Inner layer (standard DryCore or breathable AirCore) is a loose fit shell drysuit incorporating seals and dry zipper to create the waterproof barrier.

Outer layer (exterior skin) made with durable stretch fabrics is attached to the inner layer at the wrists, ankles and dry zipper. This compression layer creates the streamlined fit of the Fusion with unmatched flexibility.

#### **Key Features**

- Unmatched flexibility and streamlined design
- Exterior 1mm super stretch neoprene skin, reinforced for high wear
- Removable 2mm neoprene inserts for the elbows and knees
- Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- Twin zip pockets are standard
- Convenience zipper is standard
- Includes internal suspenders and drysuit bag
- Available in standard DryCore or breathable AirCore versions
- Surface swimmer versions available (no valves)

#### Sizes

• 2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+

#### **Optional SLT System (specify separately)**

- Part no. 62461, SLT system w/silicone neck and round wrist rings
- Part no. 62949, SLT system w/Polytex neck and round wrist rings
- Part no. 62950, SLT system w/silicone neck and oval wrist rings
- Part no. 62951, SLT system w/Polytex neck and oval wrist rings



PART #	DESCRIPTION	SIZE	COLOR
611976	FUSION TACTICAL SWIMMER, DRYCORE	2XS/XS	BLACK
611534	FUSION TACTICAL SWIMMER, DRYCORE	S/M	BLACK
611533	FUSION TACTICAL SWIMMER, DRYCORE	L/XL	BLACK
611531	FUSION TACTICAL SWIMMER, DRYCORE	2XL/3XL	BLACK
611532	FUSION TACTICAL SWIMMER, DRYCORE	4/XL+	BLACK
612539	FUSION TACTICAL SWIMMER, AIRCORE	2XS/XS	BLACK
612540	FUSION TACTICAL SWIMMER, AIRCORE	S/M	BLACK
612541	FUSION TACTICAL SWIMMER, AIRCORE	L/XL	BLACK
212542	FUSION TACTICAL SWIMMER, AIRCORE	2XL/3XL	BLACK
612543	FUSION TACTICAL SWIMMER, AIRCORE	4XL+	BLACK

rings and EVO4 boots



# AQUA LUNG FUSION TACTICAL SOF DRYSUIT FOR TACTICAL USE

The FUSION TACTICAL Special Operations Forces (SOF) drysuit uses patented Fusion technology to offer the ultimate in mobility, warmth, and streamlining. There is no comparable drysuit that can match the performance of this revolutionary design.

#### **How It Works**

Inner layer (standard DryCore or breathable AirCore) is a loose fit shell drysuit incorporating seals, dry zipper, air inflation and exhaust valves to create the waterproof barrier.

Outer layer (exterior skin) made with durable stretch fabrics is attached to the inner layer at the wrists, ankles and dry zipper. This compression layer creates the streamlined fit of the Fusion with unmatched flexibility.

#### **Key Features**

- Unmatched flexibility and streamlined design
- Exterior 1mm super stretch neoprene skin, reinforced for high wear
- Removable 2mm neoprene inserts for the elbows and knees
- Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- SLT neck and oval wrist rings w/Polytex seals is standard
- Apeks exhaust and inflate valves
- Gray fabric and seams with black edging
- Twin zip pockets are standard
- Convenience zipper is standard
- Includes internal suspenders, inflator hose, and drysuit bag
- Available in standard DryCore or breathable AirCore versions

#### Sizes

• 2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+ (see online size chart)



FUSION TACTICAL shown with SLT neck ring system, wrist rings and EVO4 boots (Not Included)



EN14225-2:2005

PART #	DESCRIPTION	SIZE	COLOR
612473	FUSION TACTICAL SOF DIVE DRYSUIT	2XS/XS	GRAY
612474	FUSION TACTICAL SOF DIVE DRYSUIT	S/M	GRAY
612475	FUSION TACTICAL SOF DIVE DRYSUIT	L/XL	GRAY
612476	FUSION TACTICAL SOF DIVE DRYSUIT	2XL/3XL	GRAY
612477	FUSION TACTICAL SOF DIVE DRYSUIT	4/XL+	GRAY



## AQUA LUNG FUSION TACTICAL ONE

### DRYSUIT FOR SURFACE/SWIMMER

The FUSION TACTICAL ONE SWIMMER drysuit uses patented Fusion technology to offer the ultimate in mobility, warmth, and streamlining. There is no comparable drysuit that can match the performance of this revolutionary design.

#### **How It Works**

Inner layer (standard DryCore or breathable AirCore) is a loose fit shell drysuit incorporating seals, dry zipper, air inflation and exhaust valves to create the waterproof barrier.

Outer layer (exterior skin) made with durable stretch fabrics is attached to the inner layer at the wrists, ankles and dry zipper. This compression layer creates the streamlined fit of the Fusion with unmatched flexibility.

#### **Key Features**

- Unmatched flexibility and streamlined design
- Low bulk, high mobility design with back-entry zipper
- Exterior 1mm super stretch neoprene skin, reinforced for high wear
- Oral inflate/deflate tube with lockout, installed under left forearm access zipper (see photo below)
- Convenience zipper is standard
- Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- Gray fabric and seams
- Optional thigh pockets
- Includes internal suspenders and drysuit bag
- Available in standard DryCore or breathable AirCore versions

#### Sizes

• 2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+ (see online size chart)



Oral inflator located under forearm access zipper



FUSION TACTICAL shown with EVO4 boots (Not Included)



EN 343:2003+A1:2007

PART #	DESCRIPTION	SIZE	COLOR		
612235	FUSION TACTICAL ONE SWIMMER DRYSUIT	2XS/XS	GRAY		
612236	FUSION TACTICAL ONE SWIMMER DRYSUIT S/M				
612237	FUSION TACTICAL ONE SWIMMER DRYSUIT	L/XL	GRAY		
612238	FUSION TACTICAL ONE SWIMMER DRYSUIT	2XL/3XL	GRAY		
612239	FUSION TACTICAL ONE SWIMMER DRYSUIT	4/XL+	GRAY		



# AQUA LUNG FUSION SAR DRYSUIT FOR SAR DIVING

The FUSION SAR drysuit uses patented Fusion technology to offer the ultimate in mobility, warmth, and streamlining. There is no comparable drysuit that can match the performance of this revolutionary design.

#### **How It Works**

Inner layer (standard DryCore or breathable AirCore) is a loose fit shell drysuit incorporating seals, dry zipper, air inflation and exhaust valves to create the waterproof barrier.

Outer layer (exterior skin) made with durable stretch fabrics is attached to the inner layer at the wrists, ankles and dry zipper. This compression layer creates the streamlined fit of the Fusion with unmatched flexibility.

#### **Kev Features**

- Unmatched flexibility and streamlined design
- Exterior 1mm super stretch neoprene skin reinforced for high wear
- Removable 2mm neoprene inserts for the elbows and knees
- Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- Red with black panels
- Apeks exhaust and inflate valves
- Reflective SAR or RESCUE armbands included
- Optional twin zip pockets
- Includes internal suspenders, inflator hose, and drysuit bag
- Available in standard DryCore or breathable AirCore versions

#### **Sizes**

- 2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+ Optional SLT System (specify separately)
- Part no. 62521, SLT system w/Polytex neck seal only
- Part no. 62520, SLT system w/Polytex hood/neck seal combo, liner
- Part no. 62460, SLT system w/silicone neck seal only
- Part no. 62461, SLT system w/silicone neck and round wrist rings
- Part no. 62949, SLT system w/Polytex neck and round wrist rings
- Part no. 62950, SLT system w/silicone neck and oval wrist rings
- Part no. 62951, SLT system w/Polytex neck and oval wrist rings



FUSION SAR drysuit shown with EVO4 Boots and optional twin zip pockets

EN14225-2:2005

PART #	DESCRIPTION	SIZE	COLOR
612529	FUSION SAR DIVE, AIRCORE	2XS/XS	RED/BLACK
612530	FUSION SAR DIVE, AIRCORE	S/M	RED/BLACK
612531	FUSION SAR DIVE, AIRCORE	L/XL	RED/BLACK
612532	FUSION SAR DIVE, AIRCORE	2XL/3XL	RED/BLACK
612533	FUSION SAR DIVE, AIRCORE	4XL+	RED/BLACK
612091	FUSION SAR DIVE, DRYCORE	2XS/XS	RED/BLACK
611525	FUSION SAR DIVE, DRYCORE	S/M	RED/BLACK
611523	FUSION SAR DIVE, DRYCORE	L/XL	RED/BLACK
611522	FUSION SAR DIVE, DRYCORE	2XL/3XL	RED/BLACK
612092	FUSION SAR DIVE, DRYCORE	4XL+	RED/BLACK



AQUA LUNG FUSION SAR

DRYSUIT FOR SAR SURFACE/SWIMMER

The FUSION SAR drysuit uses patented Fusion technology to offer the ultimate in mobility, warmth, and streamlining. There is no comparable drysuit that can match the performance of this revolutionary design.

#### **How It Works**

Inner layer (standard DryCore or breathable AirCore) is a loose fit shell drysuit incorporating seals and dry zipper to create the waterproof barrier.

Outer layer (exterior skin) made with durable stretch fabrics is attached to the inner layer at the wrists, ankles and dry zipper. This compression layer creates the streamlined fit of the Fusion with unmatched flexibility.

#### **Key Features**

- Unmatched flexibility and streamlined design
- Exterior 1mm super stretch neoprene skin reinforced for high wear
- Removable 2mm neoprene inserts for the elbows and knees
- Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- Red with black panels
- Reflective SAR or RESCUE armbands included
- Optional twin zip pockets
- Includes internal suspenders, inflator hose, and drysuit bag
- Available in standard DryCore or breathable AirCore versions
- Surface swimmer versions available (no valves)

#### **Sizes**

- 2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+ Optional SLT System (specify separately)
- Part no. 62521, SLT system w/Polytex neck seal only
- Part no. 62520, SLT system w/Polytex hood/neck seal combo, liner
- Part no. 62460, SLT system w/silicone neck seal only
- Part no. 62461, SLT system w/silicone neck and round wrist rings
- Part no. 62949, SLT system w/Polytex neck and round wrist rings
- Part no. 62950, SLT system w/silicone neck and oval wrist rings
- Part no. 62951, SLT system w/Polytex neck and oval wrist rings



PART #	DESCRIPTION	SIZE	COLOR
611979	FUSION SAR SWIMMER, DRYCORE	STOCK SIZES ONLY	RED/BLACK
612544	FUSION SAR SWIMMER, AIRCORE	STOCK SIZES ONLY	RED/BLACK



# AQUA LUNG KODIAK 360 DRYSUIT FOR MILITARY USE

The KODIAK 360 features full wrap Captive Suspension Flex panels at the waist and thighs, providing maximum flexibility and comfort. The KODIAK 360 is perfect for teams that require drysuits that fit a wide range of divers with optimal performance.

#### **Key Features**

- Patented Captive Suspension Panel around waist and knees
- Tough Quadflex nylon material for suit body
- Two Matrix Base Plates and one Compak pocket
- Polytex neck seal and bell-shaped wrist seals (see SLT option)
- Air control knee pads
- Apeks exhaust and inflate valves
- Choice of Comfort Boots or Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- Includes internal suspenders, inflator hose, and drysuit bag
- Surface swimmer version available (no valves)
- Seal Lock Technology (SLT) system available (see below)

#### Sizes

• S, SK, M, MK, L, LK, XL, XLK, 2XL, 3XL

#### Optional SLT System (specify separately)

- Part no. 62521, SLT system w/Polytex neck seal only
- Part no. 62520, SLT system w/Polytex hood/neck seal combo and hood liner
- Part no. 62460, SLT system w/silicone neck seal only
- Part no. 62461, SLT system w/silicone neck, wrist ring (no hood)

### Non-Magnetic (NM or MCM) Versions

- Features as above, plus:
- All materials and components designed to meet requirements of: NATO STANAG 2897 and USN standard MIL-DTL-19595
- Fitted with Apeks NM suit valves and hose
- NM Suit Inflation Systems (SIS) available

#### NATO STANAG 2897 and USN standard MIL-DTL-19595

- Fitted with Apeks NM suit valves and hose
- NM Suit Inflation Systems (SIS) available



KODIAK 360 shown with optional SLT neck ring system, wrist rings & 7mm Comfort Boot

EN14225-2:2005

PART #	DESCRIPTION	SIZE	COLOR
611035	KODIAK 360 DIVE DRYSUIT	MTO (MADE TO ORDER)	BLACK
611034	KODIAK 360 DIVE DRYSUIT	MTM (MADE TO MEASURE)	BLACK
612081	KODIAK 360 SWIMMER	MTO (MADE TO ORDER)	BLACK
612080	KODIAK 360 SWIMMER	MTM (MADE TO MEASURE)	BLACK



# AQUA LUNG KODIAK 360 SAR DRYSUIT FOR SEARCH & RESCUE DIVING

The KODIAK 360 SAR features full wrap Captive Suspension Flex panels at the waist and thighs, providing maximum flexibility and comfort. The KODIAK 360 SAR is perfect for teams that require drysuits that fit a wide range of divers with optimal performance.

#### **Key Features**

- Patented Captive Suspension Panel around waist and knees
- Tough Quadflex nylon material for suit body
- Two Matrix Base Plates and one Compak pocket
- Polytex neck seal and bell-shaped wrist seals (see SLT option)
- Air control knee pads
- Apeks exhaust and inflate valves
- Reflective SAR or RESCUE armband included (please specify)
- Choice of Comfort Boots or Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- Includes internal suspenders, inflator hose, and drysuit bag
- Surface swimmer version available (no valves)
- Seal Lock Technology (SLT) system available (see below)

#### Sizes

• S, SK, M, MK, L, LK, XL, XLK, 2XL, 3XL

#### **Optional SLT System (specify separately)**

- Part no. 62521, SLT system w/Polytex neck seal only
- Part no. 62520, SLT system w/Polytex hood/neck seal combo and hood liner
- Part no. 62460, SLT system w/silicone neck seal only
- Part no. 62461, SLT system w/silicone neck, wrist ring (no hood)



KODIAK 360 SAR shown with optional SLT neck ring system, wrist rings & EVO4 Boots EN14225-2:2005

PART #	DESCRIPTION	SIZE	COLOR
611079	KODIAK 360 SAR DIVE DRYSUIT	MTO (MADE TO ORDER)	RED
611078	KODIAK 360 SAR DIVE DRYSUIT	MTM (MADE TO MEASURE)	RED



## AQUA LUNG MOS SAR

### **DRYSUIT FOR SEARCH & RESCUE DIVING**

Featuring captive suspension flex panels, the MOS SAR is all about maximum mobility and comfort. Perfect for SAR teams that require surface or diving drysuits which fit a wide range of divers with optimal mobility.

#### **Key Features**

- Patented captive flex panels around waist for excellent flexibility
- 400 denier nylon bottom with 210 denier nylon top
- Two matrix base plates and one Compak pocket
- Polytex Neck seal and bell shaped wrist seals Air control knee pads
- Reflective SAR or RESCUE armband included (please specify SAR or RESCUE)
- Supplied with Multi-Laminate ProSocks (ideal for use with EVO4 Boots)
- Includes internal suspenders, inflator hose, and drysuit bag

#### **Sizes**

2XS, XS, S, SK, M, MK, L, LK, XL, XLK, 2XL, 3XL

#### **Optional SLT System (specify separately)**

- Part no. 62521: SLT system with Polytex Neck seal only
- Part no. 62520: SLT system with Neck seal/hood with Polytex hood/Neck seal and hood liner
- Part no. 62460: SLT neck system w/silicone\* Neck seal only
- Part no. 62461: SLT system to include neck and wrist ring system w/silicone\* seals (no hood)



MOS SAR drysuit shown with EVO4 Boots (not included)



PART #	DESCRIPTION	SIZE	COLOR
611080	MOS SAR DIVE	MTO (MADE TO ORDER)	RED
611982	MOS SAR DIVE	MTM (MADE TO MEASURE)	RED



AQUA LUNG OSPREY

BREATHABLE DRYSUIT FOR WATER RESCUE

The OSPREY is a long duration breathable drysuit designed for swiftwater, flood, and other water rescue missions. The unique design of the OSPREY allows for a comfortable stand-by mode while still offering critical protection in unpredictable environments.

#### **Key Features**

- Patented, true self-entry featuring Captive Zip Design (Pat.# 10,093,401)
- Patented adjustable full circumference neoprene neck seal (Pat. #9,714,074)
- Superior fit and comfort assisted by pre-shaped legs and torso
- Comfortable standby mode design with highly flexible TIZIP
- Saltwater resistant waterproof breathable material
- Attached over jacket for fully donned or standby mode
- Anti-flush wader belt located under jacket
- Reinforced padded elbows, knees/shins, and seat
- Neoprene wrist seals, gauntlet overlays, hook & loop cinches
- Lower leg boot gauntlets with hook & loop cinches
- Zippered chest pocket
- Relief/comfort zipper
- Attached soft dry socks (ideal for use with EVO4 Boots)
- Loop shoulder panels for adhering patches
- High visibility red top, black bottom and reflective patches
- Accessories zipper lube and Instruction Manual

### Specification - Material

- Breathable/waterproof 3-layer material comprising:
- Outer: 200 denier nylon, durable, water repellent
- Core: breathable, salt water resistant polyurethane
- Inner: protective 18 denier nylon
- Neoprene wrist seals
- 420 denier nylon reinforced elbows, knees/shins, and seat

PART #	DESCRIPTION			
612546	OSPREY DRYSUIT, XS			
612507	OSPREY DRYSUIT, SM			
612508	OSPREY DRYSUIT, SK			
612478	OSPREY DRYSUIT, MD			
612479	OSPREY DRYSUIT, MK			
612480	OSPREY DRYSUIT, LG			
612481	OSPREY DRYSUIT, LK			
612482	OSPREY DRYSUI, XL			
612503	OSPREY DRYSUIT, XLK			
612483	OSPREY DRYSUIT, 2XL			
612484	OSPREY DRYSUIT, 3XL			
612485	OSPREY DRYSUIT, 4XL			







## AQUA LUNG RAPTOR

### **BREATHABLE DRYSUIT FOR WATER RESCUE**

The RAPTOR is a long duration breathable drysuit designed for flood, swiftwater and other water rescue missions. Based on the field-proven OSPREY drysuit the RAPTOR's improved design incorporates more features. Overall the RAPTOR provides for a comfortable stand-by mode while offering protection in unpredictable environments.

#### **Key Features**

- Patented true self-entry featuring Captive Zip Design (Pat.# 10,093,401)
- Patented adjustable full circumference neoprene neck seal (Pat. #9,714,074)
- uperior fit and comfort assisted by pre-shaped legs and torso
- Comfortable standby mode design with highly flexible TIZIP
- Saltwater resistant waterproof breathable material
- Attached over jacket with dry zip protection
- Anti-flush wader belt located under jacket
- Low profile auto exhaust valve mounted behind neck
- Reinforced padded elbows, knees/shins, and seat
- Neoprene wrist seals, gauntlet overlays and hook & loop cinches
- Lower leg boot gauntlets with hook & loop cinches
- Zippered chest pocket
- Relief/comfort zipper
- Attached soft dry socks (ideal for use with EVO4 Boots)
- Two thigh pockets with securing flaps
- Loop shoulder panels for adhering patches
- High visibility yellow top, black bottom and reflective patches
- Accessories zipper lube and Instruction Manual

#### Specification - Material

- Breathable/waterproof 3-layer material comprising:
  - Outer: 200 denier nylon, durable, water repellent
  - Core: breathable, salt water resistant polyurethane
  - Inner: protective 18 denier nylon
- Neoprene wrist seals
- 1680 denier nylon reinforced elbows, knees/shins, and seat

PART #	DESCRIPTION
DR13571XS	RAPTOR DRYSUIT, XS
DR13571SM	RAPTOR DRYSUIT, SM
DR13571SK	RAPTOR DRYSUIT, SK
DR13571MD	RAPTOR DRYSUIT, MD
DR13571MK	RAPTOR DRYSUIT, MK
DR13571LG	RAPTOR DRYSUIT, LG
DR13571LK	RAPTOR DRYSUIT, LK
DR13571XL	RAPTOR DRYSUIT, XL
DR13571XLK	RAPTOR DRYSUIT, XLK
DR135712XL	RAPTOR DRYSUIT, 2XL
DR135713XL	RAPTOR DRYSUIT, 3XL
DR135714XL	RAPTOR DRYSUIT, 4XL







## AQUA LUNG RAPTOR

### **BREATHABLE DRYSUIT FOR WATER RESCUE**





# AQUA LUNG ENFORCER BREATHABLE DRYSUIT FOR TACTICAL OPERATIONS

The Enforcer is a durable drysuit for surface use in harsh marine environments. The breathable material makes it an ideal choice for high intensity maritime tasks.

#### **Key Features**

- Patented true self-entry featuring Captive Zip design (Pat.# 10,093,401)
- Patented adjustable full circumference neoprene neck seal, (Pat. #9,714,074)
- Fully donned or standby mode design with highly flexible TIZIP
- Superior fit and comfort assisted by pre-shaped legs & torso
- Attached over jacket with dry zip protection
- Ballistic nylon padded overlays on elbows, knees/shin, seat
- Wrist gauntlet overlays with hook & loop fastener
- Zip lower leg boot gauntlets with hook & loop fastener
- All-weather collar protects neck seal
- Attached dry socks (ideal for use with EVO4 Boots)
- Pockets:
  - Expanding pockets with closures on arms, thighs, calves
  - All pockets with internal attachment point
  - Arm pockets with loop fastener outer panel for patches
  - Thigh cargo pockets with internal sleeves

#### **Specification - Material**

- Breathable/waterproof 3-layer material comprising:
  - Outer: 200 denier nylon, durable, water repellent
  - Core: breathable, salt water resistant polyurethane
  - Inner: protective 18 denier nylon
- Neoprene neck seal and wrist seals
- Accessories zipper lube and Instruction Manual

PART #	DESCRIPTION
612435	ENFORCER BREATHABLE DRYSUIT, 2XS
612436	ENFORCER BREATHABLE DRYSUIT, XS
612437	ENFORCER BREATHABLE DRYSUIT, SM
612438	ENFORCER BREATHABLE DRYSUIT, SK
612439	ENFORCER BREATHABLE DRYSUIT, MD
612440	ENFORCER BREATHABLE DRYSUIT, MT
612441	ENFORCER BREATHABLE DRYSUIT, MK
612442	ENFORCER BREATHABLE DRYSUIT, LG
612443	ENFORCER BREATHABLE DRYSUIT, LT
612444	ENFORCER BREATHABLE DRYSUIT, LK
612445	ENFORCER BREATHABLE DRYSUIT, XL
612446	ENFORCER BREATHABLE DRYSUIT, XLK
612447	ENFORCER BREATHABLE DRYSUIT, 2XL
612448	ENFORCER BREATHABLE DRYSUIT, 3XL



ENFORCER drysuit shown with EVO4 boots (not included)



**EVO4 Boots** 





## AQUA LUNG DIVER STANDBY PONCHO

### PROTECTIVE GARMENT FOR STANDBY DIVER

The Poncho provides protection to the Standby Diver, and other support personnel, in severe environmental conditions. The oversized design accommodates the Standby Diver wearing a full set of dive equipment. Watertight and abrasion resistant outer shell ensures that the user remains dry and comfortable and ready for deployment.

### **Key Features**

- Watertight and durable multi-laminate outer shell
- Heavyweight polypropylene fleece interior for warmth
- Large drawstring hood accommodates mask/head gear
- Adjustable hood allows the user to block out the elements
- Hook-and-Loop closure can be opened/closed from either end
- Design ensures a speedy exit in an emergency
- Interior upper back panel reinforced with nylon material to resist abrasion and snagging of equipment
- 2 inside, fleece-lined, hand warming pockets with zip closures
- One size fits all



PART #	DESCRIPTION	SIZE	COLOR
612309	TACTICAL STANDBY PONCHO, SLEEVELESS, ONE SIZE, ZIPPER CLOSURE	UNIVERSAL	BLACK



FUSION SIZE CHART								
	2XS - XS SM/MED LG/XL 2XL-3XL 4XL+							
	IN	5'1" - 5'5"	5'5" - 5'9"	5'9" - 6'1"	6'0" - 6'4"	6'0" - 6'10"		
HEIGHT	СМ	155 - 168 CM	168 - 180 CM	180 - 186 CM	183 - 195 CM	183 - 208 CM		
WEIGHT	LBS	90 - 130 LBS	120 - 170 LBS	160 - 210 LBS	200 - 250 LBS	230 – 350 LBS		
WEIGHT	KG	41 - 59 KG	55 - 77 KG	73 - 95 KG	91 - 114 KG	105 - 160 KG		
OUEST	IN	30" - 37"	35" - 41"	39" - 45"	43" - 49"	45" – 58"		
CHEST	СМ	76 - 94 CM	89 - 105 CM	99 - 114 CM	109 - 125	114 - 148 CM		
WAIGT	IN	22" - 31"	27" - 36"	31"- 40"	35" - 44"	41" – 58"		
WAIST	СМ	56 - 79 CM	69 - 91 CM	79 - 102 CM	89 - 112 CM	104 - 147 CM		
BUTTOOKO	IN	27" - 36"	32" - 41"	36" - 45"	40" - 49"	46" – 58"		
BUTTOCKS	СМ	69 -91 CM	81 - 104 CM	91 - 114 CM	102 - 124 CM	117 - 147 CM		
скотсн то	IN	26" - 29"	29" - 32"	30" - 33"	32" - 35"	33" – 38"		
FLOOR	СМ	66 - 74 CM	74 - 81 CM	76 - 84 CM	81 - 89 CM	84 - 97 CM		

	GENERAL DRYSUIT SIZE CHART  (EXCEPT FOR FUSION)  SIZE AVAILABILITY VARIES  REFER TO PRODUCT PAGE														
MEN'S		xs	s	sĸ	М	МТ	MK	L	LT	LK	XL	XLK	2XL	3XL	4XL
WOMEN'S		8	10	10Q	12	12	12Q	14	14	14Q					
HEIGHT	IN	5'5" - 5'7"	5'7" - 5'9"	5'7" - 5'9"	5'9" - 5'11"	5'11" - 6'1"	5'9" - 5'11"	5'11" - 6'1"	6'1" - 6'3"	5'11" - 6'1"	6'1" - 6'3"	6'1" - 6'3"	6'2" - 6'4"	6'3" - 6'5"	6'4" - 6'6"
HEIGHT	СМ	165-170	170-175	170-175	175-180	180-185	175-180	180-185	185-191	180-185	185-191	185-191	188-193	191-196	193-198
WEIGHT	LBS	120-140	140-160	170-190	150-170	160-180	180-200	170-190	180-200	200-230	190-210	210-230	210-230	230-260	260-290
WEIGHT	KG	54-64	64-73	77-86	68-77	73-82	82-91	77-86	82-91	91-104	86-95	95-109	95-104	104-118	118-131
CHEST	IN	33"-37"	35"-39"	39"-43"	37"-41"	37"-41"	41"-45"	39"-43"	39"-43"	43"-47"	41"-45"	46"-50"	43"-47"	46"-50"	48-52
CHEST	СМ	84-94	89-99	99-109	94-104	94-104	104-114	99-109	99-109	109-119	104-114	117-127	109-119	117-127	122-132
WAIST	IN	26-30"	28-32"	33-37"	30-34"	30-34"	35-39"	33-37"	33-37"	37-41"	35-39"	40-44"	37-41"	40-44"	42-46
WAIST	СМ	66-76	71-81	84-94	76-86	76-86	89-99	84-94	84-94	94-104	89-99	102-112	94-104	102-112	107-117
виттоскѕ	IN	33"-35"	34"37"	39"-42"	36"-39"	36"-39"	41"-44"	39"-42"	39"-42"	43"-46"	41"-44"	45"-48"	43"-46"	45"-48"	47-50
BUTTOCKS	СМ	84-89	86-94	99-107	91-99	91-99	104-112	99-107	99-107	109-117	14-112	114-122	109-117	114-122	119-127
SHOULDER	IN	25"-27"	26"-28"	28"-30"	27"-29"	28"-30"	29"-31"	28"-30"	29"-31"	30"-32"	29"-31"	31"-33"	30"-32"	31"-33"	32-34
TO CROTCH	СМ	64-69	66-71	71-76	69-74	69-74	74-79	71-76	74-79	76-81	74-79	79-84	76-81	79-84	81-86
СПОТСН ТО	IN	28"-29"	29"-31"	29"-31"	30"-32"	31"-33"	30"-32"	31"-33"	32"-34"	31"-33"	32"-34"	32"-34"	32"-34"	33"-35"	34"- 36"
FLOOR	СМ	71-74	74-79	74-79	76-81	79-84	76-81	79-84	81-86	79-84	81-86	81-86	81-86	84-89	86-91
NEOK	IN	12.5"-14"	12.5"-14"	14.13"- 14.75"	14.13"- 14.75"	14.125"- 14.75"	14.88"- 16.5"	14.88"- 16.5"	14.88"- 16.5"	16.625" +	16.625" +	16.625" +	16.625" +	16.625" +	16.625"+
NECK	СМ	32-36	32-36	36-37	36-37	36-37	38-42	38-42	38-42	42+	42+	42+	42+	42+	42+
WDIO	IN	5.75"- 6.38"	5.75"- 6.38"	6.5"-7.25"	6.5"-7.25"	6.5"-7.25"	6.5"-7.25"	6.5"-7.25"	6.5"-7.25"	7.38"- 8.13"	7.38"- 8.13"	7.38"- 8.13"	7.38"- 8.13"	7.38"- 8.13"	7.38"–8.13"
WRIST	СМ	15-16	15-16	17-18	17-18	17-18	17-18	17-18	17-18	19-21	19-21	19-21	19-21	19-21	19-21

K = King, a generous cut for men Q = Queen, a generous cut for women



			0	SPREY/	RAPTO	R/ENFC	RCER	SIZE CH	IART			
MEN'	S	s	sĸ	М	ML	L	LK	XL	XLK	2XL	3XL	4XL
WOMEN	'S	10	10Q	12	12Q	14	14Q					-
HEIGHT	Inch	5'7" - 5'9"	5'7" - 5'9"	5'9" - 5'11"	5'9" - 5'11"	5'11" - 6'1"	5'11" - 6'1"	6'1" - 6'3"	6'1" - 6'3"	6'2" - 6'4"	6'3" - 6'5"	6'4" - 6'6"
пеівпі	Cm	170-175	170-175	175-180	175-180	180-185	180-185	185-191	185-191	188-193	191-196	193-198
WEIGHT	Lbs	140-160	170-190	150-170	180-200	170-190	200-230	190-210	210-230	210-230	230-260	260-290
WEIGHT	Kg	64-73	77-86	68-77	82-91	77-86	91-104	86-95	95-109	95-104	104-118	118-131
CHEST	Inch	35"-39"	39"-43"	37"-41"	41"-45"	39"-43"	43"-47"	41"-45"	46"-50"	43"-47"	46"-50"	48-52
CHESI	Cm	89-99	99-109	94-104	104-114	99-109	109-119	104-114	117-127	109-119	117-127	122-132
WAIST	Inch	28-32"	33-37"	30-34"	35-39"	33-37"	37-41"	35-39"	40-44"	37-41"	40-44"	42-46
WAIST	Cm	71-81	84-94	76-86	89-99	84-94	94-104	89-99	102-112	94-104	102-112	107-117
BUTTOCKS	Inch	34"37"	39"-42"	36"-39"	41"-44"	39"-42"	43"-46"	41"-44"	45"-48"	43"-46"	45"-48"	47-50
BUTTOCKS	Cm	86-94	99-107	91-99	104-112	99-107	109-117	14-112	114-122	109-117	114-122	119-127
SHOUL-	Inch	26"-28"	28"-30"	27"-29"	29"-31"	28"-30"	30"-32"	29"-31"	31"-33"	30"-32"	31"-33"	32-34
DER TO CROTCH	Cm	66-71	71-76	69-74	74-79	71-76	76-81	74-79	79-84	76-81	79-84	81-86
СКОТСН	Inch	29"-31"	29"-31"	30"-32"	30"-32"	31"-33"	31"-33"	32"-34"	32"-34"	32"-34"	33"-35"	34"- 36"
TO FLOOR	Cm	74-79	74-79	76-81	76-81	79-84	79-84	81-86	81-86	81-86	84-89	86-91
NECK	Inch	12.5"-14"	14.13"-14.75"	14.13"-14.75"	14.88"-16.5"	14.88"-16.5"	16.625" +	16.625" +	16.625" +	16.625" +	16.625" +	16.625"+
NECK	Cm	32-36	36-37	36-37	38-42	38-42	42+	42+	42+	42+	42+	42+
WDICT	Inch	5.75"-6.38"	6.5"-7.25"	6.5"-7.25"	6.5"-7.25"	6.5"-7.25"	7.38"-8.13"	7.38"-8.13"	7.38"-8.13"	7.38"-8.13"	7.38"-8.13"	7.38" – 8.13"
WRIST	Cm	15-16	17-18	17-18	17-18	17-18	19-21	19-21	19-21	19-21	19-21	19-21

	COM1 NEOPRENE SIZE CHART						
SIZES	;	s	М	L	XL	2XL	
HEIGHT	Inch	65 - 67	67 - 70.5	71 - 74	74.5 - 77	77 - 81	
HEIGHT	Cm	165 - 170	171 - 179	180 - 188	189 - 195	196 - 205	
OUECT	Inch	39 - 41	41 - 43	43.5 - 46.5	47 - 48	48 - 50	
CHEST	Cm	100 - 104	105 - 110	111 - 118	119 - 122	123 - 126	
WAIGT	Inch	32 - 24	34 - 36.5	37 - 38.5	39 - 40	40.5 - 42.5	
WAIST	Cm	82 - 86	87 - 93	94 - 98	99 - 102	103 - 108	
FOREARM	Inch	11.5 - 12	12.25 - 12.75	13 - 13.75	14 - 14.5	14.5 - 15	
FOREARM	Cm	29 - 30.5	31 - 32.5	33 - 35	35.5 - 36.5	37 - 38	
WRIST	Inch	4.75	5.25	5.5	5.75	6	
WKIST	Cm	12 - 12.5	13 - 13.5	14	14.5	15	
скотсн то	Inch	27.5 - 28.25	28.75 - 30	30.25 - 31.5	32 - 33	33.5 - 34.75	
ANKLE	Cm	70 - 72	73 - 76	77 - 80	81 - 84	85 - 88	
CALF	Inch	13.75 - 14	14.5 - 15.25	15.75 - 16.5	17 - 17.5	17.75 - 18	
CALF	Cm	35 - 36	37 - 39	40 - 42	43 - 44	45 - 46	
ZID I ENCTU	Inch	31.5	33.5	35.5	35.5	37	
ZIP LENGTH	Cm	80	85	90	90	95	
BOOT CIZE	Inch	8.5	8.5	11 - 12	11 - 12	14	
BOOT SIZE	Cm	42	42	45/46	45/46	49	



## AQUA LUNG FUSION TWIN ZIP POCKET

- Low profile single top hook and loop closure
- Two grommets under hook and loop enclosure
- Zippers along side edges allow pocket to bellow out for additional space
- 1 mm GatorTech neoprene
- Water drain



PART #	DESCRIPTION
611589	TWO FUSION POCKETS

## AQUA LUNG CARGO POCKET

- Single wraparound zipper to expand pocket capacity
- Separate zipper for easy access
- Inner D-ring
- The largest volume pocket
- Water drain



PART #	DESCRIPTION
611796	CARGO POCKET FOR MATRIX BASE PLATE SYSTEM
62361	MATRIX BASE PLATE

## AQUA LUNG COMPAK POCKET

- Low profile
- Single top hook and loop closure
- Inner D-ring
- Pleated for additional space
- Water drain



PART #	DESCRIPTION
611798	COMPAK POCKET FOR MATRIX BASE PLATE SYSTEM
62361	MATRIX BASE PLATE



## AQUA LUNG SEAL LOCK TECHNOLOGY SYSTEM (SLT)

- Allows seal replacement in minutes without any gluing
- Can be used with a Polytex hood/Neck seal combo
- Can be used with a silicone or Polytex Neck seal
- Will reduce repair costs and down time
- Allows for multiple divers with different neck sizes to use the same suit
- Replacement seals cost the same as glued on seals
- Installation tool included



\*Silicone seals not recommended for use in contaminated water

PART #	DESCRIPTION
62520	SLT NECK SYSTEM W/POLYTEX HOOD/Neck seal COMBO
62521	SLT NECK SYSTEM W/POLYTEX Neck seal ONLY
62460	SLT NECK SYSTEM W/SILICONE* Neck seal ONLY
62461	INSTALL SLT NECK AND ROUND WRIST RING SYSTEM W/SILICONE SEALS
62950	INSTALL SLT NECK AND OVAL WRIST RING SYSTEM W/SILICONE SEALS
62949	INSTALL SLT NECK AND ROUND WRIST RING SYSTEM W/SILICONE SEALS
62951	INSTALL SLT NECK AND OVAL WRIST RING SYSTEM W/SILICONE SEALS

# AQUA LUNG HOOD/Neck seal COMBO FOR SLT NECK SYSTEM

- Polytex hood with built in Neck seal
- Field replaceable
- Comes with universal trim-to-fit Neck seal



PART #	DESCRIPTION	SIZE
62518	HOOD/Neck seal COMBO FOR SLT NECK SYSTEM	SMALL
62519	HOOD/Neck seal COMBO FOR SLT NECK SYSTEM	LARGE

## AQUA LUNG SLT NECK INNER RING (YELLOW)

• Tough yellow ring used to lock seal in the SLT system



PART #	DESCRIPTION	COLOR
DR911169	SLT NECK INNER RING	YELLOW

## AQUA LUNG SLT NECK INSTALATION TOOL

• Used for easy installation of seals in the SLT system



PART #	DESCRIPTION
62459	SLT NECK INSTALLATION TOOL



## AQUA LUNG PERMANENTLY INSTALLED WRIST RINGS (ROUND)

- Round
- Attached directly to drysuit
- Permanent wrist rings mate with glove lock and quick clamp dry glove ring system as well as EZ-on gloves
- Polytex and silicone seal is removable and replaceable
- Used extensively by commercial HAZMAT, professional, and recreational divers



PART #	DESCRIPTION	
611622	PERMANENT WRIST RINGS ROUND	

## AQUA LUNG PERMANENTLY INSTALLED WRIST RINGS (OVAL)

- Ova
- Designed for contaminated water diving protects ears and head from unwanted contaminates
- Comes standard on HAZMAT and ENVIRO suits
- Thermal protection may be required under the hood
- Thermal liner made from 18 oz fleece
- Comfortable for cool water

#### **SIZES**

One size only

PART #	DESCRIPTION
612320	PERMANENTLY INSTALLED WRIST RINGS - OVAL

## AQUA LUNG PERMANENTLY INSTALLED POLYTEX HOOD

- Designed for contaminated water diving protects ears and head from unwanted contaminates
- Comes standard on HAZMAT and ENVIRO suits
- Thermal protection may be required under the hood
- Thermal liner made from 18 oz fleece
- Comfortable for cool water

#### **SIZES**

One size only

PART #	DESCRIPTION
62360	ATTACHED POLYTEX DRYHOOD
611587	FLEECE LINER

### AQUA LUNG 10" RELIEF ZIPPER

- Installed as a Made To Order option
- 10" Zipper allows divers to relieve themselves at the surface without doffing the drysuit



PART #	DESCRIPTION
62359	10" RELIEF ZIPPER - BRASS
63119	10" RELIEF ZIPPER - POLYURETHANE WITH STAINLESS STEEL SLIDER





## AQUA LUNG ULTRA LOW PROFILE URINAL DUMP VALVE

- Low profile one way valve prevents water entry
- Balanced valves ensure the tube is equalized as the user descends
- Valve turns to lock in place; unscrew to urinate
- Primarily for use underwater
- Must indicate side preference when ordering for installation on any Made To Order (MTO) Drysuit
- Quick disconnect included
- Condom catheter not included

PART #	DESCRIPTION
63128	URINAL DUMP VALVE

## AQUA LUNG SAR ARMBAND INSTALLATION (PAIR)

- Stock name (SAR or RESCUE) on 2" strip of yellow nylon
- Custom name also available
- 2" strip of SOLAS approved reflective material
- Included on the SAR and MOS drysuits




PART #	DESCRIPTION
62388	STOCK NAME INSTALLED ON ARMBAND (PAIR)
62374	CUSTOM NAME INSTALED ON ARMBAND (PAIR)
62362	REFLECTIVE STRIP ON ARMBAND (PAIR)

### AQUA LUNG CUSTOM SILK SCREENING

- Have your department name or logo added to each suit
- One time setup charge
- End user supplies artwork

PART #	DESCRIPTION
62476	CUSTOM SILK SCREENING



### WHAT ARE POLYTEX SEALS?

Aqua Lung Polytex seals are a combination of vulcanized natural rubber latex and polyurethane. The polyurethane stabilizes the latex and helps inhibit the seal from tearing. Ever get a small tear in a seal and it runs the length when donning the drysuit? Although not indestructible, Polytex reduces this tendency and allows for a repair to be made to the seal without replacing it entirely. Additional antiaging ingredients are added to combat the effects of ultraviolet light, ozone and copper. These additions make for a tougher, longer lasting seal when compared to standard latex seals.



### AQUA LUNG EVO4 BOOTS

Building on nearly two decades of military use the EVO4 sets the standard in performance footwear for diving and for navigating rough and slippery terrain. The Vibram® MEGAGRIP™ sole provides the foundation of the EVO4's unparalleled grip on wet or dry surfaces, rugged longevity, and optimal ground adaptability. The mid-height, low profile, rapid lace-up design offers solid support yet still fits a majority of fin pockets allowing for varied fin techniques and superior comfort.

### **Key Features**

- Vibram® MEGAGRIP Sole™ for world class traction
- Flexible ankle support
- Low profile design for more fin choices
- Thumb loop donning aid
- Fin keeper
- Quick and easy lace-up system
- Lace storage pocket





PART #	DESCRIPTION	SIZE
BS138111	EVO4 BOOTS	5 - 6
BS138112	EVO4 BOOTS	7
BS138113	EVO4 BOOTS	8
BS138114	EVO4 BOOTS	9
BS138115	EVO4 BOOTS	10
BS138116	EVO4 BOOTS	11
BS138117	EVO4 BOOTS	12
BS138118	EVO4 BOOTS	13
BS138119	EVO4 BOOTS	14 - 15
PART #	DESCRIPTION	SIZE
611614	QUICK DRAW LACE FEATURE	UNIVERSAL

### AQUA LUNG FUSION BOOTS

Designed to mate with any Fusion Drysuit model, the Fusion Boot attaches quickly and can be removed for cleaning.

#### **Features**

- Hook-and-loop attachment method allows for boot to be removed from drysuit leg
- Includes plastic insert that fits inside drysock to lock sock in boot
- Adjustable strap keeps boot in place throughout dive
- Fin strap stop at heel secures fin to boot
- Instep cap protects the boot from abrasion of the fin foot pocket
- Mesh drainage allows water to flow out, prevents sloshing when walking.



PART #	DESCRIPTION	SIZE
BS15101016	FUSION BOOTS	5 - 6
BS15101017	FUSION BOOTS	7
BS15101018	FUSION BOOTS	8
BS15101019	FUSION BOOTS	9
BS151010110	FUSION BOOTS	10
BS151010111	FUSION BOOTS	11
BS151010112	FUSION BOOTS	12
BS151010115	FUSION BOOTS	13/14



### AQUA LUNG COMFORT DRYSUIT BOOTS

- 7 mm neoprene inner liner for added warmth
- Tough rubber sole covering and fin keeper
- Your size installed as a made to order (MTO) option at no additional cost



PART #	DESCRIPTION	SIZE
62373	COMFORT DRYSUIT BOOTS	5/XS
62371	COMFORT DRYSUIT BOOTS	6/S
62370	COMFORT DRYSUIT BOOTS	7-8 / M
62369	COMFORT DRYSUIT BOOTS	9/L
62372	COMFORT DRYSUIT BOOTS	10 / XL
62365	COMFORT DRYSUIT BOOTS	11-12 / 2XL
62367	COMFORT DRYSUIT BOOTS	13 / 3XL
62368	COMFORT DRYSUIT BOOTS	14-15 / 4XL+

# AQUA LUNG HEAVY DUTY POLY BOOTS HEAVY DUTY MOLDED DRYSUIT BOOTS

- Heavy duty sole for excellent grip
- Your size installed as a made to order (MTO) option at no additional cost
- Available on the HAZMAT and PROCOM drysuits only



PART #	DESCRIPTION	SIZE
62380	HEAVY DUTY POLY BOOTS	8
62381	HEAVY DUTY POLY BOOTS	9
62375	HEAVY DUTY POLY BOOTS	10
62376	HEAVY DUTY POLY BOOTS	11
62377	HEAVY DUTY POLY BOOTS	12
62378	HEAVY DUTY POLY BOOTS	13
62379	HEAVY DUTY POLY BOOTS	14

# AQUA LUNG HEAVY DUTY STEEL TOE/SHANK BOOT HEAVY DUTY STEEL TOE DRYSUIT BOOTS

- Heavy duty drysuits boot
- Steel toe and shank
- Extensive chemical testing available upon request
- Your size installed as a made to rder (MTO) option at no additional cost
- Available on the HAZMAT and PROCOM drysuits only

PART #	DESCRIPTION	SIZE
62386	HEAVY DUTY STEEL TOE/SHANK BOOTS	7-8/S
62385	HEAVY DUTY STEEL TOE/SHANK BOOTS	9 - 10 / M
62384	HEAVY DUTY STEEL TOE/SHANK BOOTS	11 - 12 / L
62387	HEAVY DUTY STEEL TOE/SHANK BOOTS	13 - 14 / XL



# AQUA LUNG MKO UNDERGARMENT ONE-PIECE UNDERGARMENT FOR USE WITH ALL DRYSUITS

The MK0 undergarment is a one-piece bamboo fiber base layer. It is designed to be worn under any of our undergarments and provides excellent moisture wicking performance. The MK0 can also be worn as a standalone layer in tropical conditions.

### **Key Features**

- Spandex content results in extreme stretch; no need for king sizes
- Smooth LYCRA® stirrups and elastic thumb loops
- Rear convenience flap
- 2-way torso entry/relief zipper
- Non-corroding YKK zippers
- Easy care design
- Designed as a wicking base layer or a primary layer in warm tropical waters above 70°F (21°C) water temperature

#### **Materials**

• Breathable, moisture-wicking, bamboo blend

#### **Sizes**

• Stock sizes only: XS, S, M, L, XL, 2XL









PART #	DESCRIPTION	SIZE
611651	UNDERGARMENT MKO ONE PIECE	XS
611649	UNDERGARMENT MKO ONE PIECE	S
611648	UNDERGARMENT MKO ONE PIECE	М
611647	UNDERGARMENT MKO ONE PIECE	L
611650	UNDERGARMENT MKO ONE PIECE	XL
611646	UNDERGARMENT MKO ONE PIECE	2XL



# AQUA LUNG MK1 UNDERGARMENT ONE-PIECE UNDERGARMENT FOR USE WITH ALL DRYSUITS

The MK1 undergarment provides moisture-wicking properties and thermal performance. This allows it to be used as a base wicking layer or as a standalone undergarment for warm water diving.

#### **Key Features**

- Spandex content results in extreme stretch; no need for king sizes
- Smooth LYCRA® stirrups and elastic thumb loops
- Rear convenience flap
- 2-way torso entry/relief zipper
- Non-corroding YKK zippers
- Easy care design
- Designed as a wicking base layer or a primary layer in warm tropical waters above 70°F (21°C) water temperature

### **Materials**

• Breathable, moisture-wicking, polypropylene micro-fleece

#### Sizes

• Stock sizes only: XS, S, M, L, XL, 2XL









PART #	DESCRIPTION	SIZE
611680	UNDERGARMENT MK1 ONE PIECE	XS
611676	UNDERGARMENT MK1 ONE PIECE	S
611674	UNDERGARMENT MK1 ONE PIECE	М
611672	UNDERGARMENT MK1 ONE PIECE	L
611678	UNDERGARMENT MK1 ONE PIECE	XL
611670	UNDERGARMENT MK1 ONE PIECE	2XL



# AQUA LUNG MK2 UNDERGARMENT ONE-PIECE UNDERGARMENT FOR USE WITH ALL DRYSUITS

The MK2 diving undergarments are extremely versatile and can be layered up or down to match a wide range of environmental and diving conditions.

#### **Key Features**

- Complement with MK2 Jacket, MK1 or MK0 Undergarments
- Removable sleeves
- 2 zippered vertical chest pockets
- 2 large fleece-lined hand warming pockets
- Thumb loops for easy donning
- Stirrups keep garment in place when donning
- Non-corroding YKK zippers used throughout
- 2-way zippered rear convenience panel
- 2-way torso/convenience zipper
- 1mm LYCRA®/neoprene 2-way stretch expansion panels at waist and above knees for optimal mobility

#### **Materials**

- Breathable, moisture-wicking, insulating polar fleece lining
- StormProof 70 denier micro-ripstop water resistant nylon

#### Sizes

• Stock sizes only: XS, S, M, L, XL, 2XL, 3XL









PART #	DESCRIPTION	SIZE
611708	UNDERGARMENT, MK2 ONE-PIECE	XS
611704	UNDERGARMENT, MK2 ONE-PIECE	S
611702	UNDERGARMENT, MK2 ONE-PIECE	М
611700	UNDERGARMENT, MK2 ONE-PIECE	L
611706	UNDERGARMENT, MK2 ONE-PIECE	XL
611697	UNDERGARMENT, MK2 ONE-PIECE	2XL
611699	UNDERGARMENT, MK2 ONE-PIECE	3XL



# AQUA LUNG MK2 JACKET UNDERGARMENT UNDERGARMENT FOR USE WITH ALL DRYSUITS

The MK2 diving undergarments are extremely versatile and can be layered up or down to match a wide range of environmental and diving conditions.

#### **Key Features**

- Complement with MK2, MK1 or MK0 undergarments
- Removable sleeves
- 2 zippered chest pockets
- 2 large zippered fleece-lined hand warming pockets
- Thumb loops for easy donning
- Non-corroding YKK zippers used throughout
- Storm shield face guard with fleece liner
- Zip off, fully adjustable, storm hood
- Internal hood flap with adjustable face seal

#### **Materials**

- Breathable, moisture-wicking, insulating polar fleece lining
- StormProof 70 denier micro-ripstop water resistant nylon

#### Sizes

• Stock sizes only: XS, S, M, L, XL, 2XL, 3XL







PART #	DESCRIPTION	SIZE
611694	UNDERGARMENT, MK2 JACKET	XS
611690	UNDERGARMENT, MK2 JACKET	S
611688	UNDERGARMENT, MK2 JACKET	М
611686	UNDERGARMENT, MK2 JACKET	L
611692	UNDERGARMENT, MK2 JACKET	XL
611683	UNDERGARMENT, MK2 JACKET	2XL
611685	UNDERGARMENT, MK2 JACKET	3XL



# AQUA LUNG THERMAL FUSION UNDERGARMENT FOR USE WITH ALL DRYSUITS

The Thermal Fusion is a high performance diving undergarment that maximizes warmth and provides unrivaled flexibility and fit. Designed for use in extreme environments, the superior insulation value of the Thermal Fusion has been validated by independent testing. Pantent #

### **Key Features**

- Thermal Fusion is recommended for use with all drysuits
- Delivers extreme mobility and superior warmth
- Integrated full-width "kangaroo" hand pocket
- Easy access comfort zip
- Dual-layer: outer stretch skin encapsulates inner thermal (fleece) core
- ATS (Air Transfer System) with Hi-Flo mesh panels located at inflate/exhaust valve locations to increase airflow, padding and insulation
- Thermal performance independently lab tested
- Thumb loops for easy donning
- Stirrups keep garment in place when donning
- Machine washable

#### **Materials**

- Power Stretch Pro outer skin
- Polartec 200 fleece core

#### Sizes

• 5 stock sizes: 2XS/XS, S/M, L/XL, 2XL/3XL, 4XL+



PART #	DESCRIPTION	SIZE
612082	UNDERGARMENT, THERMAL FUSION	2XS/XS
612083	UNDERGARMENT, THERMAL FUSION	S/M
612084	UNDERGARMENT, THERMAL FUSION	L/XL
612085	UNDERGARMENT, THERMAL FUSION	2XL/3XL
612086	UNDERGARMENT, THERMAL FUSION	4XL+



# AQUA LUNG HEAT M+ 7/5MM NEOPRENE HOOD

### LIMITED SIZES AVAILABLE IN FALL 2020 FULL RANGE OF SIZES AVAILABLE IN EARLY 2021

As Aqua Lung's premium M&P neoprene drysuit hood, the 7/5mm Heat M+ Hood is our most popular, sure to exceed expectations. You will find unparalleled comfort originating from our selection of quality materials and use of perfected patterns.

### **Key Features**

- Combination of 7mm & 5mm neoprene provides excellent insulation
- Bibbed design tucks in under drysuit collar for reduced water transfer
- Exterior Glideskin face seal panel enhances full face mask adherence
- Smoothskin interior face seal ensuring minimum water ingress
- Entire face panel left unbound for custom trimming
- Lined with Heater Core Fleece™ interior for ultimate comfort
- Air Release System™ vents trapped air at the top of the head
- Triple glued & blind stitched construction keeps water from penetrating seams



Heater Core Fleece™ interior shown above

PART #	DESCRIPTION	SIZE
NE1500101XS	HOOD, HEAT M+ 7/5MM	XS
NE1500101S	HOOD, HEAT M+ 7/5MM	S
NE1500101M	HOOD, HEAT M+ 7/5MM	М
NE1500101L	HOOD, HEAT M+ 7/5MM	L
NE1500101XL	HOOD, HEAT M+ 7/5MM	XL
NE15001012XL	HOOD, HEAT M+ 7/5MM	2XL

# AQUA LUNG HEAT M+ 9/7MM NEOPRENE HOOD

### **AVAILABLE IN EARLY 2021**

As Aqua Lung's premium M&P neoprene drysuit hood, the 9/7mm Heat M+ Hood is our warmest ever design, military tested, surpassing expectations. You will find unparalleled comfort originating from our selection of quality materials and use of perfected patterns.

### **Key Features**

- Combination of 9mm & 7mm neoprene provides exceptional insulation
- Bibbed design tucks in under drysuit collar for reduced water transfer
- Exterior Glideskin face seal panel enhances full face mask adherence
- Smoothskin interior face seal ensuring minimum water ingress
- Entire face panel left unbound for custom trimming
- Lined with Heater Core Fleece™ interior for ultimate comfort
- Air Release System™ vents trapped air at the top of the head
- Triple glued & blind stitched construction keeps water from penetrating seams



Heater Core Fleece™ interior shown above

PART #	DESCRIPTION	SIZE
NE1490101XS	HOOD, HEAT M+ 9/7MM	XS
NE1490101S	HOOD, HEAT M+ 9/7MM	S
NE1490101M	HOOD, HEAT M+ 9/7MM	М
NE1490101L	HOOD, HEAT M+ 9/7MM	L
NE1490101XL	HOOD, HEAT M+ 9/7MM	XL
NE14901012XL	HOOD, HEAT M+ 9/7MM	2XL



# AQUA LUNG HEAT M+ 7/5MM HOOD W/REMOVABLE REFLECTIVE SOLAS PATCHES

### LIMITED SIZES AVAILABLE IN FALL 2020 FULL RANGE OF SIZES AVAILABLE IN EARLY 2021

As Aqua Lung's premium M&P neoprene drysuit hood, the 7/5mm Heat M+ Hood is our most popular, sure to exceed expectations. You will find unparalleled comfort originating from our selection of quality materials and use of perfected patterns.

#### **Key Features**

- Removable Reflective Patches attached via hook & loop at 3 locations
- Combination of 7mm & 5mm neoprene provides excellent insulation
- Bibbed design tucks in under drysuit collar for reduced water transfer
- Exterior Glideskin face seal panel enhances full face mask adherence
- Smoothskin interior face seal ensuring minimum water ingress
- Entire face panel left unbound for custom trimming
- Lined with Heater Core Fleece™ interior for ultimate comfort
- Air Release System™ vents trapped air at the top of the head
- Triple glued & blind stitched construction keeps water from penetrating seams






PART #	DESCRIPTION	SIZE
TBD	HOOD, HEAT M+ 9/7MM, WITH REFLECTIVE PATCHES	XS
TBD	HOOD, HEAT M+ 9/7MM, WITH REFLECTIVE PATCHES	S
TBD	HOOD, HEAT M+ 9/7MM, WITH REFLECTIVE PATCHES	М
TBD	HOOD, HEAT M+ 9/7MM, WITH REFLECTIVE PATCHES	L
TBD	HOOD, HEAT M+ 9/7MM, WITH REFLECTIVE PATCHES	XL
TBD	HOOD, HEAT M+ 9/7MM, WITH REFLECTIVE PATCHES	2XL

# AQUA LUNG HEAT ZIP HOOD NEOPRENE HOOD

The HEAT Zip Hood, with its integrated zipper and expanding gusset, makes for easy donning and doffing and a perfect fit. The 7mm neoprene side panels keep you warm and the grip strips keep your mask in place.

### **Key Features**

- · Zipper with gusset for comfortable donning and doffing
- Molded vent valves release trapped air from within the hood
- Grip strips located at hood sides prevent mask strap from slipping
- 7mm neoprene side panels for optimum warmth
- Hanging loop at top for quick drying



### AQUA LUNG POLYTEX HOOD (SEPARATE)

- Polytex hood designed to be used not attached to suit
- Seals around the neck over the Neck seal

	PART #	DESCRIPTION	
6	2410	POLYTEX HOOD (SEPARATE) ONE SIZE	
6	11587	FLEECE LINER FOR POLYTEX HOOD ONE SIZE	







### AQUA LUNG REMOVABLE GLOVE LOCK RING

- Removable dry glove system wrist rings and glove rings lock together
- Utilizes an O-ring system with a twist and audible click
- Easily donned and doffed without the assistance of another diver
- Wrist rings include a set of rings (three size options) to line the inside of your drysuit latex seal; outer ring sandwiches the latex seal, creating a dry cuff on your drysuit
- Glove rings include a set of rings (two size options) to line the inside of your gloves; outer ring sandwiches the glove, creating a dry cuff on your glove that mates with the wrist rings on the latex seal
- Use with black commercial dry gloves



PART #	DESCRIPTION
DR911172	REMOVEABLE GLOVE LOCK RING

### AQUA LUNG QUICK GLOVE RINGS

- Removable dry glove system wrist rings and glove rings lock together
- Utilizes an O-ring system with a friction fit
- Easily donned and doffed without the assistance of another diver
- Wrist rings include a set of rings (three size options) to line the inside of your latex seal; outer ring sandwiches the latex seal, creating a dry cuff on your drysuit
- Glove rings include a set of rings (two size options) to line the inside of your gloves; outer ring sandwiches the glove, creating a dry cuff on your glove that mates with the wrist rings (permanently installed or removable)
- Use with black commercial dry gloves
- Not compatible with oval SLT wrist rings





PART #	DESCRIPTION
TH146111	QUICK CLAMP WRIST RINGS
DR911173	QUICK GLOVE SYSTEM



# AQUA LUNG EZ-ON 2 SUPER GRIP DRY GLOVE (BLACK)

- Can be used with glove rings or simply stretch over wrist rings for a quick dry system
- 40 mm glove is thicker than traditional rubber gloves
- Black exterior with orange interior
- 14" length is longer than traditional rubber gloves
- Textured palm
- Thermal liners sold separately



PART #	DESCRIPTION	SIZE
GL1450101S	EZ-ON 2 SUPER GRIP DRY GLOVE	S
GL1450101M	EZ-ON 2 SUPER GRIP DRY GLOVE	М
GL1450101L	EZ-ON 2 SUPER GRIP DRY GLOVE	L
GL1450101XL	EZ-ON 2 SUPER GRIP DRY GLOVE	XL

### AQUA LUNG EZ ON PRO DRY GLOVES

- Use in conjunction with dry glove systems
- Dry gloves result in warm, dry hands, and often provide greater dexterity to the diver
- Tough exterior glove provides excellent durability and abrasion resistance
- Fleece inner glove liner provides exceptional warmth with increased dexterity



PART #	DESCRIPTION	SIZE
611923	PAIR OF COMMERCIAL DRY GLOVES WITH SEPARATE FLEECE LINERS	М
611922	PAIR OF COMMERCIAL DRY GLOVES WITH SEPARATE FLEECE LINERS	L
611924	PAIR OF COMMERCIAL DRY GLOVES WITH SEPARATE FLEECE LINERS	XL

## AQUA LUNG COMMERCIAL GLOVE WITH POLYTEX SEAL

- Our fully lined dry glove's latex seal is sewn and welded in place not glued
- Heavy duty and UV-resistant latex seal keeps water out
- · Abrasion-resistant fingers and palm protect the hand
- Removable 3 mm plush fiber liners offer comfort and warmth
- Designed to work with drysuits



PART #	DESCRIPTION	SIZE
611783	COMMERCIAL DRY GLOVE W/LATEX SEALS	М
611782	COMMERCIAL DRY GLOVE W/LATEX SEALS	L
611784	COMMERCIAL DRY GLOVE W/LATEX SEALS	XL



## AQUA LUNG COMMERCIAL DRY GLOVE

#### **Features**

- Tough exterior of glove provides excellent durability and abrasion resistance
- Compatible with Dry Glove Lock System and Quick Glove Rings

#### Included

• Fleece Glove Liners for exceptional warmth



PART #	DESCRIPTION	SIZE
611923	PAIR OF COMMERCIAL DRY GLOVES WITH SEPARATE FLEECE LINERS	М
611922	PAIR OF COMMERCIAL DRY GLOVES WITH SEPARATE FLEECE LINERS	L
611924	PAIR OF COMMERCIAL DRY GLOVES WITH SEPARATE FLEECE LINERS	XL

## AQUA LUNG THERMAL GLOVE LINERS

- This 100% seamless poly glove liner is designed to flex with the glove allowing freedom of movement and reducing the hand fatigue associated with working in cold environments
- Does not absorb moisture
- Machine washable
- Dries quickly between uses



PART #	DESCRIPTION	COLOR	SIZE
611920	THERMAL GLOVE LINERS	YELLOW	М
611919	THERMAL GLOVE LINERS	YELLOW	L
611921	THERMAL GLOVE LINERS	YELLOW	XL

## AQUA LUNG GLOVES RETENTION RING

- Designed to ensure the EZ-On 2 glove does not pop off permanent wrist rings
- Heavy duty
- Reusable



PART #	DESCRIPTION
611956	GLOVE RETENTION RING



AQUA LUNG 5 FINGER HEAT NEOPRENE GLOVES (OPTIMAL FOR USE WITH DRYSUIT)

- 3 mm or 5 mm neoprene all around for warmth
- Closed-cell neoprene featuring gas filled micro bubbles for maximum warmth and dexterity
- Inner palm and fingers are lined with a Titanium Slick Skin (TSS)
- Pre-curved palm minimizes hand fatigue
- Dry Seam Construction (DSC) seams, glued and blindstitched with external seam seal to limit water flow





PART #	DESCRIPTION	SIZE
611890	5 FINGER HEAT GLOVE 3MM	XS
611888	5 FINGER HEAT GLOVE 3MM	S
611887	5 FINGER HEAT GLOVE 3MM	М
611886	5 FINGER HEAT GLOVE 3MM	L
611889	5 FINGER HEAT GLOVE 3MM	XL
611885	5 FINGER HEAT GLOVE 3MM	2XL
611896	5 FINGER HEAT GLOVE 5MM	XS
611894	5 FINGER HEAT GLOVE 5MM	S
611893	5 FINGER HEAT GLOVE 5MM	М
611892	5 FINGER HEAT GLOVE 5MM	L
611895	5 FINGER HEAT GLOVE 5MM	XL
611891	5 FINGER HEAT GLOVE 5MM	2XL

AQUA LUNG 3 FINGER HEAT NEOPRENE GLOVES (OPTIMAL FOR USE WITH DRYSUIT)

- 6 mm neoprene all around for warmth
- Closed-cell neoprene featuring gas filled micro bubbles for maximum warmth and dexterity
- Inner palm and fingers are lined with a Titanium Slick Skin (TSS)
- Pre-curved palm minimizes hand fatigue
- Dry Seam Construction (DSC) seams glued and blind-stitched, with external seam seal to limit water flow
- Environmentally friendly packaging



PART #	DESCRIPTION	SIZE
611900	3 FINGER HEAT GLOVE 6MM	S
611899	3 FINGER HEAT GLOVE 6MM	М
611898	3 FINGER HEAT GLOVE 6MM	L
611901	3 FINGER HEAT GLOVE 6MM	XL
611897	3 FINGER HEAT GLOVE 6MM	2XL



AQUA LUNG ERGO NEOPRENE SOCK

**Neoprene Sock for Wetsuit or Drysuit** 

The Aqua Lung Ergo Neoprene Sock is designed for comfort with a wetsuit or drysuit. The ergonomic left and right foot specific design reduces bagginess for a warm and smooth fit. The sock helps prevent blisters while wearing open heel fins and increases warmth with glued and blind stitched seams.

#### **Key Features**

• Ergonomic left and right foot shape

• Durable elastic bound cuff

• 3mm neoprene

• Weight: 0.5 lb (0.25 kg)

• Sizes: XS-XL



PART #	DESCRIPTION	SIZE
BS1630142XS	3 MM ERGO NEOPRENE SOCKS, HIGH	XS - 6/7
BS1630142S	3 MM ERGO NEOPRENE SOCKS, HIGH	S - 8/9
BS1630142M	3 MM ERGO NEOPRENE SOCKS, HIGH	M - 10/11
BS1630142L	3 MM ERGO NEOPRENE SOCKS, HIGH	L - 12/13
BS1630142XL	3 MM ERGO NEOPRENE SOCKS, HIGH	XL - 14/15

### AQUA LUNG MK3 GLACIER THERMAL SOCKS

- Our most extreme coldwater sock available
- Breathable, moisture-wicking, high loft, insulating polypropylene Polar fleece inner lining
- Storm Proof 70 denier micro-ripstop water-resistant Taslan outer nylon facing
- PRIMALOFT® GOLD sandwiched between fleece lining and nylon facing
- Sole and heel are reinforced with a heavier nylon for durability
- Complement this with the MK or MK3 undergarments
- Sock can be worn alone or with a very light polyester sock to minimize laundering



PART #	DESCRIPTION	SIZE
611632	MK3 GLACIER THERMAL SOCKS	4/5
611633	MK3 GLACIER THERMAL SOCKS	6/7
611634	MK3 GLACIER THERMAL SOCKS	8/9
611629	MK3 GLACIER THERMAL SOCKS	10/11
611630	MK3 GLACIER THERMAL SOCKS	12/13
611631	MK3 GLACIER THERMAL SOCKS	14/15



### AQUA LUNG PUBLIC SAFETY BAG

- Made from 1000 denier nylon
- Heavy duty corrosion resistant zipper
- · Comfort handle wrap for easy carrying
- Label window on outside of bag



PART #	DESCRIPTION
612323	PUBLIC SAFETY BAC

### AQUA LUNG TRAVELER BACKPACK

- 600 denier heavy-duty coated fabric for excellent durability
- Metal YKK coil zippers slide around corners with ease
- Large semi-dry internal sleeve pocket fits undergarments
- Main compartment is fully ventilated with side mesh panels
- Ventilated exterior front pocket perfect for your EVO4 boots
- Molded carrying handles on top and side
- Hideaway padded backpack straps make this bag airport carousel-friendly
- External ID pocket



PART #	DESCRIPTION
611800	TRAVELER BACKPACK

### AQUA LUNG MILITARY SPEC Duffel

- 600 denier heavy-duty coated fabric for excellent durability
- Heavy-duty non-corrosive YKK plastic tooth zippers chew through grit
- Large semi-dry internal sleeve pocket fits undergarments
- Dual exterior zippered pockets
- Padded on one side with adjustable backpack straps
- Carrying handles and 2" webbing wrap around the bag
- Adjustable shoulder strap with metal swivel hardware
- Large, durable bag used by military and many police/rescue organizations



PART #	DESCRIPTION
611799	MILITARY SPEC Duffel



## (A) apeks CONTAMINATED WATER EXHAUST VALVE

- Dual diaphragm exhaust valve reduces the chances of water or contaminants from entering the suit
- Dumps air faster than other dual diaphragm exhaust valves



PART #	DESCRIPTION
62465	CONTAMINATED WATER EXHAUST VALVE - APEKS

## (A) apeks CONTAMINATED WATER INFLATOR VALVE

- In case of a stuck inflator button, the slider shutoff allows you to stop the inflation without disconnecting the hose
- Slide valve is marked open/closed with positive click



PART #	DESCRIPTION
62466	CONTAMINATED WATER INFLATOR VALVE - APEKS

## (A) apeks EXHAUST VALVE - STANDARD

- Standard low profile Apeks exhaust valve
- Ratchet dial allows valve to be adjusted to control air flow



PART #	DESCRIPTION
62231	EXHAUST VALVE - STANDARD - APEKS

## **Aapeks** INFLATOR VALVE - STANDARD

• Standard Apeks swivel inflator valve with nipple protector



PART #	DESCRIPTION
62233	INFLATOR VALVE - STANDARD - APEKS

## (A) apeks VALVE PORT PLUG

• Acts as a plug when exhaust and inflator valves are removed



PART #	DESCRIPTION
62522	VALVE PORT PLUG - APEKS



## (A) apeks INFLATOR HOSE

- Standard quick disconnect drysuit inflator hose
- Supplied with hose protectors at both hose ends



PART #	DESCRIPTION
61896	33" STANDARD LOW PRESSURE INFLATOR HOSE

### AQUA LUNG VALVE KEY TOOL

• Valve key tool designed for easy removal of the back nut on Apeks exhaust and inflate valves



PART #	DESCRIPTION
62444	VALVE KEY TOOL YELLOW

## AQUA LUNG ZIPPER LUBRICANT (BRASS ZIPPER)

#### **Features**

- Lubricant stick for extending the life of a brass zipper
- Ensures smooth zipper function
- Silicone free
- 0.5 oz. (14g)



PART #	DESCRIPTION
611621	Zipper Lubricant (Brass Zipper)

## AQUA LUNG ZIPPER LUBRICANT (POLYURETHANE ZIPPER)

#### **Features**

- Lubricant for extending the life of a YKK AQUASEAL® Polyurethane zipper
- Ensures smooth zipper function
- 0.25 oz. (7g)



PART #	DESCRIPTION
TH911121	ZIPPER LUBRICANT (POLYURETHANE ZIPPER)

## AQUA LUNG UV PROTECTANT (POLYTEX SEALS)

### **Features**

- Spray conditioner for extending the life of Polytex Seals
- 4 fl. oz. (118ml)



PART #	DESCRIPTION
61832	UV PROTECTANT (POLYTEX SEALS)



## AQUA LUNG HAZMAT REPAIR KIT

### ONE REPAIR KIT INCLUDES:

- Six 5"x5" square HAZMAT patches
- Six 7/8"x5" strips of adhesive tape
- Six 2"x5" strips of adhesive tape
- 12 alcohol prep pads
- · Owner's manual



PART #	DESCRIPTION
61800	HAZMAT REPAIR KIT

### AQUA LUNG NYLON REPAIR KIT

### ONE REPAIR KIT INCLUDES:

- Four rectangle patches
- Four square patches
- Two nylon strips
- Two alcohol prep pads
- Owner's manual



PART #	DESCRIPTION
DR911141	PATCH KIT - NON-BREATHABLE
DR911142	PATCH KIT - BREATHABLE

### AQUA LUNG DRY ADHESIVE

- •Two strips of 16" dry adhesive tape
- Apply around wrist to attach Polytex cuffs

PART #	DESCRIPTION
611577	DRY ADHESIVE TAPE

## AQUA LUNG DRY ADHESIVE NECK RING

- Allows for easy installation of a Polytex Neck seal
- Apply around Neck seal to attached Polytex Neck seal



PART #	DESCRIPTION
611576	DRY ADHESIVE NECK RING



## AQUA LUNG POLYTEX NECK SEAL

• User replacable Neck seal with adhesive preattached



PART #	DESCRIPTION	SIZE
62321	POLYTEX NECK SEAL W/DRY ADHESIVE (TRIM TO FIT)	UNIVERSAL
62325	POLYTEX NECK SEAL WITH DRY ADHESIVE	S
62324	POLYTEX NECK SEAL WITH DRY ADHESIVE	М
62323	POLYTEX NECK SEAL WITH DRY ADHESIVE	L
62326	POLYTEX NECK SEAL WITH DRY ADHESIVE	XL
62322	POLYTEX NECK SEAL WITH DRY ADHESIVE	2XL
62137	POLYTEX NECK SEAL (TRIM TO FIT)	UNIVERSAL
62141	POLYTEX NECK SEAL	S
62140	POLYTEX NECK SEAL	М
62139	POLYTEX NECK SEAL	L
62142	POLYTEX NECK SEAL	XL
62138	POLYTEX NECK SEAL	2XL

## AQUA LUNG SILICONE NECK SEAL

- Extremely comfortable
- Trim to fit
- Good for people with latex allergies
- Must have SLT neck system to use
- Cannot be used with an attached hood



PART #	DESCRIPTION	SIZE
DR911167	SILICONE NECK SEAL	STANDARD
DR911168	SILICONE NECK SEAL	SMALL

## AQUA LUNG POLYTEX WRIST SEALS (PAIR)

- Bell seals (size specific) & cone seals (one size fits all )
- User replacable if purchased with adhesive
- Tough Polytex material resists tearing like traditional latex seals





PART #	DESCRIPTION	SIZE
62145	POLYTEX WRIST SEALS (PAIR) - TRIM TO FIT	UNIVERSAL
62149	POLYTEX WRIST SEALS	S
62148	POLYTEX WRIST SEALS	М
62147	POLYTEX WRIST SEALS	L
62150	POLYTEX WRIST SEALS	XL
62146	POLYTEX WRIST SEALS	2XL
62327	POLYTEX WRIST SEALS WITH DRY ADHESIVE (PAIR) - TRIM TO FIT	UNIVERSAL
62331	POLYTEX WRIST SEALS WITH DRY ADHESIVE	S
62330	POLYTEX WRIST SEALS WITH DRY ADHESIVE	М
62329	POLYTEX WRIST SEALS WITH DRY ADHESIVE	L
62332	POLYTEX WRIST SEALS WITH DRY ADHESIVE	XL
62328	POLYTEX WRIST SEALS WITH DRY ADHESIVE	2XL



## AQUA LUNG POLYTEX PRO WRIST SEALS (PAIR)

- Heavy duty wrist seal allows more sealing area against the skin
- One size trim to fit



PART #	DESCRIPTION
62333	PRO WRIST SEAL WITH ADHESIVE
62136	PRO WRIST SEALS

## AQUA LUNG SILICONE WRIST SEALS (PAIR)

- Very comfortable
- Trim to fit
- Good for people with latex allergies
- Must have wrist rings on suit to use



PART #	DESCRIPTION	SIZE
DR911165	SILICONE WRIST SEALS	STANDARD
DR911166	SILICONE WRIST SEALS	SMALL

## AQUA LUNG NEOPRENE WRIST SEALS (PAIR)



PART #	DESCRIPTION	SIZE
63050	NEOPRENE WRIST SEALS - BREATHABLE SUITS	ONE SIZE

### AQUA LUNG POLYTEX ATTACHED HOOD

• Polytex replacement hood for drysuits



PART #	DESCRIPTION
62451	FLARED POLYTEX REPLACEMENT HOOD WITH ADHESIVE
62135	FLARED POLYTEX REPLACEMENT HOOD - NO ADHESIVE

## AQUA LUNG HOOD/NECK SEAL COMBO FOR SLT NECK SYSTEM

- Made with our durable Polytex material
- Easy to replace in the SLT neck system
- Trim to fit Neck seal
- Easy to field replace



PART #	DESCRIPTION
62518	POLYTEX HOOD/NECK SEA FOR THE SLT SYSTEM



### AQUA LUNG CERAMIQSKIN

Our CeramiQskin first layer range is the most advanced Aqua Lung suit ever designed to assist you in staying warm during dives and can be used under either a drysuit or a wetsuit. It can even be used alone for warm-water dives. The material is an exclusive and highly technical fabric that gives a high level of thermal protection, zero buoyancy and extreme comfort thanks to the Ceramic technology applied in the trilaminated fabric. CeramiQskin is a blend of Lycra oexterior with a breathable Polyurethane (PU) membrane and polar fleece inside. The range is composed of tops (short and long sleeves), shorts, and pants.

- Tri-laminated fabric: Lycra on the outside, PU membrane with Ceramic Technology in the middle and Polar Fleece against the skin
- Ceramic technology: Uses a blend of 30 metallic oxides derived from volcanic rocks, heated at 1600°C and mixed with a polyurethane binder. This paste obtained is applied on a PU membrane, enabling it to capture the "far" infrared rays emitted by our body and return them to the body. This helps to keep you warm, activates blood microcirculation and provides a high level of comfort
- Zero buoyancy: No need to add weight
- Polar Fleece: Rests against the skin for added comfort and warmth
- Breathable PU Membrane: Facilitates the transfer of moisture from inside to outside, but is a watertight barrier from outside to inside
- Silicone Strip: Located on the inside edge of the top helps keep everything in place
- **Produced in France:** They all meet the expectations of the European regulation REACH (free of forbidden chemicals) and also the OEKOTEX worldwide label









## AQUA LUNG CERAMIQSKIN

PART #	DESCRIPTION	SIZE
SU4320131S	TOP CERAMIQSKIN MEN BLACK/YELLOW SHORT SLEEVE	SM
SU4320131M	TOP CERAMIQSKIN MEN BLACK/YELLOW SHORT SLEEVE	MD
SU4320131L	TOP CERAMIQSKIN MEN BLACK/YELLOW SHORT SLEEVE	LG
SU4320131XL	TOP CERAMIQSKIN MEN BLACK/YELLOW SHORT SLEEVE	XL
SU4320131XXL	TOP CERAMIQSKIN MEN BLACK/YELLOW SHORT SLEEVE	XXL
SU4320131XXXL	TOP CERAMIQSKIN MEN BLACK/YELLOW SHORT SLEEVE	3XL
SU4330161S	TOP CERAMIQSKIN WOMEN BLACK/PINK SHORT SLEEVE	SM
SU4330161M	TOP CERAMIQSKIN WOMEN BLACK/PINK SHORT SLEEVE	MD
SU4330161L	TOP CERAMIQSKIN WOMEN BLACK/PINK SHORT SLEEVE	LG
SU4330161XL	TOP CERAMIQSKIN WOMEN BLACK/PINK SHORT SLEEVE	XL
SU4330161XXL	TOP CERAMIQSKIN WOMEN BLACK/PINK SHORT SLEEVE	XXL
SU4340131S	TOP CERAMIQSKIN MEN BLACK/YELLOW LONG SLEEVE	SM
SU4340131M	TOP CERAMIQSKIN MEN BLACK/YELLOW LONG SLEEVE	MD
SU4340131L	TOP CERAMIQSKIN MEN BLACK/YELLOW LONG SLEEVE	LG
SU4340131XL	TOP CERAMIQSKIN MEN BLACK/YELLOW LONG SLEEVE	XL
SU4340131XXL	TOP CERAMIQSKIN MEN BLACK/YELLOW LONG SLEEVE	XXL
SU4340131XXXL	TOP CERAMIQSKIN MEN BLACK/YELLOW LONG SLEEVE	3XL
SU4350161S	TOP CERAMIQSKIN WOMEN BLACK/PINK LONG SLEEVE	SM
SU4350161M	TOP CERAMIQSKIN WOMEN BLACK/PINK LONG SLEEVE	MD
SU4350161L	TOP CERAMIQSKIN WOMEN BLACK/PINK LONG SLEEVE	LG
SU4350161XL	TOP CERAMIQSKIN WOMEN BLACK/PINK LONG SLEEVE	XL
SU4350161XXL	TOP CERAMIQSKIN WOMEN BLACK/PINK LONG SLEEVE	XXL
SU4360131S	PANT CERAMIQSKIN MEN BLACK/YELLOW	SM
SU4360131M	PANT CERAMIQSKIN MEN BLACK/YELLOW	MD
SU4360131L	PANT CERAMIQSKIN MEN BLACK/YELLOW	LG
SU4360131XL	PANT CERAMIQSKIN MEN BLACK/YELLOW	XL
SU4360131XXL	PANT CERAMIQSKIN MEN BLACK/YELLOW	XXL
SU4360131XXXL	PANT CERAMIQSKIN MEN BLACK/YELLOW	3XL
SU4370161S	PANT CERAMIQSKIN WOMEN BLACKPINK	SM
SU4370161M	PANT CERAMIQSKIN WOMEN BLACKPINK	MD
SU4370161L	PANT CERAMIQSKIN WOMEN BLACKPINK	LG
SU4370161XL	PANT CERAMIQSKIN WOMEN BLACKPINK	XL
SU4370161XXL	PANT CERAMIQSKIN WOMEN BLACKPINK	XXL



### AQUA LUNG MARBLE RASHGUARD

The name rash guard reflects the fact that the shirt protects the wearer against rashes caused by abrasion or by sunburn from extended exposure to the sun. But trendy Aqua Lung rash guards can do a lot more that that; they are designed to be worn both in and out of the water while providing full UV protection, ward off jellyfish stings or add an extra layer under your Aqua Lung diving suit. The range offers athletic-fit or loose-fit cuts to suit different needs and styles, but also leggings for women.

- The Aqua Lung rash guard fabric is 80% polyester and 20% elastane. Polyester helps keep colors fresh and bright whilst staying undamaged by chlorine. A nylon-elastane blend is breathable, stretchable, and form-fitting when wet. Rash guards made from this fabric are also quick-drying
- All the Aqua Lung rash guards provide UV protection of SPF50+, enough to protect from a sunburn but still comfortable to be worn on bare skin
- On athletic-fit models, the back is longer than the front in order to provide extra sun protection
- A loop is sewn on the front to fasten the strap on men's surf shorts or swimsuits — this will prevent a roll-up and keep the shirt in shape while you wear it
- A slightly raised neckline gives sun protection during surface activities or stops the buoyancy compensator from rubbing against your skin during warm water dives and helps keep you warm when used as an under-garment
- For women, there is a wide range of leggings to complete their outfit. They can be worn for the perfect protection during surface activities or under a dive suit to ease the step-in and make dressing up for a dive a delight

STYLE: Short or long-sleeved rash guard, leggings

MATERIAL: 80 % polyester/ 20 % Elastane

**SEAMS:** Flat stitched seam **SLEEVES:** Short and long

MEN'S SIZES (ALL MODELS): S, M, L, XL, 2XL

WOMEN'S SIZES: S, M, L, XL, 2XL





















## AQUA LUNG MARBLE RASHGUARD

PART #	DESCRIPTION	SIZE
CL1970109S	RASHGUARD WOMENS BLACK/WHITE LONG SLEEVE	SM
CL1970109M	RASHGUARD WOMENS BLACK/WHITE LONG SLEEVE	MD
CL1970109L	RASHGUARD WOMENS BLACK/WHITE LONG SLEEVE	LG
CL1970109XL	RASHGUARD WOMENS BLACK/WHITE LONG SLEEVE	XL
CL19701092XL	RASHGUARD WOMENS BLACK/WHITE LONG SLEEVE	2XL
CL1970509S	RASHGUARD WOMENS PURPLE/WHITE LONG SLEEVE	SM
CL1970509M	RASHGUARD WOMENS PURPLE/WHITE LONG SLEEVE	MD
CL1970509L	RASHGUARD WOMENS PURPLE/WHITE LONG SLEEVE	LG
CL1970509XL	RASHGUARD WOMENS PURPLE/WHITE LONG SLEEVE	XL
CL19705092XL	RASHGUARD WOMENS PURPLE/WHITE LONG SLEEVE	2XL
CL1980109S	RASHGUARD WOMENS BLACK/WHITE SHORT SLEEVE	SM
CL1980109M	RASHGUARD WOMENS BLACK/WHITE SHORT SLEEVE	MD
CL1980109L	RASHGUARD WOMENS BLACK/WHITE SHORT SLEEVE	LG
CL1980109XL	RASHGUARD WOMENS BLACK/WHITE SHORT SLEEVE	XL
CL19801092XL	RASHGUARD WOMENS BLACK/WHITE SHORT SLEEVE	2XL
CL1980509S	RASHGUARD WOMENS PINK/WHITE SHORT SLEEVE	SM
CL1980509M	RASHGUARD WOMENS PINK/WHITE SHORT SLEEVE	MD
CL1980509L	RASHGUARD WOMENS PINK/WHITE SHORT SLEEVE	LG
CL1980509XL	RASHGUARD WOMENS PINK/WHITE SHORT SLEEVE	XL
CL19805092XL	RASHGUARD WOMENS PINK/WHITE SHORT SLEEVE	2XL
CL1990109S	RASHGUARD MENS BLACK/WHITE LONG SLEEVE	SM
CL1990109M	RASHGUARD MENS BLACK/WHITE LONG SLEEVE	MD
CL1990109L	RASHGUARD MENS BLACK/WHITE LONG SLEEVE	LG
CL1990109XL	RASHGUARD MENS BLACK/WHITE LONG SLEEVE	XL
CL19901092XL	RASHGUARD MENS BLACK/WHITE LONG SLEEVE	2XL
CL1990409S	RASHGUARD MENS NAVY/WHITE LONG SLEEVE	SM
CL1990409M	RASHGUARD MENS NAVY/WHITE LONG SLEEVE	MD
CL1990409L	RASHGUARD MENS NAVY/WHITE LONG SLEEVE	LG
CL1990409XL	RASHGUARD MENS NAVY/WHITE LONG SLEEVE	XL
CL19904092XL	RASHGUARD MENS NAVY/WHITE LONG SLEEVE	2XL
CL2000109S	RASHGUARD MENS BLACK/WHITE SHORT SLEEVE	SM
CL2000109M	RASHGUARD MENS BLACK/WHITE SHORT SLEEVE	MD
CL2000109L	RASHGUARD MENS BLACK/WHITE SHORT SLEEVE	LG
CL2000109XL	RASHGUARD MENS BLACK/WHITE SHORT SLEEVE	XL
CL20001092XL	RASHGUARD MENS BLACK/WHITE SHORT SLEEVE	2XL
CL2000409S	RASHGUARD MENS NAVY/WHITE SHORT SLEEVE	SM
CL2000409M	RASHGUARD MENS NAVY/WHITE SHORT SLEEVE	MD
CL2000409L	RASHGUARD MENS NAVY/WHITE SHORT SLEEVE	LG
CL2000409XL	RASHGUARD MENS NAVY/WHITE SHORT SLEEVE	XL
CL20004092XL	RASHGUARD MENS NAVY/WHITE SHORT SLEEVE	2XL
CL2090199S	LEGGINS WOMENS BLACK/WHITE	SM
CL2090199M	LEGGINS WOMENS BLACK/WHITE	MD
CL2090199L	LEGGINS WOMENS BLACK/WHITE	LG
CL2090199XL	LEGGINS WOMENS BLACK/WHITE	XL
CL20901992XL	LEGGINS WOMENS BLACK/WHITE	2XL





## (A) apeks DRY75

The DRY75 is a workhorse dive bag that will easily carry all of your personal dive gear, plus a trip's worth of clothes. The pack capacity of the DRY75 is 75 liters and comes with a removable dry core to separate your wet gear from your dry gear. The main body of the bag has a drain valve on the front for rinsing your equipment on the go. The splash proof top flap is a pocket for easy access to important things, like your passport. If this bag isn't big enough on it's own, there are four easy attachment points for the Apeks DRY12 bags.

- Dimensions: 27"x13"x13" (68.5x33x33 cm)
- Volume: 4563 in3 (75 liters)
- 1000D nylon core, 0.6mm tarpaulin
- Heat welded waterproof seams on the main bag and the removable core
- 25" (63.5 cm) wide roll top opening
- Polymer reinforced foam bottom to reduce impact force and wearing
- Removable 500D nylon, 0.4 mm tarpaulin, dry core to separate your wet gear from your dry gear
  - Core volume: 4563 in 3 (75 liters)
- Easy grip zipper pull
- Ergonomic air mesh backpack straps are reinforced to distribute weight
- Replaceable drain valve to assist in rinsing gear after dives
- Black chrome stainless steel hardware
- Nylon Duraflex buckles
- Four attachment points for Apeks DRY12 bags



PART #	DESCRIPTION
BA148011299	DRY75 PACK



## **A**apeks DRY12

The DRY12 is a 12 liter roll-top dry bag is designed to modularly attach to the Apeks DRY100 & DRY75. The four stainless steel carabiners on the DRY12 latch to the D-rings on the side of the DRY100.

The DRY75 has four locations to attach multiple DRY12 bags. Three attachment locations are on the sides and front of the DRY75. The fourth is located on the top flap. This increases your DRY75's packing capacity by 48 liters. It also provides four added dry compartments to your bag.

- Dimensions: 22"x8"x7" (56x20.5x18 cm)
- Volume: 8400 in 3(12 liters carrying capacity)
- 1000D nylon core, 0.6 mm tarpaulin
- Heat welded waterproof seams
- Black chrome stainless steel hardware
- Nylon Duraflex buckles
- Easily attaches to the Apeks DRY100 and Dry75



PART #	DESCRIPTION
BA149011299	DRY12



The waterproof DRY100 Duffel is designed to protect your gear from the most extreme environments. The packing capacity of this bag is 113 liters and features a 33" (84 cm) wide roll-top opening to make it easy to pack and unpack your gear. The bottom is padded with a polymer reinforced foam which reduces impact force and wearing.

For those long hikes to your dive site, we added removable backpack straps and a removable side pocket that unfolds into a changing mat.

- Dimensions: 17"x27"x15" (43x68.5x38 cm)
- Volume: 6,885 in 3 (113 liters)
- 1000D nylon core, 0.6 mm tarpaulin
- Heat welded waterproof seams
- 33" (84 cm) wide roll-top opening
- Trolley cart sleeve on bottom panel
- Removable side pocket with splash proof zipper
- Easy grip zipper pull
- Stowable changing mat attached to removable pocket
- Changing mat is 32"x 23" (81x58.5 cm) and double layered 1000D tarpaulin
- Compression straps with a comfortable haul handle
- Replaceable drain valve to assist in rinsing gear after dives
- Black chrome stainless steel hardware
- All buckles are nylon Duraflex buckles
- One side attachment point for the Apeks DRY12





PART #	DESCRIPTION	
BA147011299	DRY100 Duffel	



## AQUA LUNG TRAVELER 1550 - MEDIUM ROLLER

- Heavy-duty PVC-free 840D nylon
- Meets most major airline size requirements for checked baggage
- · Internal fin pockets accommodate large dive fins and two internal zippered mesh compartments
- Accessory pocket for log book & small tools
- Extra large external document pocket and daisy chain for quick attachments
- Removable accessory bag strap
- Protective stiffener and padding throughout bag
- Heavy-duty YKK zippers #10 zippers with easy gripping zipper pulls
- Protective rails, kick plate, and wheel housings for added durability
- Agua Lung Lifetime Warranty including damage from airline handling
- 19" x 31" x 12", Capacity 7,068 in3
- Total weight is 10.6 lbs

PART #	DESCRIPTION
BA158041099	1550 TRAVELER ROLLE

## AQUA LUNG TRAVELER 850 - ROLLER DUFFEL

- Heavy-duty PVC-free 840D nylon
- Internal fin pockets accommodate large dive fins and large zippered mesh compartment
- Protective stiffener and padding throughout bag
- Hea
- Pro durab
- Pac
- Aq handl
- 14"

BA159041099 850 TRAVELER Duffel ROLLER

Tota

PART # DESCRIPTION	
	0
al weight is 8.8 lbs	Am
' x 31" x 14", Capacity 6,076 in <sup>3</sup>	
ling	
ua Lung Lifetime Warranty including damage from airline	
dded top handle and rigid bottom handle for easy lifting	
oility	1
otective rails, kick plate, and wheel housings for added	K
avy-duty YKK zippers #10 zippers with easy grip zipper pulls	U
rective stillerier and padding throughout bag	





A Q U A 🕟 L U N G	<b>EXPLORER II</b>	ROLLER

This rolling luggage accommodates a full dive kit and all your other travel gear. Designed especially for scuba, it has side pockets that will fit our larger fins like the Aqua Lung X-Large Phazer. Coordinates with the rest of our Explorer II Collection of bags.

### **Features**

- Easy to Transport: Rugged wheels get you through the airport easily. Lightweight, extendable aluminum handle. Top handle for lifting.
- Designed for Scuba: Side pockets to fit even the largest of fins.
- Protective: Internal frame structure is designed to rebound and be shock-absorbent. The V-diamond base, skid rails and eight corner guards keep your gear safe from the airport bag handlers. Zippers accommodate locks.
- Durable: Heavy-duty 1680D polyester exterior material is lined with an abrasion resistant PVCcoated. Zippers are corrosion-resistant and zipper pulls are easy to grip. Two-year limited warranty.
- Stow More: Exterior and interior pockets for organizing your gear, clothes, and other essentials.
- Size: 29 x 20 x 13" (73 x 51 x 33cm)







### AQUA LUNG TRAVELER 250- MESH BACKPACK

- Heavy-duty PVC-free 840D nylon
- ½ nylon, ½ mesh bottom effectively drains water away from clothing
- Accommodates a complete set of dive gear
- Adjustable padded ergonomic backpack straps with non-slip grip surface
- External expandable zippered accessory pocket
- Drawstring top closure with barrel locks and internal zippered security pocket
- Full length YKK zippers side zipper for easy loading and unloading
- Aqua Lung Lifetime Warranty
- 15" x 28" x 15", Capacity 4,945 in3
- Total weight is 1.2 lbs



PART #	DESCRIPTION	
BA160041099	TRAVELER MESH BP LG	
•		

### AQUA LUNG TRAVELER 70 - REGULATOR BAG

- Large regulator bag to accommodate extra instruments
- Heavy-duty PVC-free 840D nylon
- Padded sides provide protection for delicate instruments
- Interior mesh pocket and two hook & loop straps secure instruments
- Corrosion resistant YKK zippers with easy grip zipper pulls
- Agua Lung Lifetime Warranty
- 14" x 10" x 4", Capacity 560 in3
- Total weight is 0.5 lbs



PART #	DESCRIPTION
BA162041099	70 TRAVELER REGULATOR

## AQUA LUNG PRO PACK ONE

The Aqua Lung Pro-Pack1 features a top-loading design with multiple organization pockets for your gear on dive days or your normal stuff for all those other days.

### **Features**

- Designed for Scuba: Padded pockets for regulators or masks. Compression straps for any size fin.
- Convertible: A bottom pocket that stuffs down to the bottom of the main compartment for maximum space no-matter how you pack the bag.
- Easy Access: The zippered front and side pocket are for the things you need to access often; passport, water bottle, pens, keys, phone, sunscreen ...
- Practical: We know you won't always use this for dive gear. So, we made sure it has a laptop pocket, organization panel, sunglass pocket, water bottle pockets on both sides and a fast access pocket.
- Size: 20.5 x 12.5 x 7.5" (52 x 32 x 19cm)
- Weight: 1.7lbs (0.7kg)







AQUA LUNG EXPLORER II DUFFEL PACK

With its carry-on size, stowaway backpack straps, and mesh drying pocket, this is the most versatile dive pack on the market today. It's designed especially for scuba, with fin straps that hold any size fin. Part of the complete line of Explorer bags to get you completely outfitted for dive travel.

#### **Features**

- Durable: Made of heavy-duty, 1680D polyester and mesh. Zippers are corrosion-resistant and zipper pulls are easy to grip. Two-year limited warranty.
- Convertible: Adjustable shoulder straps double as Duffel handles.
- Designed for Scuba: Dry your wet accessories while you travel in the Duffel's mesh drying pocket. Fin straps on the back of the bag hold any size fin. Protective Internal padding gives the bag shape and protects your gear. Protective V-diamond base and six corner guards. Zippers accommodate locks.
- Stow More: Also sports a smaller sunglass pocket and two exterior pockets.
- Size: 24 x 13 x 9" (61 x 33 x 23cm)
- Weight: 2lb (1kg).







PART #	DESCRIPTION
BA134114	EXPLORER II Duffel BLACK
BA1770701	EXPLORER II DUFFEL YELLOW
BA1770601	EXPLORER II DUFFEL RED

## AQUA LUNG MARINER MESH BAG

### **AVAILABLE IN EARLY 2021**

- Heavy duty PVC mesh
- Nylon D-rings for optional shoulder strap
- Optional shoulder strap is adjustable with nylon swivel hardware
- Large Bag 28.5" x 16" x 16"
- Capacity 5,731 in<sup>3</sup>
- Weight 1.75 lbs



PART #	DESCRIPTION
744950	MARINER MESH LARGE BLACK
744490	SHOULDER STRAP



### AQUA LUNG ARGONAUT KNIVES

The Argonaut knife, designed in conjunction with the world's premier maritime commandos, is one of the best and toughest knives. The Argonaut is now available in two sizes - the original Argonaut and a smaller version Argonaut Stunt. The butt, handle, hilt and blade are all fashioned out of one piece of 4 mm thick titanium (Argonaut) or 420 stainless steel (Argonaut Stunt), coated in black EDP, sharpened and laser etched. The handle is twice wrapped in 5 mm paracord and tied off with a 12.7 cm (5 in) leash. 2 mm thick Kydex plastic is heated and thermoformed around the knife to make the sheath. The sheath comes attached to a 2" belt loop with BC mounting hardware.

The blade is available in two styles: the Spartan and the Blunt. The Spartan comes to a spearhead point with one side featuring rounded die cut serrations to prevent snags on rope. The Blunt comes to a blunt chisel-like tip. One full side of the Blunt blade is die cut with rounded serrations.

The handles are wrapped from the hilt to provide a spot for the forefinger and extra grip for the sheath. The butt of the handle features a sharp tactical tool and the skeleton holes in the handle are hex wrenches for emergency situations.

#### **ARGONAUT**

- •The blade and handle are each 4 7/8" long
- The butt of the handle comes to a point for hammering, breaking and crushing
- •The sheath is a locking 2 mm thick Kydex with 1/8" grommets; the strap holes are 1" long and 1/4" wide
- •Includes two rubber leg straps

#### **ARGONAUT STUNT**

- •The blade is 7.7 cm (3 in) long and the handle is 10.1 cm (4 in)
- The butt of the handle comes to a point for hammering, breaking and crushing
- The sheath is a locking 2 mm thick Kydex with 1/8" grommets; the strap holes are 1" long and 1/4" wide
- Includes two rubber leg straps, belt loop webbing extension and BC mounting hardware

### NEOPRENE LEG SHEATH

- Rugged adjustable straps to fine tune fit
- Sturdy buckles for reliability
- Fits all Aqua Lung knives



PART #	DESCRIPTION
KN125111	ARGONAUT STUNT, BLUNT
KN124111	ARGONAUT STUNT, SPARTAN
1003459	ARGONAUT TI BLUNT TIP
1003460	ARGONAUT TI SPARTAN TIP
1003458	NEOPRENE SHEATH
KN911123	RUBBER LEG STRAP





## AQUA LUNG BIG SQUEEZE

Aqua Lung Squeeze Lock dive knives are preferred by divers around the world. The patented Squeeze Lock design allows the diver to securely lock the knife in its sheath while offering a quick and easy release with a simple squeeze of the handle. The Big Squeeze knife has a 10.8 cm (4.5 in) 24.2 cm (9.5 in)long overall and can be easily mounted to integrated connection points on most Aqua Lung BCs.

- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle (Patent #5,926,959)
- 304 stainless steel or high-grade beta alloy titanium
- Nylon with fiberglass-fill handle and sheath for superior impact and abrasion resistance
- Leg strap channels
- 5.1 cm (2 in) locking clip
- Drain holes in sheath
- Lanyard holes



PART #	DESCRIPTION
KN117111	BIG SQUEEZE, SPEAR TIP, TI
KN115111	BIG SQUEEZE, BLUNT TIP, SS
KN116111	BIG SQUEEZE, SHEEPS FOOT, SS
KN911123	RUBBER LEG STRAPS, 24"
1003458	NEOPRENE SHEATH
KN911123	RUBBER LEG STRAP



## AQUA LUNG SMALL SQUEEZE

The Small Squeeze knife has an 8.9 cm (3.5 in) blade, is 17.8 cm (7 in) long and can be easily mounted to integrated connection points on most Aqua Lung BCs.

- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle
- 304 stainless steel or high grade beta alloy titanium
- Nylon with fiberglass-fill handle and sheath for superior impact and abrasion resistance
- Leg strap channels
- 5.1 cm (2 in) locking clip
- Drain holes in sheath
- Lanyard holes



PART #	DESCRIPTION
KN123111	SMALL SQUEEZE, SPEAR TIP, TI
KN121111	SMALL SQUEEZE, BLUNT TIP, SS
KN122111	SMALL SQUEEZE, SHEEPS FOOT, SS
41942	RUBBER LEG STRAPS, 24"
1003458	NEOPRENE SHEATH
KN911123	RUBBER LEG STRAP

## AQUA LUNG MICRO SQUEEZE

The Micro Squeeze knife has a 5.1 cm (2") blade and is just 9.5 cm (3 %") in overall length. This compact knife can be mounted almost anywhere, including the wrist strap of your Aqua Lung dive computer.

- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle
- Integrated BC connection points
- $\bullet$  5.1 cm (2") blade, 9.5 cm (3 3/4") overall length, 18.4 cm (7 ½") including the handle extension webbing
- 304 stainless steel
- Nylon with fiberglass-fill handle and sheath for superior impact and abrasion resistance
- Leg strap channels
- 5.1 cm (2") locking clip
- Drain holes in sheath
- Lanyard holes



	PART #	DESCRIPTION
К	N118111	MICRO SQUEEZE, BLUNT TIP, SS
K	N119111	MICRO SQUEEZE, SHEEPS FOOT, SS



## AQUA LUNG THE MASTER KNIFE

- Heavy duty working knife
- 7" serrated blade
- Overall length 12.5"
- Robust 420 stainless steel blade & butt cap
- Plastic sheath with straps




PART #	DESCRIPTION	NSN
422600	MASTER KNIFE	4220001411909
422441	SPARE SHEATH	
422603	STRAP ASSY.	
422613	RING RETRAINER	

## SPEER SEE JACK KNIFE

- 5" blade, overall length 9 1/2"
- 420 series stainless steel
- One piece blade and tang
- Knife completely disassembles for cleaning
- Serrated top edge and built-in line cutter
- Metal bottom cap
- Comfortable handle with lanyard hole
- Rubber leg straps included







## AQUA LUNG BIG SQUEEZE LOCK KNIFE

- 4 1/2" blade, overall length 9 1/2"
- 304 series stainless steel or high grade beta alloy titanium
- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle (Patent # 5,926,959)
- Variable mounting options including rubber leg straps, molded belt clip on sheath and optional barnacle nuts and bolts for mounting through fabric (part #416318 on Spare Parts List). Set of 2 nuts and 2 bolts)



PART #	DESCRIPTION	COLOR
KN139011099	BIG SQUEEZE, 304SS, BLUNT TIP	CHARCOAL
KN139010799	BIG SQUEEZE, 304SS, BLUNT TIP	YELLOW
KN140011099	BIG SQUEEZE, 304SS, DROP POINT	CHARCOAL
KN140010799	BIG SQUEEZE, 304SS, DROP POINT	YELLOW
KN141011099	BIG SQUEEZE, TITANIUM, TANTO	CHARCOAL
KN141010799	BIG SQUEEZE, TITANIUM, TANTO	YELLOW



## AQUA LUNG SMALL SQUEEZE LOCK KNIFE

- 3" blade, overall length 6.5"
- 304 series stainless steel or high grade beta alloy titanium
- Patented locking mechanism securely locks knife in sheath, but releases easily with a squeeze of the handle
- Variable mounting options:
  - □ Stainless steel barnacle nuts and bolts are included for mounting through fabric or for installation on buoyancy compensators with knife grommets
  - □ Hose mounting straps are included for mounting to the BC inflator hose
- Locking belt clip is integrated into sheath for attaching knife to webbing
- Sheath has molded strap slots for use with optional rubber leg straps



PART #	DESCRIPTION	COLOR
KN136014299	SQUEEZE LOCK SS - BLUNT TIP	BLUE
KN136011099	SQUEEZE LOCK SS - BLUNT TIP	CHARCOAL
KN136010799	SQUEEZE LOCK SS - BLUNT TIP	YELLOW
KN137014299	SQUEEZE LOCK TI - STILETTO TIP	BLUE
KN137011099	SQUEEZE LOCK TI - STILETTO TIP	CHARCOAL
KN137010799	SQUEEZE LOCK TI - STILETTO TIP	YELLOW
KN138014299	SQUEEZE LOCK TI - TANTO TIP	BLUE
KN138011099	SQUEEZE LOCK TI - TANTO TIP	CHARCOAL
KN138010799	SQUEEZE LOCK TI - TANTO TIP	YELLOW

SPARE PART LIST		
PART #	MODEL	COLOR
D8298B	JACK KNIFE - BUTT CAP	
KN911129	JACK KNIFE - SHEATH	BLACK
KN911130	JACK KNIFE - SHEATH	YELLOW
D8299	JACK KNIFE - 24" STRAPS W/BUCKLES (QTY. 2)	
42652	BARNACLE NUT & SCREW KIT (4 PIECES) - FOR SQUEEZE KNIVES	
KN911132	24" STRAPS W/QUICK RELEASE BUCKLES (QTY. 2)	



### AQUA LUNG CASHE BAG

#### Military grade mesh bag holds a wide assortment of gear

- Designed to accommodate most 4 hour rebreathers
- Two internal pockets
- One external mask pocket
- One external sand drape pocket to protect equipment when burying ashore
- Designed for use with cache stake (PN 100392)
- Rugged shoulder strap
- Durable hydrophobic materials
- Makes an exceptionally strong dive bag for general use







BACK FRONT

PART #	DESCRIPTION
100393	CASHE BAG

### AQUA LUNG CASHE STAKE

- Designed for subsurface anchoring of equipment
- Designed for use with cache bag
- Aluminum construction; strong but light removable tip; simply unscrew from shaft
- Integrated sliding cylindrical hammer
- Training tip without movable anchors available
- Carabiner not included









PART #	DESCRIPTION
100392	CACHE STAKE
100399	TIP,TRAINING ARGONAUT CACHE STAKE
100400	TIP, ARGONAUT CACHE STAKE, SPARE



#### AQUA LUNG ARGONAUT ATTACK BOARD

The Aqua Lung Attack Board offers a precision compass mounted in a rugged lightweight anodized aluminum frame that will accommodate a wide range of wrist worn devices and board mounted compasses. A product within the Argonaut line, designed by, with, and for maritime professionals.

- Accepts at least three of the most popular board-mounted compasses, user's choice:
- OBEN Marine C1150
- o Richie TAC-200-2
- ∘ Brunton 70P
- Mounting slots for two wrist worn devices, user's choice.
- S&S Precision V-Lite™ illuminates both wrist devices and center compass mount
- OBattery provides up to 120 hours run time
- OPreset functions: dim, bright, blink
- Lightweight, corrosion resistant, anodized 6061 aluminum frame
- Sighting post for quick peek bearing acquisition
- Large ergonomic handles designed to accommodate gloves and reduce fatigue
- Lanyard eyelet





PART #	DESCRIPTION
742179	NAV BOARD
742170	NAV BOARD WITH V-LIGHT
742172	NAV BOARD WITH V-LIGHT AND RITCHIE COMPASS
742174	NAV BOARD WITH V-LIGHT AND BRUNTON COMPASS
742175	V-LIGHT REPLACEMENT
742177	RITCHIE COMPASS
742180	BRUNTON COMPASS
742181	SCREW SS COMPASS MOUNT (4 PK)



### AQUA LUNG CDV

CDV is the USMC variant of the CSAV and is US Navy ANU listed in section 1.1.15 for MK25 closed circuit UBA's as well as single and twin SCUBA configurations.

CDV is a highly adaptable multi-mission/multi apparatus diving vest that provides buoyancy control during a dive mission as well as face up floatation for an injured or unconscious diver on the surface.

CDV consists of an adjustable load harness that weaves through and attaches to a split horse collar shaped floatation cell that provides 35 LBS of buoyancy. CDV is highly adjustable - one size fits all.

The Molle system allows for attachment of various weight pouch configurations and various Inflation options that are available.



	CDV-RESTRICTED TO USMC ONLY	
PART #	DESCRIPTION	NSN
769171	COMBATANT DIVER VEST COMPLETE	4220015847592

	CDV SPARES		
PART #	DESCRIPTION	NSN	
769310	BUCKLE,M, 1.0,NYL,SIDE RELEASE	5340015909915	
769311	BUCKLE,F, 1.0,NYL,SIDE RELEASE	5340015909295	
769312	BUCKLE,M,2.0,NYL,SIDE RELEASE	5331015909290	
769313	BUCKLE,F, 2.0,NYL,SIDE RELEASE	5340015909913	
769314	RETAINER, 1.0" WEBBING, MMJ	4220015914353	
769315	RETAINER, 2.0" WEBBING, MMJ	4220015914351	
769316	RETAINER, 1.5" WEBBING, MMJ	4220015914354	
769318	STRAPS,CONTAINER RETAINER,MMJ	4220015909291	
769105	BLADDER, MMJ,PACKAGED	4220015912696	
15309	GASKET, CONNECTOR SEAL	5330015909296	
769122	KIT,HOSE RETAINER,MMJ	4220015912703	
769320	STRAP, CROTCH,CDV	4220015912699	



## AQUA LUNG COMBAT SWIMMER ASSAULT VEST (CSAV) BERRY AMENDMENT COMPLIANT

CSAV is US Navy ANU listed in section 1.1.14 for Mk16 and MK25 closed circuit UBA's as well as single and twin SCUBA configurations.

CSAV is a highly adaptable multi-mission/multi apparatus diving vest that provides buoyancy control during a dive mission as well as face up floatation for an injured or unconscious diver on the surface.

CSAV consists of an adjustable load harness that weaves through and attaches to a split horse collar shaped floatation cell that provides 35 LBS of buoyancy. CSAV is highly adjustable - one size fits all.

The Molle system allows for attachment of various weight pouch configurations and various Inflation options that are available.



PART #	DESCRIPTION	NSN
769100	CSAV VEST COMPLETE GEN 3, W/O CYLINDERS	4220016235127
769116	CSAV VEST COMPLETE GEN 3, WITH 2 CYLINDERS	4220016235133
769360	CSAV, SPECIAL FORCES DIVERS, SF, U.S.ARMY	
769361	CSAV EN, ENGINEER DIVERS	
769364	KIT BAG, MMJ	
769082	POCKET, BOTTLE, CSAV	4220015912710
769092	KIT, STRAP, MK 25	
769089	KIT, STRAP, MK 16	
769141	KIT, STRAP, TWIN AND SINGLE SCUBA	
769083	WT SHEATH, EACH, 10 LBS, CSAV	4220015912722
769084	WT POUCH, EACH, 10 LBS, CSAV	4220015912718
769143	WT SHEATH, EACH, 20LBS, CSAV	4220015912721
769144	WT POUCH, EACH, 20 LBS, CSAV	4220015912719
710108	WEIGHT, SOFT, 4 LB, BLUE	4220015912714
101271Z	CYLINDER1.5 CU. FT., W/VALVE FOR ATLANTIS, CSAV, CDV, MAG VERSION	
101294	CYLINDER1.5 CU. FT (BLK ANODIZED)., W/VALVE, MAG VERSION	
102100	VALVE ASSY, W/3.0 CU FOOT BOTTLE	
769123	POCKET, BOTTLE, 3 CF FT	
769106	KIT, SPARE PARTS, FIELD	
769105	BLADDER, CSAV NSW, PACKAGED	4220015912696
108615	LPIS, LOW PRESSURE INFLATION SYSTEM	4220015912708
769146	POCKET LPIS, BLACK NYLON	4220015912711
769099	KIT, BUCKLE SET, 1.0"/1.5"/2.0", CSAV	
769352	KIT, BUCKLE, F, MK 25 (4 PACK)	
101215	FILL ADAPTER-ALL LIFE JACKETS	
101280Z	VALVE ASSY,MAG,USMC	4220015912720





# AQUA LUNG CDV/CSAV THE FOLLOWING ACCESSORIES ARE AVAILABLE FROM AQUA LUNG

		CDV SPARES	
PART #	DESCRIPTION	NSN	
769336	KIT,STRAP/M/F 2.0 BUCKLE,MK25,CDV	4220015909292	
769154	KIT, SCUBA STRAP, CDV, SINGLE & TWIN	4220015912697	
769084	WT POUCH, (EA), 10 LB, BLK, PCKGD	4220015912718	
769144	WT POUCH, (EA), 20 LB, BLK, PCKGD	4220015912719	
769083	WT SHEATH, (EA), 10 LB, BLK, PCKGD	4220015912722	
769143	WT SHEATH, (EA), 20 LB, BLK, PCKGD	4220015912721	
710108	WEIGHT, SOFT 4 LB, NAVY BLUE	4220015912714	
15261	HOSE, CHEVRON, POWERLINE	4220015912695	
15262	CLIP, CHEVRON HOSE	5340015909914	
42747	POWERLINE INFLATOR (LOWER UNIT)	4220015912713	
42743	DUAL VALVE ASSY, ACME	4220015912712	
15610	PIN, RETAINING, S/S	5315015909293	
101280Z	VALVE ASSY, MAG, USMC	4220015912720	
394099	KIT, MAINTENANCE, CYLINDER VALVE	4220015913322	
820316P	O-RING (10 PK)	5330015910214	
769082	POCKET 1.5 HP CYLINDER, BLK, MMJ	4220015912710	
101314Z	CONNECTOR, CYL VALVE, FIXED, MAG	4220012912701	
820310P	O-RING (10PK)	5331015910209	
15665	CAP, UNIVERSAL CONNECTOR	5340015909294	
108311	FIRST STAGE ASSY, SEA MK SPARE	4220015913026	
108603	KIT SERVICE, LPIS/DSIS	4220015912706	
820010P	O-RING (25 PK)	5331015910211	
820304P	O-RING (10PK)	5331015910213	
820312P	O-RING (10PK)	5331015910216	
820311P	O-RING (10PK)	5331015910217	
820319P	O-RING (10PK)	5331015910215	
108431	SWIVEL PLUG ASSY, W/RELIEF, BLACK	4220015379440	
108616	HOSE, ASSY LPIS 33"	4240015916889	
108307	CAP, FILL PORT	4730015842603	
769146	POCKET, 3.0 LP CYLINDER, BLK, MMJ	4220015912711	
769347	MILITARY POWERLINE		
		CDV TOOLS	
Part #	Description	NSN	
109437	SEAT EXTRACTOR SPARE	4220015912709	
769348	GAUGE, TEST, 0-400 PSI, W/QD ADAPTER	4240015916886	
108325	FILL ADAPTOR, SCUBA TANK	4220015435272	
9-44363	3/8" DRIVE, FLEX HANDLE (SEARS)		
9-44333	1/2 IN (13 MM) SOCKET; (3/8" DRIVE)		
103007	SOCKET, 3/4" 12PT DEEP (5544A67), PHODS		
9-43001	3/8 IN SOCKET; (3/8" DRIVE)		
769354	SOCKET, 7/8" (22 MM) (3/8" DRIVE)		
9-43004	9/16 IN SOCKET; (3/8" DRIVE)		
8367A23	HEX KEY ADAPTER 5 MM (3/16")		
9-43626	3/4 IN CROWFOOT; (3/8" DRIVE)		
9-43628	7/8 IN CROWFOOT; (3/8" DRIVE)		
FC34A	CROWFOOT, 1 1/16" (27 MM) (SNAP-ON)		
FC38A	CROWFOOT, 1 3/16" (SNAP-ON)		
941586	SCREW DRIVER, MED BLADE SHORT, MODIFIED		



### AQUA LUNG ATLANTIS LIFE JACKET

Designed for professional use with all types of frontmounted or back-mounted diving equipment





 Single-bag construction (bag volume: 14 L / 31 lbs), made of extra durable 1000 denier CORDURA®

Can be inflated by 2 cylinders (3,000 psi - 0.21 L / 1.5 cu. ft) or orally

• Breathable inflator allows diver to breathe the air in the bag in case of emergency

• Optional direct feed inflator

Nonmagnetic

• Authorized for Navy Use (ANU listed) as a life preserver

• Several D-rings for attaching accessories

• One large and one small pocket

• Two drain caps

• One overpressure relief/dump valve



SPECIALIZED LIFE JACKETS		
PART #	DESCRIPTION	
762950	Atlantis Life Jacket with cylinders	
762960	Atlantis Life Jacket without cylinders	
101215	Fill Adapter-All Life Jackets	
762970	Atlantis Life Jacket, with cylinders, EXPORT Only, Nonmag	
762980	Atlantis Life Jacket, w/o cylinders, EXPORT Only. Nonmag	
841345	MDB, w/o Cylinder	
762952	Crotch Strap Kit, Atlantis	
762953	Strap Kit Complete, Atlantis	
762956	Chest Strap Kit, Atlantis	
762957	Waist Strap Kit, Atlantis	
762961	Containment Collar, Atlantis	
394091	Open Circuit Kit, Atlantis	
762958	Back Strap Kit, Atlantis	
101271	Cylinder 1.5 cu. ft., w/valve for Nonmag Requirements	
101271Z	Cylinder 1.5 cu. ft, w/valve for Atlantis, CSAV, Mag Version	
101294	Cylinder1.5 cu. ft (Blk Anodized)., w/valve, Mag Version	
762955	Dive Loops-3 Pack-Black	
394099	Kit, HP Cylinder valve maintenance	
101349	Gauge, HP Cylinder Pressure	
101280Z	Valve Assy, Mag + Patch Kit, USM	



### AQUA LUNG ATLANTIS CONTAINMENT COLLAR

- Reduces profile and drag
- Easy to install






PART #	DESCRIPTION
762961	CONTAINMENT COLLAR, ATLANTIS



### AQUA LUNG ODYSSEA VEST

#### DESIGNED FOR COMBAT SWIMMERS WITH CHEST WORN APPARATUS

- Tactical for clandestine operations
- Nonmagnetic
- Double-bag construction (bladder volume: 20 L / 44 lbs)
- Outer bag made of heavy duty 840 denier nylon
- Can be inflated by 1 cylinder (200 bar 0.43L) or orally
- Breathable inflator allows diver to breathe the air in the inner bag in case of emergency
- Several accessory attachment points (D-rings, strobe holder, snorkel holder)
- Large pocket to store a navigation board







PART #	DESCRIPTION
394058	ODYSSEA IN, W/O CYLINDER (SPECIAL ORDER ONLY)
394059	ODYSSEA, W/O CYLINDER, EXPORT, NONMAG
394063	ODYSSEA, W/O CYLINDER, US, NONMAG
394040	ODYSSEA, BLADDER ONLY
394041	ODYSSEA, OUTER BAG ONLY
394042	ODYSSEA, OUTER BAG, W/BLADDER
101275	CYLINDER 2.5 CU. FT., W/VALVE FOR ODYSSEA, NONMAG



### AQUA LUNG DRYSUIT INFLATION (DSIS)

Aqua Lung Drysuit Inflation System is a compact, easy to use ensemble developed especially for the combat swimmer who dives in cold water with rebreathers and needs a supplemental air supply to compensate for depth pressure in drysuit. It is comprised of a 6 cu. ft. cylinder and a modified SEA (Survival Egress Air) first stage regulator.

Aqua Lung's compact SEA first stage is equipped with an on/off valve, a 3000 psi low profile gauge, a safety burst disk, a 20" hose with a quick disconnect, a swivel with an overpressure release safety valve that vents @ 175/190 psi and a one way fill port.

The DSIS can be carried in a leg pocket and connected to an intake leg valve. This leaves the chest of the drysuit free of obstacles near the rebreather, and gives easy access to the valve.

•Cylinder with first stage length: 14.5" (28 cm)

• Diameter: 3.2" (8.1 cm)

• Maximum pressure: 3000 psi (207 bar)

• Safety burst disk maximum pressure: 5000 psi (345 bar)

 Medium pressure safety valve opening pressure: 175-190 psi (12-13.1 bar)

• Hose length: 20" (50.8 cm)

#### **CYLINDER:**

• Volume: 6.0 cu. ft.: 3000 psi (169 L @207 bar)

• Internal volume: 53 cu. in (0.420 L)

• Color: black

• Total weight: 3.47 lbs (1.57 kg)

• Fill adapter PN 108325 sold separately

• Other cylinder options available



SEA SPECIAL CONFIGURATION			
PART #	DESCRIPTION	NSN	
108600	DRYSUIT INFLATION SYSTEM	4220-01-629-9824	
108607	LPIS, LOW PRESSURE INFLATION SYSTEM		
108364	SEA PONY BOTTLE ADAPTER		
108603	SERVICE KIT, LPIS/DSIS		
	VEHICLE RESCUE AIR SYSTEM		
PART #	DESCRIPTION	NSN	
108386	SEA 6.0 LV2 WITH PRESSURE INDICATOR, 20" HOSE (AKA VEHICLE RESCUE AIR)		
108426	POCKET, SEA 6 CF BOTTLE WITH CLIP FOR VRA		
108427	BRACKET, SEA 6 CF BOTTLE FOR VRA		

	SPECIAL USE 3000 PSI ALUMINUM CYLINDERS FOR EMERGENCY EGRESS Note: Some of these cylinders require a minimum order quantity	
PART #	DESCRIPTION	NSN
079120	2.0 CUBIC FEET, BLACK, ANODIZED	
079160	6.0 CUBIC FEET, BLACK POWDER COATED, 3.2" DIAMETER, 11.17 LENGTH	





	SPECIALIZED HARNESSES FOR REBREATHERS
PART #	DESCRIPTION
495505	HARNESS, WT. INTEGRATED, BLACK, UNIVERSAL SIZE METRIC BUCKLES
495506	HARNESS, CSH, WT. INTEGRATED, BLACK, UNIVERSAL SIZE (AMU LISTED) USE WITH MK25 NOT F.R.O.G.S.
495502	REPLACEMENT WEIGHT POCKET
495510	LOAD HARNESS



### AQUA LUNG MODE MODULAR OXYGEN DIVING EQUIPMENT

The MODE is a oxygen closed circuit underwater breathing apparatus specifically developed for clandestine use by SOF divers. This UBA is one of the smallest, most lightweight, high performance UBA's available, yet is amazingly simple, safe and robust. The MODE is easy to dive and easy to maintain, and perfectly suited for shallow water/short duration missions.

• U.S. Navy Certified

• Uses either granular or \*ExtendAir® solid CO2 absorbents

• Can be chest or back mounted

• Easy and inexpensive to maintain (very few repair parts)

• Low work of breathing (WOB)





PART #	DESCRIPTION
488005	MODE (WITH .9L DOT OXYGEN CYLINDER)
488350	MODE SERVICE KIT
488370	TOOL KIT IN HARD CASE
488340	FIRST NEEDS KIT
488341	VRGA SERVICE KIT




AQUA LUNG FROGS - FULL RANGE OXYGEN GAS SYSTEM

CLOSED CIRCUIT DIVING APPARATUS FOR SHALLOW WATER &

**SPECIAL FORCES OPERATIONS** 

The FROGS made by Aqua Lung is a 100% oxygen closed circuit underwater breathing apparatus specifically developed for clandestine use by SOF divers. FROGS is a ruggedly built UBA that is simple to operate and simple to maintain. High risk missions require the best tools available to the war fighter. FROGS is recognized globally as the best shallow water/long duration rig on the market. FROGS will put you on target with the highest degree of safety.

- Uses either granular or ExtendAir® solid CO2 absorbents
- Can be chest or back mounted (back mount requires Dorsal Kit)
- Easy and inexpensive to maintain very few repair parts
- Excellent water trapping capability (600ml)
- Demand valve adjustment knob to suit breathing comfort
- Very low Work of Breathing (WOB)
- Hydrodynamic shape reduces drag and diver fatigue





	TECHNICAL SPECIFICATIONS
DIMENSIONS	48 X 30 X 19 CM
WEIGHT (READY TO DIVE)	14.2kg
BUOYANCY IN WATER	5kg
CO2 ABSORBENT CAPACITY	2.6kg
CO2 CANISTER DURATION (NOMINAL)	4 HOURS+
COUNTERLUNG CAPACITY	4.5L
OXYGEN CYLINDER CAPACITY	2.1L X 207BAR = 434L
NON MAGNETIC CHARACTERISTICS	STANAG 2897
ACOUSTIC CHARACTERISTICS	STANAG IMP-15

PART #	DESCRIPTION
U.S. SALES	
101255	FROGS COMPLETE WITH QD
102525	FROGS COMPLETE WITHOUT QD
<b>EXPORT SALE</b>	es es
495005W	FROGS COMPLETE WITH QD
495005	FROGS COMPLETE WITHOUT QD
OPTIONAL	
495390	DORSAL KIT
495008	KIT, FROGS & AMPHORA, EXTEND AIR
102561	CARTRIDGE, EXTEND AIR FROGS (SM-0601C)



#### AQUA LUNG AMPHORA 18

#### SWITCHABLE UNDERWATER BREATHING APPARATUS

The Amphora 18 made by Aqua Lung is an underwater breathing apparatus specifically developed for SOF divers.

This UBA is 2 rigs in 1. First it's a 100% oxygen closed circuit UBA for shallow water/long duration transits.

The Amphora 18 can then be manually switched during the dive to a nitrox semi-closed circuit UBA for brief deep excursions such as submarine lock-in/lock-out.

#### Switch on-the-fly between oxygen CC and nitrox SCC

- Can also be set up as an oxygen only rig if desired
- Constant mass flow injection provides safe ppo2 levels
- Uses either granular or ExtendAir® solid CO2 absorbents
- Excellent water trapping capability (600ml)
- Demand valve adjustment knob to suit breathing comfort
- Nitrox depth & duration:

(with 2L cylinder and 50bar reserve)

- -60/40 mix = 18 m for 50 min
- -50/50 mix = 24 m for 40 min
- -40/60 mix = 32 m for 30 min

#### Note:

The AMPHORA and FROGS UBA use the same chassis and a conversion kit is available.



	TECHNICAL SPECIFICATIONS
DIMENSIONS	48 X 30 X 19 CM
WEIGHT (READY TO DIVE)	18.5kg WITH 1.5L NITROX / 19.5KG WITH 2L NITROX
ABSORBENT CARTRIDGE CAPACITY	2.6kg
COUNTERLUNG CAPACITY	4.5 L
O2 CYLINDER CAPACITY	2.1L X 207 BAR = 434L
NITROX CYLINDER CAPACITY	1.5L X 207 BAR = 310L / 2L X 207 BAR = 414L
DURATION OF APPARATUS (SODALIME)	4 HOURS+
NON MAGNETIC CHARACTERISTICS	STANAG 2897
ACOUSTIC CHARACTERISTICS	STANAG IMP-15

PART #	DESCRIPTION
496000	AMPHORA REBREATHER FULL CONFIGURATION
496001	AMPHORA WITH MIX FRONT PACK
496002	AMPHORA WITH MIX BACK/LEG PACK



## AQUA LUNG CRABE COMPLETE RANGE AUTONOMOUS BREATHING EQUIPMENT

Created by Aqua Lung, the CRABE is the world's most respected mechanical-deep-diving-mine countermeasures apparatus. The CRABE is a semi-closed circuit rig that uses the highly reliable variable volume exhaust (aka proportional leak) principle to accurately and safely maintain the diver's ppo2. Simple to set up and simple to operate which allows the military diver to maintain mission focus.

- Reliable all mechanical rig
- Integrated BC/load harness
- Integrated bottom mix bailout regulator
- Oxygen switch and cylinder used for decompression
- Three Modes (see table below)
- LSP = Low Saturation Profile
- MSP = Medium Saturation Profile
- Trimix

TECHNIACAL SPECIFICATIONS	
DIMENSIONS	70cm x 50cm x 38cm
WEIGHT	LSP=35kg / MSP=38.1kg / Trimix=37.15
ABSORBENT CARTRIDGE CAPACITY	2.66kg Divesorb Pro
COUNTERLUNG CAPACITY	4.5L
O2 CYLINDER CAPACITY	1.5L
NITROX CYLINDER CAPACITY	6.5L
NON MAG CHARACTERISTICS	STANAG 2897
ACOUSTICS CHARACTERISTICS	STANAG AMP-15
PRODUCT INFORMATION	
CRABE	CR490001
CRABE ANNUAL SERVICE KIT	CR490070
STANDARD TOOL KIT	CR490920
SPECIAL TOOL KIT	CR490950
PPO2/DEPTH/TIME MONITOR	CR494000
PPO2 SENSOR ADAPTOR	CR494045
PO2 CALIBRATION TOOL	CR494041



		DIFFEREN	IT MODES		
CONFIGURATION	NITROX		LSP NITROX		MSP TRIMIX
GAS	60%	50%	40%	30%	23%
RING COLOR	GREEN	BLUE	YELLOW	RED	BROWN
INJECTOR	GREY				BLACK
DEPTH	0 - 24 M	0 - 32 M	30 - 45 M	45 - 60 M	45 - 80 M
MAX DIVE TIME	3H 00	1H30 AT 22M 1H00 AT 32M	1H00 AT 30M 45MIN AT 45M	30MIN AT 45M 25MIN AT 60M	15 MIN
GAS SWITCH	PULLED (WITHOUT INJEC	TOR)	PUSHED (WITH INJECTOR	)	
OXYGEN KIT	NO		OPTIONAL	_	YES

	SPECIAL HARNESSES FOR SURFACE SUPPLIED DIVING	
PART #	DESCRIPTION	SIZE
490002	CRABE BACK-MOUNTED BREATHING APPARATUS	MD
490003	CRABE BACK-MOUNTED BREATHING APPARATUS	LG



# AQUA LUNG PHODS PORTABLE HELICOPTER OXYGEN DELIVERY SYSTEM

		A STATE OF THE STA
PART #	DESCRIPTION	
102935M2	PHODS M2 O2 SYSTEM COMPLETE	
SPARE PARTS	<u>'</u>	
PART #	DESCRIPTION	
102985	REGULATOR COMPLETE, PHODS (W/O STEEL CYLINDER)	
102963 102970M2	PHODS CONTROLLER WITH HOSE, OPC-M2	
103010	PHODS REGULATOR/STEEL CYLINDER	
1005866-3	POCKET, UBD-AW, UC	
1005860-5	POCKET, OPC-AW, UC	
102957	6 MM COILED HOSE ASSY	
102958	HOSE ASSY OUTLET	and it is the same
102960	HOSE ASSY, CYLINDER, OPC	
102998	PHODS STEEL CYLINDER	
102980	CANNULA, PHODS (W/O MOUNTING CLIP)	
103000	CANNULA, PHODS, IHU	
102907	CLIP KIT, PHODS, 56P	
103498	CLIP, IHU, PHODS	
103050	KIT, PHODS MASK TO MFS	
102906	NOSEPIECE, PHODS	
102933	STORM STORAGE CASE, PHODS	
102934	STORM STORAGE CASE-MISSION KIT	
820008CR	O-RING, OXYGEN CLEANED-25PACK	
102955	DIAL INDICATOR, PHODS, OXYGEN	
102986	AIR INTAKE FILTER, MOCRS	
102987	SIEVE BED, (2)-MOCRS	
103058	7 MICRON FILTER ELEMENT	
103059	HEPA IN-LINE FILTER	
103060	1/4" BLACK INTAKE FILTER	
103043	KIT, PHODS MASK, ELBOW FITTING	
102978	CAP, EXHAUST VALVE, PHODS MASK	
102981	ASSY, MICROPHONE, PHODS MASK	
102982	VALVE, EXHAUST, PHODS MASK	
102983	VALVE, INHALATION, PHODS MASK	
102984	KIT, HARDWARE, PHODS MASK	
102971	PHODS MASK ASSY-SMALL/NARROW	
102972	PHODS MASK ASSY-MEDIUM/NARROW	
102973	PHODS MASK ASSY-MEDIUM WIDE	
102974	PHODS MASK ASSY-LARGE/WIDE	
GROUND SU	PPORT EQUIPMENT	
PART #	DESCRIPTION	
102968	KIT, TOOLS, PHODS MAINTENANCE	
102950	KIT, OPC ANNUAL PHODS	
102990	KIT, PHODS REGULATOR OVERHAUL	
102911	FILL ADAPTER, K-CYLINDER-PHODS	
102936	MISSION KIT	







## AQUA LUNG RESET SERVICES TECHNICAL TRAINING THE FOLLOWING SERVICES ARE AVAILABLE FROM AQUA LUNG

PHODS RESET	-PERIODIC MAINTENANCE
PART #	DESCRIPTION
102935RS	PHODS RESET-LABOR
102936RS	MISSION KIT RESET-LABOR
102968RS	TOOL KIT RESET-LABOR
103068RS	MOCRS TOP BOX-LABOR
103069RS	MOCRS BOTTOM BOX-LABOR
103048RS	MOCRS PHODS FILL MANIFOLD-LABOR
102990	PHODS REGULATOR OVERHAUL KIT
102950	OPC ANNUAL OVERHAUL KIT
103071	MOCRS TOP BOX PARTS KIT
103072	MOCRS BOTTOM BOX SPARES KIT
103073	MOCRS MANIFOLD SPARES KIT
	CLEAN ROOM DAILY RATE
SEA FACTORY	CONDUCTED TECHNICAL TRAINING (NO PER DIEM EXPENSES INCLUDED)
PART #	DESCRIPTION
999991	ONE DAY FACTORY TRAINING ON THE SEA HELD AT FACTORY HEADQUARTERS FOR 1-12 ATTENDEES
999992	ONE DAY FACTORY TRAINING ON THE SEA HELD AT FIELD LOCATION. ALL PER DIEM EXPENSES OF INSTRUCTOR TO BE BILLED SEPARATE. (1-12 STUDENTS). ALSE EQUIPMENT FIELDING PROGRAM (CONDUCTED IN THE FIELD AND TRAVEL AND PER DIEM EXPENSES FOR THE INSTRUCTOR WILL BE ADDITIONAL)
999998	8 HOUR TRAINING AND ORIENTATION COURSE DESIGNED TO PROVIDE TRAINING AND ORIENTATION OF SEA, MRS-III
	SEA RESET



## AQUA LUNG SURVIVAL EGRESS AIR (SEA) SYSTEMS DISTRIBUTION MAY BE RESTRICTED - CHECK WITH AQUA LUNG

SEA	
PART #	DESCRIPTION
108300	SEA MK1.5 WITH DIAL INDICATOR (20" HOSE)
108320	SEA MK2.0 WITH DIAL INDICATOR (20" HOSE)
108330	SEA MK 2.0 WITH PIN INDICATOR (20" HOSE)
108370	SEA MK 2.0 WITH DIAL INDICATOR (27" HOSE
108360	SEA MK 2.0 WITH PIN INDICATOR (27" HOSE)
108340	SEA MK 2.5 WITH DIAL INDICATOR (20" HOSE)
108350	SEA MK 2.5 WITH PIN INDICATOR (20" HOSE)
108375	SEA MK 2.5 WITH DIAL INDICATOR (27" HOSE)
SEA WITH NO	O ON OFF VALVES-USCG AND CBP ONLY
108382	SEA MK WITH NO ON/OFF DIAL INDICATOR 20" HOSE-USCG LOGO-NO CYLINDER
108465	SEA MK WITH NO ON/OFF DIAL INDICATOR 27" HOSE-USCG LOGO-NO CYLINDER
108466	SEA MK 1.5 WITH NO ON/OFF DIAL INDICATOR 20" HOSE-USCG LOGO
108467	SEA MK 1.5 WITH NO ON/OFF DIAL INDICATOR 27" HOSE-USCG LOGOV
108545	SEA MK 1.5 WITH NO ON/OFF DIAL INDICATOR 20" HOSE-CBP
	H LV2 SECOND STAGE
108445	SEA MK1.5 LV2 WITH DIAL INDICATOR 20" HOSE (SRU 42/P)
108475	SEA MK1.5 LV2 WITH DIAL INDICATOR 28 "HOSE
108400	SEA MK2.0 LV2 WITH DIAL INDICATOR 20 "HOSE
108405	SEA MK2.0 LV2 WITH PIN INDICATOR 20 "HOSE
108410	SEA MK2.0 LV2 WITH DIAL INDICATOR 27 " HOSE
108415	SEA MK2.0 LV2 WITH PIN INDICATOR 27 "HOSE
108420	SEA MK2.0 LV2 WITH DIAL INDICATOR 27" HOSE-HESP MARKINGS (SRU 43/P)
SEA LV2 CON	
108402	LV2 SECOND STAGE ASSY
108391	LP HOSE LV2, BLACK, 20"
108394	LP HOSE LV2, BLACK, 24"
108392	LP HOSE LV2, BLACK, 27"
108321	LP HOSE LV2, BLACK, 28"
108425	SEA/LV2 KIT (NO CYLINDER), WITH DIAL INDICATOR, 20" HOSE
108470	SEA/LV2 KIT (NO CYLINDER), WITH DIAL INDICATOR, 24" HOSE
108430	LV2 SECOND STAGE ASSY W/20" HOSE
108435	LV2 SECOND STAGE ASSY W/27" HOSE
SEA-3000LW	
103570	SEA-3000 LW, 1.5 AL, 20" HOSE
103570	SEA-3000 LW, 1.5 AL, 27" HOSE
103520	SEA-3000 LW, 2.0 AL, 20" HOSE SEA-3000 LW, 2.0 AL, 27" HOSE
	SEA-3000 EVV, 2.0 AL, 27 HOSE
SEA-4500	OFA 4500 47.5 OL 008 LIGOS
103575	SEA-4500, 17.5 CI, 20" HOSE
103585	SEA-4500, 17.5 CI, 27" HOSE
103576	SEA-4500, 13 CI, 20" HOSE
103577	SEA-4500, 13 CI, 27" HOSE
	CONFIGURATION
108413	SPUDS SYSTEM W/O HOLSTER AND BELT
108387	SPUDS POCKET, BLACK



## AQUA LUNG SURVIVAL EGRESS AIR (SEA) SYSTEMS DISTRIBUTION MAY BE RESTRICTED - CHECK WITH AQUA LUNG

SEA REPAIR I	ITS & SPARES	
PART #	DESCRIPTION	NSN
108343	1ST STAGE SERVICE KIT	4240015428151
108344	2ND STAGE SERVICE KIT	4240015428152
102810	SEA DIAL PRESSURE GAUGE	4240014768875
108346	SEA PIN PRESSURE GAUGE	
820466	CHRISTO-LUBE 2 OZ TUBE LUBRICATION	
108342	ALSE TECHNICIAN TOOL KIT (MK)	4220015519462
108509	ALSE TOOL KIT SEA 300 LW (SEA-4500) LV2	
108416	KIT, SEA LV2 GROUND SUPPORT-USN	4220015435271
108362	SOFT CASE	
107394	ADJUSTABLE SPANNER	
947448	MEDIUM BLADE SCREWDRIVER	
944022	O-RING TOOL KIT	5365014527267
108453	SEA LV2 MOUTHPIECE COVER	4220015433676
FILL ADAPTE	RS AND MOBILE REFILL STATIONS	
PART #	DESCRIPTION	NSN
108325	SCUBA CYLINDER FILL ADAPTER	4220015435272
700406	BLEED SCREW	
M100656	COMPRESSOR LINE FILL ADAPTER	
102865	SEA-4500 FILL ADAPTER	
M100785	HIGH PRESSURE 120 CF STEEL CYLINDER	
M100686	PRS ACCESSORY KIT	
100703	MRS-III OVERHAUL KIT-1 YEAR	4220015507796
100704	MRS-III OVERHAUL KIT-5 YEAR	4220015507795
100750	MRS-IIIINSTRUCTION MANUAL	
100751	MRS-III REPAIR CD	
100701RS	MRS-III RESET (CALL FOR DETAILS)	
	CYLINDERS FOR EMERGENCY EGRESS OF THESE CYLINDERS REQUIRE A MINIMUM ORDER QUANTITY	
PART #	DESCRIPTION	
079105	1.5 CUBIC FOOT, BLACK POWDER COATED, 1.99" DIAMETER, 7.325" LENGTH	
079109	1.5 CUBIC FOOT, BLACK ANNODIZED, 1.99" DIAMETER, 7.325" LENGTH	
079106	1.5 CUBIC FOOT, BRUSHED, 2.266" DIAMETER, 6.30" LENGTH	
079120	2.0 CUBIC FOOT, BLACK ANODIZED, 1.99" DIAMETER, 9.25" LENGTH,	
079125	2.5 CUBIC FOOT, BLACK ANODIZED, 2.27" DIAMETER, 9.25" LENGTH	
079103	2.5 CUBIC FOOT, BRUSHED, 1.99 "DIAMETER, 11.38"LENGTH	
103571	COPV, 13PSI, 4500PSI	
103524	COPV, 17.5PSI, 4500PSI	
	STS AND ACCESSORIES ING ACCESSORIES ARE AVAILABLE FROM AQUA LUNG IN LIMITED SUPPLY	
PART #	DESCRIPTION	
100645	MAS SYSTEM POCKET, 2.5 BOTTLE, LONG	
100695	MAS SYSTEM POCKET, 2.5 BOTTLE, SHORT	
	1	
100671	UMP-CG 483 NOMEX AIRSAVE	
100671 100659	UMP-CG 483 NOMEX AIRSAVE  UMP-SAR	



### AQUA LUNG G3000SS GORSKI DIVING HELMET

The G3000SS diving helmet from Aqua Lung offers high levels of performance, quality, and functionality.

#### APEKS GX300 REGULATOR

- Modern, state-of-the-art demand regulator
- Balanced design with double exhaust
- High strength composite materials
- Exceptional breathing performance
- •Suitable for all depths and work rates
- Breathing loop fully protected inside shell
- •Side-mount shields against frontal impact
- Retrofits to all existing Gorski helmets
- Quick field conversion to free-flow mode

#### **KEY HELMET FEATURES**

- Excellent field of view
- Robust, durable and reliable
- •Stainless steel 316L throughout
- Superior corrosion and electrolysis resistance
- Reinforced face plate retention system
- •Ideal helmet position and balance
- •Low component count reduces inventory and simplifies service

#### COMMUNICATIONS SYSTEM

- High quality comms are water and rustproof
- Simplified layout for switching between 2 and 4-wire configuration

#### **BAILOUT OPTIONS**

- •Optional harness-mounted Bailout Switch Block
- see next page for details
- Optional helmet-mounted Bailout Side Block see helmet photo above

GX300 BALANCED REGULATOR DESIGNED AND BUILT BY:








G3000SS diving helmet shown with optional side-mount Bailout Valve









### (A) apeks BAILOUT SWITCH BLOCK

The Bailout Switch Block allows the diver to switch from a primary gas supply to an alternate bailout gas supply (Emergency Gas Supply – EGS). The switch block is used with any diving helmet or full face mask with a medium or low pressure gas supply.

#### **KEY FEATURES**

- Robust, durable and reliable
- User friendly configuration and operation
- All ports marked for easy identification
- Use with surface supply umbilical or scuba cylinder
- CE approved to standard EN15333-1:2008

#### **PORTS**

- 4 x standard 3/8 in MP outlet ports
- 1 x bailout inlet port with 3/8 in hose adapter (male)
- 1 x 1/2 in NPT dual use outlet/inlet port: see versions below

#### **MOUNTING ARRANGEMENT**

- Universal mounting plate suitable for all diver harnesses
- Block retained in place by spring-loaded button catch
- Block easily removable from the harness mounting
- Mounting plate remains fixed to harness

#### **SWITCH BLOCK VERSIONS**


AP0281/G For use with the Aqua Lung G3000SS diving helmet AP0281 For use with all other diving helmets; includes one way inlet valve and umbilical adapters

AP0281-PS Same as AP0281 but with single Scuba adapter, ideal for use with primary and secondary cylinder configuration (e.g. police public safety diving)

#### **FLOW RESTRICTOR - AP0730**

 An optional flow restrictor is available for use with a suit inflator hose











EN1533-1:2008

AP0730

EN1533-1:2008 INDEPENDENTLY tested by DNVGL

PART #	DESCRIPTION
AP0281/G	SWITCH BLOCK G3000SS HELMET VERSION
AP0281-PS	SWITCH BLOCK W/NON RETURN AND SCUBA FITTING
AP0281	SWITCH BLOCK W/NON-RETURN AND 4 ADAPTERS
AP0283	SWITCH BLOCK, MOUNT



	G3000SS DIVING HELMET PARTS LIST
AQA #	
	DESCRIPTION  POLIT NEGLE DETAINED AS PAGE
400003	BOLT, NECK RETAINER (5 PACK)
400004	NUT, NECK RETAINER (5 PACK)
400005	SPRING, LATCH (5 PACK)
400006	NUT, KNOB (5 PACK)
400007	SPRING, KNOB (5 PACK)
400008	KNOB, FREE FLOW
400009	SCREW (5 PACK)
400010	COVER, VALVE EXHAUST
400011	COVER, REGULATOR
400012	O-RING, FACE PORT
400013	PLATE, FACE
400014	RETAINER, PORT
400015	SCREW RETAINER PORT (5 PACK)
400016	POST, COMMUNICATION
400017	BULK HEAD, COMMUNICATIONS
400021	CONNECTOR, SWAGELOCK
400022	O-RING (10 PACK)
400023	TRAIN, DEFOGGER
400024	BARREL, FREE FLOW
400025	MASK, ORAL NASAL
400028	LINER, HEAD
400030	PLUG, MANIFOLD (LARGE)
400031	O-RING (10 PACK)
400032	SCREEN
400034	O-RING (10 PACK)
400035	SCREW, HEX, MANIFOLD (5 PACK)
400036	SCREW, HEX, MANIFOLD (5 PACK)
400037	GASKET, MANIFOLD
400039	PLUG, PORT
400040	VALVE, CHECK
400041	FITTING, SCUBA
400042	FITTING, HOSE
400043	CAP, FITTING
400044	BODY, FREE FLOW EXHAUST VALVE
400045	O-RING (10 PACK)
400046	O-RING (10 PACK)
400047	VALVE, FLAPPER EXHAUST
400048	RING, SNAP FLAPPER VALVE
400049	SEAT, FREE FLOW VALVE
400050	WASHER, COPPER (5 PACK)
400051	STEM, FREE FLOW VALVE
400052	O-RING (10 PACK)
400053	WASHER, TEFLON (5 PACK)



AQA#	DESCRIPTION
400054	VALVE, FREE FLOW BONNETT
400055	COVER, DIAPHRAGM
400056	BUTTON, PURGE (5 PACK)
400057	RING, SNAP COVER (5 PACK)
400057	DIAPHRAGM, SECOND STAGE
400059	HOUSING, SECOND STAGE DIAPHRAGM
400060	O-RING REGULATOR BODY (10 PACK)
400061	BODY, SECOND STAGE MAIN
400062	ASSEMBLY, VALVE
400063	SEAT, VALVE
400064	O-RING VALVE SEAT, REGULATOR(10 PACK)
400065	PLATE, RUBBER (5 PACK)
400066	PISTON, VALVE
400067	SPRING (5 PACK)
400068	HOUSING, VALVE
400069	PIN, LEVER (5 PACK)
400070	SLEEVE, EJECTOR
400071	DEVICE, OPERATING
400072	RING,CONNECTING
400073	KNOB, NCD
400074	O-RING NOSE CLEANING DEVICE (10 PACK)
400077	PAD, NOSE NEOPRENE (5 PACK)
400078	RING, QUAD
400079	RING, NECK UPPER
400080	SEAL, NECK
400081	RING, NECK BOTTOM
400082	SCREW NEAR RING LOWER (5 PACK)
400083	SCREW BUCKLE STRAP (5 PACK)
400084	BUSHING BUCKLE STRAP (5 PACK)
400085	BUCKLE, STRAP
400086	STRAP, NYLON W/ D-RINGS
400087	BODY, WELDING SHIELD
400088	LENS, WELDING
400089	BRACKET, LENS HOLDING (2 PACK)
400090	GASKET, WELDING LENS
400092	HINGE, WELDING LENS (2 PACK)
400093	SCREW HINGE BLOCK (5 PACK)
400094	SCREW HINGE (5 PACK)
400095	SPRING, WELDING SHIELD
400098	SEAT, DUAL EXHAUST
400099	RING, SPACER (5 PACK)
400102	WELDING SHIELD
400103	NECK RING ASSEMBLY
400104	SET, COMMUNICATION
	1-2-4-2-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-4-



AQA #	DESCRIPTION
400106	SECOND STAGE, CYCLONE 5000
400107	BRACKET, LIGHT/CAMERA
400108	KIT, ANNUAL SERVICE
400109	LOCKING SYSTEM, LEFT
400111	KIT, DOUBLE EXHAUST
400112	KIT, PLUG INSET FREE FLOW
400113	SCREW, LATCH (5 PACK)
400114	RETAINER, NECK RING, MOD 1
400120	WASHER, LATCH SPRING (2 PACK)
400122	NUT & NYLON FERRULES, BULKHEAD ASSY
400123	NOSE CLEARING DEVICE ASSY
400124	HEAD LINER, THICK
400127	FERRULES NYLON (10 PACK)
400128	BLANK PLUG, SS
400129	SPEAKER, LEFT
400130	SPEAKER, RIGHT
400131	MICROPHONE
400132	LOCKING SYSTEM, RIGHT
400133	TUBING, PLASTIC, CUT (10 PACK)
400134	LOCKWASHER (5 PACK)
400139	INSET, MANIFOLD COMPLETE
400140	STEM AND METAL NOSE PAD (CLEARING DEVICE)
400143	LIT,TECH MANUAL,GORSKI HELMET
400178	LIT,CD,TECH MANUAL,GORSKI HELMET
400182	COVER NEOPRENE G3000SS COMMS TERM BLK
400184	HEADLINER THIN
400189	SEAL, NECK SMALL 4.5
400191	O-RING
400192	SCREW, BUTTON CAP (5 PK)
400193	FIELD SPARES KIT
400195	ACCESSORY RAIL, GORSKI
400196	UNIVERSAL SIDE MOUNT, GORSKI
400300	HELMET COMPLETE G3000SS
400301	HELMET COMPLETE G3000SS W/ HI USE COMM
400302	HELMET COMPLETE G3000SS W/ MARSH MARINE COMM





AQA#	DESCRIPTION
AP0281	SWITCH BLOCK W/CHECK VALVE
AP0281/G	SWITCH BLOCK,G3000SS
AP0281/SB	HELMET SIDE BLOCK
AP0270	HANDWHEEL ASSEMBLY,GORSKI
AP0271	ORAL NASAL VALVE ASSEMBLY,GORSKI
AP0300	REG,GX300
AP0730	FLOW RESTRICTOR
AP2534	HANDWHEEL,GORSKI
AP2535	NUT,GORSKI
AP2537	VALVE HOUSING,GORSKI
AP2550	EXHALATION DIAPHRAGM (REGULATOR DK GRY)
AP2553	DIAPHRAGM
AP4012	SPRING,GORSKI
AP6223	EXHAUST VALVE,XTX







### AQUA LUNG TDACBHP - TWO DIVER AIR CONTROL PANEL

The Two Diver Air Control Box - High Pressure and its variants are all composed of materials designed to resist offshore/saltwater environments. The case is made out of high-impact plastic and is water tight when closed and locked. A stainless steel faceplate resists corrosion and houses two 0.50% accuracy pneumo gauges which are plumbed with pneumatic nylon tubing. The air manifold is made of brass for rugged, reliable use in the field.

#### **FACEPLATE**

Stainless steel

#### **PNEUMO GAUGES**

- 6" face
- 225 FSW (100 MSW gauges optional)
- 0.50% accuracy
- 1/4" MPT connection
- Brass internals
- Certified for 6 months from factory

#### **MANIFOLD**

- 1000 psi brass fittings
- 1/2" ball valves rated to 600 psi
- Check valves rated to 400 psi

#### **LOW PRESSURE GAUGES**

- 1/4" MPT connection
- 300 psi (27 bar optional)
- Stainless case
- Brass internal

#### **HIGH PRESSURE GAUGE**

- 1/4" MPT connection
- 5000 psi
- Stainless steel case
- Brass internal

#### PRESSURE REDUCING REGULATOR

- 6000 psi in/0-220 psi out
- PNEUMO SUPPLY
   300 psi rated hose
- Brass reusable fittings



PART #	DESCRIPTION
400750	AIR CONTROL BOX, TWO DIVER HP
103511	INTERCOM, MK2-DCI 2 DIVER 2 OR 4 WIRE
103512	BATTERY, RECHARGEABLE MK2-DCI (2 REQ)
103513	HEADSET, THB-2A DELUXE W/BOOM MIC
103514	BATTERY CHARGER, FOR MK2-DCI



### AQUA LUNG STANDARD HELMET BAG

• Provides protection for Gorski diving helmet

• Heavy duty construction

• Separate pocket for neck ring assembly





PART #	DESCRIPTION
400804	STANDARD HELMET BAG

### AQUA LUNG STANDARD FLOTATION BAG

- Provides protection for Gorski diving helmet
- Floats with helmet inside
- Heavy duty construction



PART #	DESCRIPTION
400805	HELMET FLOTATION BAG



### AQUA LUNG PERSONAL DIVER HARNESS (H1)

- Strength-rated individual recovery harness
- Full-body, easily adjusted, one-size design
- Worn underneath an equipment vest/bell jacket
- Secure attachment points for dive umbilical
- Recovery points: rear lifting ring (1), chest rings (2)
- Rated breaking strength: 2200 lbs/ 000 kg/ 9800 N



PART #	DESCRIPTION			
769178	HARNESS, PDH, PERSONAL DIVER (H1)			

### AQUA LUNG COMMERCIAL DIVING HARNESS (H3)

- Multi-function professional diving harness
- For bailout cylinder(s), weights, tools, and umbilical attachment
- Integrated strength-rated recovery function
- Recovery points: rear lifting ring (1), shoulder rings (2)
- Rated breaking strength: 2200 lbs/1000 kg/9800 N
- Easy to load weight pockets hold up to 60 lbs/13.2 kg



PART #	DESCRIPTION
400800	COMMERCIAL DIVING HARNESS (H3), INCL. 4 X 12.5 LB WEIGHT POUCHES. SIZE 1
400801	COMMERCIAL DIVING HARNESS (H3), INCL. 4 X 12.5 LB WEIGHT POUCHES. SIZE 2
400808	H3 HARNESS ONLY SIZE 1 (L)
400809	H3 HARNESS ONLY SIZE 2 (XL)
400811	H3 HARNESS HI-VIS SIZE 1 (L)
400812	H3 HARNESS HI-VIS SIZE 2 (XL)



## AQUA LUNG SURFACE SUPPLIED HARNESS VISIT AQUALUNG.COM FOR DETAILED DATA SHEETS





SPECIAL HARN	SPECIAL HARNESSES FOR SURFACE SUPPLIED DIVING		
PART #	DESCRIPTION		
769158	HARNESS, SSH, SURFACE SUPPLIED, SIZE 0		
769161	HARNESS, SSH, SURFACE SUPPLIED, SIZE 1		
769169	HARNESS, SSH, SURFACE SUPPLIED, SIZE 2		



### AQUA LUNG DIVER RECOVERY BRIDLE

- For recovery of unconscious diver from the water
- Connects to harness shoulder rings
- Robust and easy to rig
- High grade carabiners
- Rated breaking strength: 2200 lbs/1000 kgs/9800 N



PART #	DESCRIPTION
400803	DIVER RECOVERY BRIDLE

### AQUA LUNG ACCESSORY POUCH

- Connects to harness shoulder rings
- Robust and easy to rig
- High grade carabiners
- Rated breaking strength: 2200 lbs/1000 kgs/9800 N





PART #	DESCRIPTION
400806	12.5 LB WEIGHT POUCH
400807	ACCESSORY POUCH
400813	TANKBAND, 30 OF W/ TANK PAD





### Military & Professional



AQUA LUNG AMERICA, INC. 2340 Cousteau Court VISTA, CA 92081, U.S.A. AQUA LUNG CANADA LTD
6820 KIRKPATRICK CRESCENT
SAANICHTON, BC V8M 1Z9, CANADA

PHONE: (760) 597-5000

PHONE: (250) 652-5881

FAX: (760) 597-4900

FAX: (250) 652-5991

PUBLIC SAFETY INQUIRIES: publicsafety@aqualung.com WWW.AQUALUNG.COM/MILITARYANDPROFESSIONAL

